


Digitized by the Internet Archive in 2022 with funding from University of Illinois Urbana-Champaign Alternates



8327 8338V

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



June 27, 1958

TREE POPULATION AND PRODUCTION PROSPECTS - 1958

Peach Tree Numbers Unchanged - Apples Down Slightly

Total peach tree numbers appear to be about the same as a year ago, with no change in the proportions, bearing and non-bearing. A moderate decline is indicated in total apple trees in the 25 commercial counties.

Year :		EACHES, All Counties		APPL	S, Commercial Coun	ities
1 Cal	Bearing trees	: Non-bearing trees:	All trees :	Bearing trees	: Non-bearing trees:	All trees
			Thousan	d Trees -		
1924	3,146	993	4,139	2,078	1,935	4,013
1929	2,990	1,037	4.027	2,418	1,257	3,675
1934	2,842	323	3,165	2,646	586	3,232
.939	1,412	619	2,031	1,840	233	2,073
944	1,600	400	2,000	1,260	280	1,540
949	1,240	350	1,590	840	240	1,080
954	630	170	800	530	150	680
955	610	160	770	510	140	650
956	610	160	770	480	200	680
957 1/	580	140	720	450	180	630
958 2/	580	140	720	440	160	600

1/Revised. 2/Preliminary.

New Plantings Account for One-Third of Non-Bearing Trees

Apple trees set out during the past year ending April 30, 1958 account for 23 percent of the non-bearing trees, while peach trees set out during this same period of time account for about two-thirds of the non-bearing peach trees. Of the apple trees set out during the past year ending April 30, 1958, 34 percent were planted in the fall of 1957 while the remaining 66 percent were planted in the spring of 1958. About 22 percent of the peach trees were planted in the fall of 1957 and 78 percent in the early months of 1958.

# Peach Prospects Above Last Year

June 1 prospects indicate a crop of about 1,100,000 bushels for the State which would be 64 percent above last year's production. A heavy set was reported for most all areas with thinning necessary for a quality crop.

The monthly estimates of the peach crop starting in June and of the apple crop starting in July represent total production prospects or fruit on the trees at harvest time. Users of the estimates in arriving at amounts available for sale should make deductions for local or home use, cullage and perhaps economic abandonment or unharvested fruit because of low prices. Users of peach estimates should remember the figures cover production all over the State while users of apple estimates should keep it in mind 26 counties only are covered. In the past eight years that portion of the peach crop sold has ranged from 72 to 90 percent of total production with an average of 82 percent.

# Apple Crop May Be Light

Illinois growers report a light set for most varieties but there is quite a bit of variation between orchards and areas. Unfavorable pollinating weather plus a poor bloom caused a light set in some orchards while the heavy crop a year ago may be responsible in others. Scab is a problem in susceptible varieties this year. The apple crop is expected to be less than a year ago for most fruit areas.

The Crop Reporting Service takes this means of thanking the fruit growers who cooperated on these surveys thus making it possible to provide themselves and other members of the industry with up-to-date figures on the Illinois peach and apple tree population and production prospects.

For the tree survey State funds were matched with Federal funds received from the Agricultural Marketing Service, U.S.D.A. under provisions of the Agricultural Marketing Act of 1946.

J. A. Ewing Agricultural Statistician in Charge Glenn E. Fisher Agricultural Statistician

what above last year and sharply above average; Western States, production somewhat below last year's heavy crop but still above June I conditions point to an above-average commercial apple crop for the country as a whole. By regions the June I outlook tines up as follows: Eastern States, a crop well above last year and average; Central States, production some-

the 1958 blossom period have apparently curtailed prospects in New Jersey, bloom averaged five days later than last year value and the 1958 bloom was period have apparently curtailed prospects in New Jersey, bloom averaged five days later than last year and prospects and was more favorable for politination with little frost damage reported. In Virginia the 1958 bloom was heavy and came about a week later than normal, politination was bindered by frequent rains and cloudy weather, particularly in southwest Virginia and the heavy-producing North Valley. generally a little more favorable in the northern part of New England than in the southern. Frost damage was negligible. In the Hudson Valley of New York the bloom was much lighter than last year. Frost May 9-10 caused damage in Columbia County, Moisture is adequate in all New York areas and good scab control had been obtained to lune 1. Drought in 1957 and rains and wind during Both Mew England and Mew York report that bloom was a week to 10 days later than last year. Pollination conditions were

A series of May frosts sharply reduced prospects for the Michigan apple crop. June I condition reports indicate that damage was greatest in the central counties of the west Michigan fruit belt. The low temperatures in May also damaged the Wisconsin crop. Illinois reports prospects for relatively light production on all varieties except Golden Delicious. Cool, wet weather hindered pollination. More favorable prospects are reported in Ohio and Indians. A late April freeze caused some damage to apples in northeastern Kansas and southwestern lows where the trees were then in bloom. Farther north in lows and in Minnesota, June I conditions were better, June I prospects were promising in the Crowley Ridge area of Arkansas but in the northwest part of that State rain during the pollination period caused a light set in some orchards.

In the Oblination period caused a light set in some orchards.

In the Observation period caused a light set in some orchards.

In the Okanogan and Yakima Valley areas of Washington both Red and Common Delicious have set only moderate crops, partly because of unfavorable weather during pollination and partly because of light or late bloom on pollinator varieties, in the Hood River area of Oregon set was reduced somewhat by unfavorable weather at pollination. California reports a good bloom on apples with conditions during the blooming period more favorable than for some of the other tree fruits. The commercial apple areas of ldaho escaped spring frost damage and blooming was about normal. Late April frosts caused considerable damage to Delicious in some localities of Delta County, Colorado, New Mexico reports the best prospects in several years despite some May frost damage in valleys in Rio Arriba County, in Utah June 1 prospects were above average for that date although many growers reported a relatively light bloom and set

Based on conditions as of June 1 the 1958 peach crop is forecast at 74.5 million bushels, 19 percent larger than last year and 18 percent above average. If prospects materialize this will be the largest crop since 1947. All States except Michiand 18 percent above average. PEACHES!

and 18 percent above average. If prospects materialize this will be gan, Missourt, Kansas, Colorado, and Utah expect a larger crop than in 1957.

The indicated California Clingatone crop of 25 million bushels ranks second to the record crop harvested in 1956. California's Freestone crop, estimated at 12.1 million bushels, is smaller than in 1956 and 1957 but is above average.

Production in the 9 Southern States is estimated at 15.2 million bushels, 42 percent above last year, 51 percent above average, and the largest crop since 1947. Georgia had generally favorable growing conditions during May. An intensive thinning program has been followed this year. In Morth Carolina there was a heavy May drop but trees still have a heavy set. Thinning has been intensive in South Catolina in an effort to insure good straing of the fruit. Alabama needs a good tain to promote alzing of the peaches, although an excellent crop is still in prospect. All areas of Arkanasa have a good crop, Louisiana growers have thinned their heavy set of fruit and the good crop is still in prospect.

Jew England and Mew York expect a good crop in contrast to last year's near failure. The trees had a heavy bloom and will redaine upportant southcentral and southeastern areas of Pennsylvania had a heavy set of fruit and will the trees had a heavy bloom occurring over a short period of time but weather was cold but there was little dimportant southcentral and southeastern areas of Pennsylvania had a heavy set of thut and will the much thinning, some of the information when the trees had a heavy bloom occurring over a short period of time but weather was fold but there was little thinning is well under way. Virginia growers report that their west one of the heaviest sets on record, Bloom was about 12 days thinning is well under way. Virginia rains interfered with bee activity at the beginning and of the bloom period, but weather was favorable for pollination when the trees were in full bloom.

Production in the Morth Central States is forecast at 5.9 million bushels, 9 percent above last year but 7 percent below average. Production in the 9 Southern States is estimated at 15.2 million bushels, 42 percent above last year, 51 percent above average,

crop than last year but smaller than average. Ohio expects to do considerable thinning after the June drop, In Indiana freeze damage in the northern part of the State had mostly a thinning effect. The set is heavy throughout the State. Illinois growers had little winter damage. There was a heavy bloom and thinning is necessary. The Michigan crop is expected to be below both last year and average. Frosts occurred during late April and May. The Kansas crop had only minor freeze damage and an above average crop is in prospect. Kentucky and Tennessee expect a larger plant and all the last year had a part of a larger. Production in the Morth Central States is forecast at 5, 9 infillion bushels, 9 percent above last year but 7 percent below average.

Production in the Western States is forecast at 42.6 million bushels, 9 percent above last year, and 13 percent above average but 5 percent smaller than in 1956. In Colorado the bulk of the orchards have a good crop although a few areas in Delta and Mesa Counties had frost damage. Washington expects the largest crop since 1949. Oregon has a great amount of variation between districts but in general the crop is expected to be better than last year and above average. Utah had a fairly light set of fruit because of stormy weather during pollination. New Mexico experienced some frost damage but still expects the best crop since 1954, Idaho's commercial areas were damaged April 28

commercial areas escaped frost damage although some minor areas were damaged April 28.

1,534 1,534 1,850 1,850 1,850 .s .u 184 71 LZI Del. OOT 094 T Cojo 095 £83 7.27 1,100 3,020 2,300 Ark. 2,950 Mich 1,167 3,031 2,420 N. C. S. C. Ga. 978 412 \* 111 3, 019 007 t .bnl 006 '₹ 967 7.7.8 090 'T 1'625 1'200 006 696 oldO 2,500 3,000 Va . W TOP pa. 974 300 04F 219 N. Y. 1,420 . BV 2,000 004 1,251 00F LVV .bM 300 120 897 Thousand Thousand prayers prayera : Indicated 1958; Indicated 1958 196I 99-LF6I State 99-7491 .vA : State PEACHES - Production 1/

L/ For some States in certain years, production includes some quantities unharvested on account of economic conditions, In 1956, estimates of such quantities were as follows (1,000 bu.): Illinois, 48; Arkansas, 195.

to Avoid Payment of Postage, \$300,00 Penalty for Private Use

P.O. Box 429, Springfield, Illinois DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Tree Population and Production Prospects - 1958

Urbana, Ill. Document Div FIPLSLA University of Illinois

ILLINOIS COOPERATIVE CROP REPORTING SERVICE NE THE LIBRARY OF THE WSW ESE UNIVERSITY OF ILLINOIS July 18, 1958

> ILLINOIS PRODUCTION PROSPECTS - 1958 Large Peach Crop

Illinois peach production, estimated at 1,170,000 bushels, is 75 percent more than the 1957 crop and 87 percent of the 1947-56 average. The 1958 estimate, while greater than last year, is 2 percent less than the 1956 crop of 1,200,000 bushels. Early variety harvest has begun and picking of Elbertas in the Anna-Metropolis area will start about August 17, a week later than a year ago.

Apple Crop Less Than Last Year

Apple production in the 25 commercial counties is estimated to be 1,990,000 bushels this year, 80 percent of last year's production and 70 percent of the 1947-56 average. The apple crop is expected to be light this year although growing conditions are favorable and quality of the fruit is good. Reports are quite variable from orchard to orchard and also among the varieties. Harvest of Transparent apples has been completed in the southern part of the State while picking is still going on in Calhoun, Pike, and Adams counties. Duchess harvest started about July 8 in the southern counties and will start about July 21 in the west-central counties.

Pear Production Down - Grapes Increase

The Illinois pear crop is forecast at 110,000 bushels, 4 percent less than a year ago and 34 percent below average, but 22 percent greater than the low of 90,000 bushels produced in 1955.

Grape production is estimated to be 1,500 tons, 7 percent more than 1957 but 18 percent below the 1947-56 average. Around the commercial grape area of Nauvoo the crop is described as being very good this year.

UNITED STATES: Although much depends upon future growing conditions, July 1 prospects point to the largest commercial apple crop, nationally, since 1950. If the July 1 estimate of 123, 920,000 bushels is realized, production will be about 5 percent above last year and 15 percent above average. The Eastern apple-producing States are expecting 54, 285,000 bushels, or 44 percent of the national total. This compares with 48,940,000 bushels or 41 percent of the total last year. All of the Eastern States expect larger crops than last year except southern New England, New Jersey, Pennsylvania, and Delaware. The indicated 1958 crop in the Central States is 20,885,000 bushels, or 17 percent of the national total. Last year, this region produced 20,546,000 bushels which was also 17 percent of the Nation's crop. In this area, prospective increases over last year in the South Central States and in Michigan, Ohio, Indiana and Minnesota are partially offset by decreases in the other States. The Western apple States expect 48,750,000 bushels, or 39 percent of the United States total. This compares with 49,062,000 bushels, or 41 percent last year. Washington's prospective production is 32,500,000 bushels, only 2 percent below last year's large crop. Oregon's prospects are also below last year but still above average. In California and Colorado, the indicated production as of July 1 is above both last year and average.

Although a late May freeze reduced the crop in some Michigan areas, prospects in that State improved generally during June. In southwest Michigan, it appears that Jonathans were hardest hit by the freeze. In Ohio, reports generally indicate a relatively light set of both Red Delicious and Golden Delicious. June weather was favorable for sizing. Harvest of summer varieties in the principal northeastern and north central areas of Ohio is expected to begin the week of July 21-26. Illinois has a light crop as a result of unfavorable weather during pollination, but growing conditions have been favorable. Harvest of Transparents was under way early in July. Rains and cool weather during pollination reduced the crop in southern Indiana, but for the State as a whole prospective production is reported slightly above last year. Wisconsin reports damage from frosts and hail. Most growers in the La Crescent area of Minnesota are expecting heavy crops. The important Washington crop experienced generally favorable growing conditions during June despite warm weather during the third week. The crop is sizing better than had been expected and growers have been thinning lighter than usual. Very little hail damage has occurred. Oregon reports generally favorable conditions both in the Hood River area and the Williamette Valley. There was some hail in the Medford area during June but damage is reported light. damage is reported light.

Production of peaches for 1958 is forecast at 74.9 million bushels, 20 percent greater than last year and 19 percent above average. As of July 1, it appeared that the crop will be the largest since 1947. Excluding the California Clingstone crop which is mostly for canning, the remainder of the U.S. Crop is estimated at 49.9 million bushels, 25 percent larger than last year and 22 percent above average.

The indicated production for the 9 Southern States totals 15 million bushels, 40 percent above last year and 49 per-The indicated production for the 9 Southern States totals 15 million bushels, 40 percent above last year and 49 percent above average. Production in this area is expected to be the largest since 1947. Frequent rains in southern Georgia during the last two weeks of June delayed harvest. Harvest was practically over by July 1 in the area south of Macon, was in full swing in central Georgia and was just getting started in northern counties. Harvest of South Carolina peaches is getting well under way. In the Ridge area and south about one-fourth of the crop had been harvested by July 1, but movement was still light in the important Piedmont area. In the Sandhills area of North Carolina, the May drop continued well into June, but outside the Sandhills area there is a better crop of peaches than last year. Alabama is harvesting its best crop in 11 years although some of the early varieties showed small sizes because of lack of rain during early June. Arkansas has had enough moisture to carry the Elberta crop through to maturity. Harvest of an extremely late crop in Louisiana started about mid-June, Oklahoma's peaches were about ready for harvest by July 1. Harvest in the Fredricksburg area of Texas began in late June and peaches were moving in good volume by July 1. ume by July 1.

Production in New England and New York is expected to total 1.7 million bushels in contrast to last year's near failure and compared with the average of 1.5 million bushels. An indicated 9.2 million bushel crop in the Middle Atlantic States is 38 percent larger than both last year and average.

Production in the North Central States is estimated at 6.2 million bushels, 13 percent above last year but 3 percent below average. Ohio peaches have required heavy thinning. In the principal north central area, harvest will begin about August 1, or 6 days earlier than usual. In both Illinois and Indiana, rains have made it difficult to spray but the fruit has sized well and generally shows good quality. Total production for the Western States is estimated at 42.5 million bushels, 9 percent above last year, and 12 percent above average.

The total pear crop is estimated at 28,068,000 bushels. This is slightly lower than the forecast on June 1, If realized, total pear production will be 11 percent below last year and 6 percent below average.

Grape production for 1958 is forecast at 2,703,780 tons. This crop, if realized, would be 4 percent above last year but 8 percent below average. European-type grapes, grown almost exclusively in California and Arizona, are forecast at 2,416,200 tons, accounting for about 89 percent of the total grape crop and representing a 1 percent increase over last year. The estimate for grapes in all other States is 287,580 tons, 37 percent above 1957.

Illinots Production Prospects

cotal 35 States	E91 '80T	118 248	026 'EZT	United States	₽16 °29	gee *29	688 °₹L
PITIOITIE	299'8	096 '8	099 6	California	200 '88	3/32 042	980 'LE
regon	2,510	3,100	089 'Z	Oregon	TLF	001	087
	25, 978	3/ 33, 200	32,500	Washington	699 T	006	2,200
notgaington	870 30		310	Utah	243	089	024
tah	017	077	017	New Mexico	TPT	120	291
New Mexico	999	719	070 T		TOT .I	3\ T'820	T. 750
Colorado	T, 307	1,530	1,520	Colorado		96	375
daho	1,531	053.1	1,300	odabi	316		1,000
Anstana	IZO	OII	120	Texas	999	064	
IKansas	977	8₹	202	Oklahoma	270	30	300
Cennessee	333	00₹	06₹	Louisiana	LL .	125	97T
септиску	BTE	188	346	Arkansas	T' 234	1, 100	2,300
(ansas	967	067	Z6T ·	iqqisslsziM	375	892	420
Vebraska	79	20	52	Alabama	293	425	096
ImossiN	TZO T	087	094	Tennessee	192	120	200
EWO.	LLT	530	09	Кеппску	270	ISP	06T
Minnesota	237	520	340	Georgia	0Z+ 3	2,100	3° 200
W isconsin	641 'T	1,350	060 T	South Carolina	180 'E	00p°\$	006 ₺
Michigan	8,256	10,000	TO' 800	North Carolina	191'1	I'200	1°420
genidail	0 20 0	000 01	40 00	"BV "W	219	074	01/8
070177777	070 17	2,500	066 T	Virginia	1,331	I,420	1,950
Trinois	2,825	009 6	000 t	Maryland	177	007	200
		oro tr	one tr		127	04	100
analbal	1,433	1,610	1, 628	Delaware		991	125
olido	2, 990	2,850	Z'870	Kansas	OII		01 <del>7</del>
North Carolina	I, 267	1,400	1,625	Missouri	483	097	ove is
West Virginia	₹ 030	000 9	001 9	Michigan	3,020	2,950	006 'Z
Virginia	LT6 '8	001'8	10,700		Maria de la companya della companya	THE RESIDENCE	
Maryland	ZZI'I	070 L	1,270	ITTINOIS	978'I	049	OTI,1
Delaware	316	370	340				
Pennsylvania	9TE 440 9	089'9	9 400 9 400	Indiana	415	322	720
New Jersey	2, 588	3,200	2,800	OPTO	696	006	1,100
New York	₱T₱ '9T	12,600	18,500	Pennsylvania	195'7	2,300	3,100
Connecticut	1, 293	1,450	1,280	New Jersey	1,700 1,700	2,000	3, 100
	691	06T	120	New York	1,251	120	1,360
Rhode Island	797,2	2,850	2,400	Connecticut	143	32	091
Massachusetts			070 **		91	T	81
Уеппопі	068	070	1,020	Rhode Island		0	TSO
New Hampshire	1°090	1,340	1,500	Massachusetts	64	8	
Maine	946	071,1	1,200	New Hampshire	OT	1	12
	- 1000	Thousand Bus			44	DussuodT	The same of the sa
	99-4761	L96T :	1958		99-1761	196T :	Tops Tops
- 271710	Average		: Indicated	- State -	Average		The second secon
State		Production 2/				Production	U 5/
· · · · · · · · · · · · · · · · · · ·	ด้ด้น	les, Commercial	/T dom	:: 1		ьевсре	

Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State,

Por some States in certain years, production includes some quantities unharvested on account of economic conditions,


<sup>3/</sup> Includes excess cullage of harvested fruit.

8338 838.1 Il c Il669

LLINOIS COOPERATIVE CROP REPORTING SERVICE

cop. 2

# FRUIT



ILLINOIS PRODUCTION PROSPECTS - 1958

Peach Crop 75 Percent More Than Last Year

The Illinois peach crop, estimated at 1,170,000 bushels is 75 percent more than last year and 87 percent of the 1947-56 average. Although the 1958 estimate is greater than 1957, it is 2 percent less than the 1,200,000 bushels produced in 1956. Harvest started about August 4 in the Anna-Metropolis area. Quality is generally good with little disease or insect damage.

Apple Production 22 Percent Below Last Year

Illinois apple production in the 25 commercial counties is estimated to be 1,940,000 bushels, 22 percent less than 1957 and 31 percent below average. Reports have been variable but in general the apple crop has been lighter than last year in most areas. Growers expect a small crop of Jonathans this year in contrast to a year ago. Jonathan harvest is expected to be completed about August 22. Harvest of a fair crop of Golden Delicious will start about August 19.

Pear Production Down - Grapes Steady

Pear production is estimated at 105,000 bushels, 9 percent less than a year ago and 37 percent below average, but 17 percent above the low of 90,000 bushels in 1955.

The grape crop is forecast at 1,400 tons, the same as last year and about three-fourths of the 1947-56 average. Excessive rain led to development of black rot on grapes in the Nauvoo area.

UNITED STATES: Based on conditions as of August 1 the commercial apple crop is estimated at 126 million bushels, 6 percent above last year, and 16 percent above average. A crop of this size would be the largest since 1949. Nearly all States report that July was favorable for the crop. Frequent rains in most areas promoted good sizing but made spraying difficult. However, insects and diseases have been well controlled. The crop for the Eastern States is forecast at 56 million bushels, 14 percent larger than last year. This represents 44 percent of the U. S. crop compared with 41 percent last year. Of the Eastern States, only southern New England and New Jersey expect a smaller crop than in 1957. Production in the Central States is estimated at 21.2 million bushels, 3 percent more than last year. The Western States with an estimated 48.8 million bushels will have 39 percent of the U. S. crop, compared with 41 percent last year.

Ohio has a heavier than usual infestation of scab, and insects. Harvest of summer apples was in full swing the last week in July. Harvest of fall varieties will begin about September 1. Illinois has a small Jonathan crop. Harvest of that variety commenced about July 30 in the southcentral counties. Picking of Delicious will commence about August 19. The Michigan crop outlook is considerably better than it was immediately after the late-May and early-June freezes. Scab has been well controlled but there is some build-up of mites.

Based on conditions as of August 1, a peach crop of 75.5 million bushels is in prospect--21 percent larger than last year and 20 percent above average. A crop of this size would be the largest since 1947. Excluding the California Clingstone crop which is mostly for canning, the rest of the U. S. crop is estimated at 50.5 million bushels, 26 percent larger than last year and 24 percent above average.

Production in the 9 Southern States is estimated at 15.4 million bushels, 44 percent greater than last year and 53 percent above average. This will be the largest crop since 1947. All of the States in this area except North Carolina show an increase over both last year and the 10-year average.

Ohio will harvest peaches in the northern part of the State about mid-August, or 3 to 5 days earlier than usual. Peaches have sized well, but frequent rains pose the dangers of disease damage in both Ohio and Indiana. Illinois had to do a heavy thinning job, yet some trees still have too much of a load. Harvest was expected to start about August 4 in the southern part of the State. The Michigan crop of Red Havens started moving during the first week of August.

The production of all pears is estimated at 28,204,000 bushels, very little change from the July 1 forecast but 11 percent less than 1957 and 5 percent below average. Most of the decline from 1957 was caused by smaller crops in prospect in Oregon and California. Bartlett pear production in the Pacific Coast States is estimated at 17,151,000 bushels, slightly above July 1 but 19 percent less than 1957 production and 10 percent below average.

Grape production is forecast at 2,696,480 tons for 1958, 4 percent above last year but 8 percent below average. In California and Arizona, the production of European-type grapes is forecast at 2,415,700 tons, 1 percent above 1957 production but 11 percent below average. Prospective California production by kinds, with 1957 comparisons in parentheses is: wine varieties 560,000 (535,000) tons; table varieties 475,000 (474,000) tons and raisin varieties 1,375,000 (1,373,000) tons.

Library

Urbana, III. Document Div

University of Illinois

-		Production 2/			/I do	Commercial Cr		:
	1968 1968	1961	Avetage 1947-56	etate -	Indicated 1958	1961	Average 1947-56	State
		Thousand Bushels	- 77 1 7 1			housand Bush		:
	120	8	6L 0T	New Hampshire Massachusetts	1,500	OLT'T	926	Maine
	09T	1	31	Rhode Island	1,020	1,340	068 090'T	New Hampshire Vermont
	068 T	720 32	1,251	New York	2,550	2,850	26₹°3	Massachusetts
	2, 700	2,000	1,700	New Jersey	1,280	097'T	1,293	Rhode Island Connecticut
	T'TOO	2, 300	2,451	Pennsylvania Ohto	18,500	12,600	PTP 9T	New York
	08₹	322	917	Englana	6,900	3, 200	2,588	New Jersey Pennsylvania
	011,1	019	7°346	ITTINOIS	1,340	010 T	1,122	Delaware
	000 'E	2,950	3,020	Michigan	009'9 TI'500	000 '9 001 '8	4,030	Virginia West Virginia
	T32	722 420	110 483	Missourt	3,050	1°400	1,257	North Carolina
	200 100	00₽ 0L	127 447	Delaware	I' 628	1,610	2,990 1,433	Ohio
	020	0.0%	1 3-5-	Maryland				

666 '93T 118'248 United States ₱16 '39 62,335 OT9 SL \$293'8 293'8 293'8 3/33,200 8,950 8,950 California 9, 550 2, 680 32, 500 California 3/32 042 33,002 Oregon 980 'LE Oregon 17.659 I 2,200 00₽ Washington Washington 006 Utah 310 010 243 Utah 089 New Mexico TP.0 1, 120 1, 120 1, 530 099 1,620 New Mexico ITI LOL TPO 1,531 1,531 Colorado OGI Colorado 3/1'820 1, 750 Idaho 918 Idaho 375 Arkansas Montana 96 06 OTI Texas 999 064 977 979 84 Окјароша 270 Tennessee 30 352 00₽ 333 Louisiana 067 1,100 97T LL Кептску 319 **881** T' 234 380 Arkansas 2,300 963 Kansas 290 20 roz iqqisslasiM 375 893 097 ₹9 Nepraska 22 Alabama 425 299 imossiM I'OSI 096 084 Tennessee T20 197 [OW8 200 8, 256 1, 179 771 771 Кептиску 230 04 000 '7 000 '7 006 '7 OLZ Minnesota 1,420 4,400 1,500 1,500 1,500 10,600 10,600 1,350 10,000 2, 420 1, 167 1, 167 Georgia Wisconsin South Carolina Michigan Virginia W. Va. North Carolina 1,331 078 2,500 2,825 ILLINOIS 076 T 096'I

3/ Includes excess cullage of harvested fruit. 2/ For some States in certain years, production includes some quantities unharvested on account of economic conditions. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

Glenn E. Fisher Agricultural Statistician

J. A. Ewing Agricultural Statistician In Charge

E91'80I

Penalty for Private Use

Postage, \$300.00 to Avoid Payment of P°C° BOX 429, Springfield, Illinois U, S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Total 35 States

Illinois Production Prospects

Illinois Production Prospects - 1958

Il66 of s cooperative crop reporting service





September 17, 1958

# ILLINOIS PRODUCTION PROSPECTS - 1958

# Apple Prospects Improve

Current prospects in the 25 commercial counties are for a crop of 2, 190,000 bushels which is 250,000 bushels above the August 1 estimate. This is 12 percent below last year's production and 22 percent below the 1947-56 average. Ample moisture has resulted in good sizing. All varieties are coloring nicely and disease and insect damage are reported to be at a minimum. Harvest of Jonathans is about complete and picking of Golden Delicious is under way.

# Peach Harvest Completed

The Illinois peach crop estimated at 1,070,000 bushels, is 60 percent above last year's production but only about four-fifths the 1947-56 average. The current estimate is 100,000 bushels below the August 1 estimate. This year's production did not measure up to expectations in many orchards. As the season progressed, excess moisture caused condition in many orchards to decline and brown rot was a problem at harvest time.

# Grape and Pear Production Below a Year Ago

Grape production estimated at 1,100 tons is 21 percent below last year's production and the August 1 estimate. The current estimate is 30 percent less than the 1947-56 average. Black rot, which cut the crop in half, in the Nauvoo area, is responsible for the decrease in this year's production. Harvest is virtually complete around Nauvoo, the main grape producing area in Illinois. The pear crop estimated at 95,000 bushels is 17 percent less than last year and 43 percent below average.

UNITED STATES: September 1 conditions indicate a commercial crop of nearly 127 million bushels, 7 percent above last year and 17 percent larger than average. Prospects declined during August in Washington, where growth was slowed by a prolonged period of hot weather, and in California, where the Gravenstein crop failed to make expected sizes. However, the declines in these and a few other scattered States were slightly more than offset by improved prospects in 20 of the 35 commercial apple States. By regions the September 1 prospects were as follows: Eastern, 56.8 million bushels, 16 percent above last year and 19 percent above average; Central, 22.2 million bushels, 8 percent above last year and 14 percent above average; Western, 47.7 million bushels, 3 percent below last year but 16 percent above average. The expected distribution of the U.S. crop by regions, with comparable figures for last year is: Eastern, 45 percent (41); Central, 17 percent (17); Western, 38 percent (42).

Production of peaches is estimated at 72,089,000 bushels, 16 percent more than last year and 14 percent above average. Excluding the California Clingstone crop, which is mostly for canning, the U. S. peach crop is estimated at 50,421,000, 26 percent above last year and 23 percent above average. As of September 1, indicated total production was down about 5 percent from a month earlier due primarily to the reduction in the California Clingstone crop.

Production of pears is estimated at 29,564,000 bushels, 7 percent less than last year, and 1 percent below average. Prospective national production is 5 percent above the August 1 estimate. For the three Pacific Coast States, which have 85 percent of the Nation's production, the 1958 crop is now indicated to be 12 percent under last year's crop and 3 percent less than average. For the remaining States, the prospective production is 45 percent more than last year and 14 percent above average.

Production of grapes is forecast at 2,809,480 tons, 8 percent more than in 1957 but 4 percent below average. Indicated production for the North Atlantic and North Central States is less than a month ago. Prospects in New York, Michigan, and Illinois are not up to the August 1 level, but in other North Atlantic and North Central States, the crop remained unchanged. On the West Coast, Washington's prospects are below a month ago, but an increase in California's raisin type grape more than offset declines in other parts of the country. Production of European type grapes, grown in California and Arizona, is estimated at 2,540,700 tons, 6 percent more than in 1957 but 7 percent below average.

33, 752	3/32'042	33,002	California	00T 6	096 8	299 '8	California
087	00₽	ILLY	Oregon	2,680	3,100	2,510	Oregon
2,200	006	699 T	Washington	31,800	3/33,200	876,82	Washington
420	280	2¥3	Utah	330	0 <b>†</b> †	014	Utah
091	120	IFI	New Mexico	1,620	219	260	New Mexico
1,750	3/1,850	LOT.1	Colorado	1,620	1,120	1°301	Colorado
920	96	316	Idaho	1,480	1,530	168,1	Idaho
1,100	064	999	Техая	102	110	120	Montana
330	30	072	Окјурошу	260	8₹	942	Arkansas
341	125	LL	Louislana	290	007	333	Теппессее
2, 190	1,100	1,534	Arkansas	390	881	618	Кептиску
443	897	376	İqqiszizziM	201	062	. 5962	
976	425	263	Alabama	30	20	79	Kansas
T80	120	762	Tennessee	026	087	120,1	Nebraska
061	125	270	Кептиску	100	230		Missouri
4, 200	2, 100	2, 420	Georgia	325	000	LLI	EWOI
006 ⁴₹	00p'p	3, 031		1,100	1,350	23.7	Minnesota
I' 320	1,500	1,157	South Carolina	11,000	10,000	641'1	W isconsin
048	074 074	219	North Carolina	000 11	000 01	922'8	Michigan
1,950	1,420	158,1	West Virginia	007 17	00017	one in	
210	007		sinigniv	2, 190	2,500	2,825	ILLINOIS
001	0 <i>L</i>	<i>L₽₽</i>	Maryland	ogo tr			
135	22 122	121	Delaware	1,628	019 1	1,433	Indiana
366		110	Kansas	3,200	2,850	2,990	olilO
3,000	2, 950 450	¥83	imossiM	1,675	I*400	1,257	North Catolina
3 000	0.30 %	3,020	Michigan	009'9	2,000	0£0 °₽	West Virginia
070 .1	010			11,500	8,100	716,8	Virginia
020 1	078	946,1	ILLINOIS	1,380	1,070	1,122	Maryland
097	322	OTA		370	340	316	Delaware
1,100	006	415	snaibni	004 '9	089 '9	LL0 '9	Pennsylvania
3,100	2,300	696	Ohio	2,800	3, 200	889 'Z	New Jersey
2,600	008 6	2,451	Pennsylvania	000 °6T	12,600	PIP'91	New York
1,390	2,000	T, 700	New Jersey	1, 280	1,450.	1,293	Connecticut
071	120	1,251	New York	9₽T	061	691	Rhode Island
6T	35	143	Connecticut	2,400	5,850	79.497	Massachusetts
10	Ţ	12	Rhode Island	1,100	049	068	Vermont
911	8	6 <i>L</i>	Massachusetts	099'T	1,340	1,060	New Hampshire
15	ļ.	10	New Hampshire	1,250	011°T	946	Maine
	Thousand bu	w - 1		- 8]	jaysng puesno		
. Indicated :	L961 :	98619VA 36-7491	: ::	8961	: L96T	1947-56 1947-56	:
The state of the s	Production 2/		State -	Indicated		Avetage	State
	Реаспея		and a second	/T #5	Production 2/		. 0,0,5
			* *	/1 00	s, Commercial Cr	9Idd A	

\text{\for some States in certain years, production includes some quantities unharvested on account of economic conditions.

126,813

118'248

 $\frac{3}{2}$  Includes excess cullage of harvested fruit.

Total 35 States 108, 163

Floyd W. Grifflith Agricultural Statistician

62, 335

746 '39

United States

J. A. Ewing Agricultural Statistician In Charge

Penalty for Private Use to Avoid Payment of Postage, \$300,00

980,27

U, S, DEPARTMENT OF AGRICULTURE P.C. Box 429, Springfield, Illinois

OFFICIAL BUSINESS

Illinois Production Prospects - 1958

University of Illinois Library Document Div

8338.1 Illinois cooperative crop reporting service

WSW ESE October 20, 1958 THE LIBRARY

ILLINOIS PRODUCTION PROSPECTS - 1958

OCT 93 1958

Large Peach Crop

UNIVERSITY OF !LLINO!S

The 1958 Illinois peach crop is estimated at 1,070,000 bushels. This is 60 percent more than last year but 21 percent below the 1947-56 average. All through the season peach crop prospects were better than a year ago. Most growers reported a good bloom and a heavy set of fruit requiring extensive thinning. Late in the season excessive moisture caused brown rot and lowered condition in some areas. In general, quality was good and picking progressed normally where rains did not become a problem. The percent of sales and prices by grade are shown in the five-year summary below as reported by Illinois producers. Better quality contributed to a higher percentage sold in the 2 inch minimum and up grade while about the same percentage as last year went as Orchard run. percentage as last year went as Orchard run.

DEACHES - Percent of Sales and Prices by Grades Illinois 1054-59 1/

	:		1954		1:	955		:		195	6	:		95	7	:		1958 2	7	
	:	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel	:	% of all sales		ice er shel
2" min, and up 1 3/4" to 2" Ill, hail grade Orchard run Unclassified		58 17 1 13 11		\$ 2.20 1.50 1.55 1.20 1.35		53 4 5 10 28		\$ 3.90 2.95 2.05 2.90 2.45		52 10 5 23 10	;	\$ 2.45 1.65 1.85 1.65 .95		37 7 2 42 12	,	\$ 3.15 2.15 2.10 2.30 1.55		46 4 1 41 8	1 1 1	. 35 . 75 . 80 . 95 . 40
All sales wtd. av				1.85				3.25				2.00 10	٠,	.5 ,1:	1	2.50			2	.10

Revised figures for 1954, 1955, 1956, and 1957.

Preliminary estimates for 1958.

## Apple Production Down

With the Illinois apple harvest nearing completion, production estimates have declined. The 1958 Illinois commercial apple crop is estimated to be 2,140,000 bushels, 14 percent less than 1957 and 24 percent below average. Southern Illinois growers have completed harvest in some instances while picking will continue until late October in the northern counties. Production was quite variable between orchards and varieties this year. Disease and insect damage was at a minimum with good Production was quite variable between orchards and varieties this year. sizing and coloring reported for most varieties.

# Grape and Pear Crops Decline

Pear production in Illinois is estimated at 95,000 bushels, 17 percent less than last year and 43 percent below average. The grape crop estimate was for 1,100 tons, 21 percent under a year ago and 40 percent less than the 1947-56 average.

UNITED STATES: Prospective commercial production of apples declined during September. The October 1 forecast of 125.3 million bushels is down approximately 1.5 million bushels or about 1 percent from a month ago. Virtually all of the decline was in the Pacific Northwest and the Appalachian areas where the crop is reported picking out below earlier expectations despite a generally favorable growing season. The October 1 estimate of Eastern crop is 56.2 million bushels, 1 percent below last month, but 15 percent above last year and 18 percent above average. The crop in the Central States is now estimated at 22.3 million bushels, virtually the same as a month ago, 9 percent above last year and 14 percent above average. The Western crop, at 46.8 million bushels, is down 2 percent from a month ago and 5 percent from last year but is 14 percent above average.

The 1958 peach crop reached 71.6 million bushels—a slight decrease from the September estimate of 72.1 million but 15 percent above the 62.3 million produced in 1957. The crop in the Western States this year was slightly smaller than last year, while large increases are noted in the rest of the country. Excluding California Clingstone peaches, used largely for canning, production totaled 50.4 million bushels—up 26 percent from last year. The 9 Southern States produced nearly 15.6 million bushels—45 percent above 1957. The North Atlantic States also boosted their production—up from 4.5 million bushels last year to 7.4 million bushels in 1958. The Middle Atlantic States increased from 6.7 to 9.1 million bushels and the North Central area from 5.4 lion bushels in 1958. to 6.2 million bushels.

The 1958 national pear crop is estimated at 29,064,000 bushels, down slightly from last month and eight percent below 1957. The East and Middlewest have larger crops than last year while the important Western States, which grow over 80 percent of the Nation's pears, have a 13 percent smaller crop. On the Pacific Coast the estimate of the Bartlett crop, at 18.5 million bushels is the same as the September 1 estimate but 12 percent below 1957. Other varieties dropped 6.1 million bushels from 6.5 in September and 7.4 last year. California's Bartlett crop is nearly 15 percent below 1957.

The production of grapes in the United States increased nearly 100,000 tons during September as better prospects in the West more than offset moderate declines in the East. The October estimate of 2.9 million tons compares with a little over 2.8 million in September and 2.6 for 1957. The West, producing nearly 93 percent of the national crop, expects 2.7 million tons, 11 percent more than last year.

			m771101717	6,300	096 '8	8,562	California
986,88	3/320042	300 '88	California	2,550	3,100	2,510	Oregon
200	00₹	TLF	Oregon	0 2 2 2 0	3/33,200	25,978	Washington
2,100	006	699'1	notgninksW	30,800		017	Utah
₹20	089	543	Utah	330	0 <b>₽</b> ₽	200	New Mexico
091	120	TPT	New Mexico	PTL .	719	1,307	Colorado Movigo
1,820	3/I,850	LOL T	Colorado	1,520	1,120	700 T	
320	96	316	Idaho	1,480	1,530	1,631	Montana Idaho
1,100	064	999	Texas	112	110	120	
330	30	072	Oklahoma	099	8₹	9445	Arkansas
GPT	125	LL	Louisiana	260	00₹	333	Tennessee
2,190	1,100	1,534	Arkansas	390	188	618	Kentucky
£ <u>44</u> 3	892	375	iqqississiM	161	530	963 .	Kansas
926	425	299	Alabama	30	90	₹9	Nebraska
081	120	192	Tennessee	068	08L	1,021	Missourl
061	125	072	Кепtиску	00T	230	LLI	Iowa
₹,200	2,100	2,420	Georgia	330	220	237	Minnesota
006 '₹	00¥ °¥	3,031	South Carolina	1,100	1,350	6LI I	Wisconsin
1,350	1,500	1,157	North Carolina	11,200	10,000	8,256	Michigan
048	0L <del>1</del>	612	West Virginia		-		
1,950	1,420	1,331	Virginia	2,140	2,500	2,825	ILLINOIS
067	00₹	LVV	Maryland				
06	OL.	ISI	Delawate	1° 978	1,610	I°433	Indiana
132	125	OIT	Kansas	3, 200	2,850	5,990	ойо
390	09 <del>1</del>	483	Missouri	1,675	00₽'I	1,257	North Carolina
3,000	2,950	3,020	Michigan	009'9	2'000	₹,030	West Virginia
000 6	020 0	000 0	- , , , , , ,	11,200	00I,8	L16'8	Virginia
070,1	049	1,346	ITTINOIS	1,270	070,1	1,122	Maryland
040 1	049	374	310141111	320	370	316	Delaware
200	322	9T₽	Indiana	007,8	089'9	LL0'9	Pennsylvania
1,100	006	696	Ohio	2,800	3,200	2,588	New Jersey
	2,300	2,451	Pennsylvania	000 '61	12,600	\$T\$ '9T	New York
3, 100			New Jersey	1,150	1,450	1,293	Connecticut
2,600	2,000	1,700	New York	132	061	691	Rhode Island
1,390	120	1,251		2,500	2,850	764,2	Massachusetts
OLI	35	£41	Connecticut	009 6	040 6	068	Vermont
6T	ī	12	Rhode Island	1,100		090'I	Mew Hampshire
120	8	64	Massachusetts	1,580	1,340		Maine
12	Ţ	TO	Mew Hampshire	1,250	071,1	916	anichi
rels -	snq puesnoy;	L -		- slad	sud bussuodT		
8961	. L961	1947-56	:		L961 :	99-1461	:
Indicated	. 7201	Average	-i state :-	batasibal		Average	State
	Production 2/		: 04045		Production 2/		:
	Реаспея		: ::	/I doi:	es, Commercial C	IqqA	1

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

₱46 '39

2/ For some States in certain years, production includes some quantities unharvested on account of economic conditions.

125,338

118,548

 $\frac{3}{2}$  Includes excess cullage of harvested fruit.

Total 35 States 108, 163

Glenn E. Fisher Agricultural Statistician Fisher

62,335

J. A. Ewing Agricultural Statistician In Charge

Penalty for Private Use to Avoid Payment of

819'11

Postage, \$300,00

P.C. Box 429, Springfield, Illinois ACRICULTURAL MARKETING SERVICE Death of Action of

OFFICIAL BUSINESS

Illinois Production Prospects

Urbana, III. Document Div University of Illinois Library

# ILLINOIS COOPERATIVE CROP REPORTING SERVICE



December 8, 1958

1958 PRODUCTION

ILLINOIS: The 1958 Illinois commercial apple crop amounted to 2, 140, 000 bushels, 14 percent less than the 1957 crop and 24 percent below the 1947-56 average. Blossoming and set of fruit was quite variable as to location and between varieties. Late spring frosts damaged some areas while rain and wind at pollinating time reduced the set in other orchards. Excessive rain made spraying difficult or impossible through the spring and early summer.

The table below shows the percent of sales and The table below shows the percent of sales and average prices received by grade up to November 1, as reported by Illinois growers. The average price received for the 1958 crop is the same as for 1957. A larger portion of the crop was graded "No. 1" this year. An increase was also indicated in the "Below Utility" grade. Quality was somewhat better than a year ago as indicated by the percentages of the crop in the higher grades.

The 1958 grape crop totaled 1,100 tons, 21 percent less than last year and 40 percent less than the 1947-56 average. Illinois pear production at 95,000 bushels is 17 percent under a year ago and 43 percent below average.

APPLES -	COMPERCIAL	PRODUCTIO	N BY VAR	IETIES,	ILINOIS,	1958	
Golden Delicious							7
Jonathan				-			
All Summer*							
Other Winter**			Ì				
Delicions							
Wealthy							
Winesap							
Rome Beauty							
Grimes Golden							
Stayman							
Ben Davis & Gano							
Other Fall							
(	1.do		400 Thousand		0 700	800	900
# Transparent m				Duchess	about 44,	000 bu.	of
the 257,000 but ** Willow Twig may variation.				he 129,0	00 bu. of	other	winte

Illinois Crop Reporting Service

		: Price : per	: % of : all	: Price : per : bu.	: % of : all	; per	: % of : all	: pe
III. U.S. No. 1	26	\$3.25	58	\$3.20	44	\$3.45	48	\$3.1
Combination	29	2,75	9	1.95	13	2.40	14	2.3
Ill. U.S. Utility	28	2,00	13	1.80	14	1.75	20	1.9
Below Utility	17	1.10	20	. 95	29	. 95	18	. 9
All Sales, Wtd. Av		2.40		2.45		2.35		2.3

APPLES - COMMERCIAL PRODUCTION (Percent	ON BY VARIETIES, ILLINOIS, 1958 t of Total)
Golden Delicious 38 %	Delicious 6 %
Jon	athan
2	4 %
	<b>X</b>
Varieties: 2 percent for Ori	of 3 percent for Other Summer mes Golden; 1 percent for Other r Ben Davis and Gano; and 1 per-

cent for Stayman.

# APPLE PRODUCTION BY VARIETIES

# Increase in Summer Varieties

Summer variety production totaled 257, 000 bushels, more than double the 125,000 bushels produced in 1957. Transparent made up about 146,000 bushels and Duchess nearly 44,000 bushels of the total summer variety produc-

# Illinois Fourth in Jonathan Production

Illinois ranks fourth in production of Jonathans, Illinois ranks fourth in production of Jonathans, 514,000 bushels or 7 percent of the Nation's total production of this variety. Michigan leads in Jonathan production with 2,480,000 bushels or 34 percent of the total. Jonathan apples accounted for 24 percent of the total State apple production while making up 75 percent of all fall varieties. The 685,000 bushels of fall varieties produced was 32 percent of the total harvested in the State compared with 44 percent last year. Wealthy production was 43 percent greater than 1957 while production of Grimes Golden was 72 percent above last year.

# Illinois Ranks Third in Golden Delicious

Golden Delicious accounted for 68 percent or 813,000 bushels of the winter varieties harvested in Illinois. This was nearly 8 percent of the total United States production of this variety and places Illinois third behind Washington (15 percent) and Virginia (8 percent). Winter wrieties made up 56 percent or 1,198,000 bushels of the total State apple production. Production of Delicious was 128,000 bushels this year compared with 200,000 bushels last year.

> THE LIBRARY OF THE - OVER DEC 10 1800

> > UNIVERSITY OF ILLINOIS

Illinois Crop Reporting Service

UNITED STATES: The 1958 commercial production of winter varieties of apples is estimated at 106,9 million bushels, bettent below last year and 8 percent above average. The 5,3 million bushels, are 5 percent below last year and 8 percent under average. The 5,3 million bushels which have already been marketed, were 12 percent above the 1957 production but 3 percent below average.

Delicious, which comprises 24 percent of the 1958 commercial production, is estimated at 29,8 million bushels. This practically the same as last year's crop of this widely-grown variety, Production of Delicious is above last year in the Eastern and Central States but somewhat below in the Western, McIntosh at 15,7 million bushels and Winesap at nearly 12,0 million bushels rank second and third, respectively, their usual order in most recent years. McIntosh production is greater than last year; Winesap production, less, McIntosh are grown largely in the Northeastern States and Michigan, and Winesap production is centered in Washington and Virginia.

Other important varieties and their 1958 production are: Rome Beauty, 8.3 million bushels; Jonathan, 7.4; Golden Delicious, 6.5; Stayman, 6.0; and York Imperial, 5.8. The production estimates for all of these are larger than last year, except Jonathan, which is 14 percent smaller,

and 15 percent above average. Production last year but above average in the Western. The Nation's 1958 commercial production of all varieties of apples is 124,7 million bushels, 5 percent above last year and 15 percent above average. Production is above both last year and average in the Eastern and Central States; below

ope.	1,307	1, 120	1, 520							
	1,531	1,530	1, 300							
ens	120	110	115							
nese	577	8₽	099							
99889	333	00₽	069							
тску	316	188	568							
8.6	962	067	180							
aska	₹9	09	30							
ino	1,021	087	730							
,	221	082	100							
68013	752	092	330	Total All Varieties	528,5	005 'Z	0≯I °Z	108, 163	118,548	124,717
niano	671,1	056,1	001 '1		(					£69'₽
nsgi	952,8	10,000	009'11	Other Winter	983	150	129	\$18'S	772,2 774,4	664 5
			041,5	York Imperial	N 44	10 to	w w	144,4	852.4	191 15
SION	2,825	005'7		Winesap Yellow Newtown	100	09	£1/	192 '01	13,238	896 °TT
en	1, 433	1,610	829 1	Stayman	01	SŽ	ĬŽ	929'₺	878,8	220 ' 9
	066,5	058'7	3, 100	Rome Beauty	84	09	43	7, 107	944 7	152 '8
h Carolina	1,257	1, 400	1, 700	R. I. Greening	***		* **	2,617	944'7	260,6 245,6
. Virginia	4,030	000'9	00₹'\$	Northern Spy			~ ~	957,11	856 'I	599'SI
sini	416'8	001,8	11, 100	McIntosh	**		518	074 ,ε 427 [[	165,2	96+ '9
/land	1, 122	1,070	1,270	Colden Delicious	989	200 277	126	F05 'Z2	676 '67 '	257,65
Ware	316	310	300	Cortland Delicious	842		941	2,683	3,020	966'6
eylvania	440'9	069'9	00₹'9	Black Twig	12 1 3	-1~		583	161	45
Легаеу	885 ' 2	002,5	006 ' 2	Ben Davis & Gano	J SE, 34"	52	121	1,842	Z90 'T'	360 '1
ZOTK	PIP'91	009'51	005'61	Baldwin	**	'	win 1 2 i	031.450.	30E,S ,	2,900
ecticut	£62,1	054,1	1,040	TaintW						
		061	125			57	12	*42°Z	1,762	66 '1
le Island	691		204,400	Wealthy Other Fall	<b>₩</b> € 16	54	701 ·	196'1	0,5,1	85 1
sachusetts	764,5	028,5		nsdisnot	<b>1</b> 69	57.6	¥19	982 'L	115'8	86 ,7
tuon	068	078	070,1	Grimes Golden	116	92	43	2,081	872,1	199 '1
Hampshire	0901	1,340	0091	Fall						
ıe	946	071,1	1,250						222,2	Z≱ °Z
				Other Summer	198	321	25Z	5\$7.5 2.744	2,515	2,89
	odT -	daud basau	- 8191	Gravenstein				072 6	467 6	
1	99-1761		8961 :	Summer						
- 1	Average	7861 :	: Preliminary		L - Th	usand bushel	- 97	L -	d bassuod?	- alada
		Production	/2	and Varieties	95-7401.VA	Z561	8561	95-7491.VA ;		561
:	wbbres.	Commerc	121 Crop 1/	Tosson nossod	:	ITTINOIS			NITED ST	SEL

Agricultural Statistician In Charge

J. A. Ewing

114, 717

9,300

30, 400 2, 400 2, 400

3/33,200

P.C. Box 429, Springfield, Illinois
A.C. DEPARTMENT OF AGRICULTURE

Total 35 States 108, 163 118, 548

OFFICIAL BUSINESS

1958 Production

Oregon California

Washington New Mexico Utah

A rkanese Montana Idaho Colorado Lennessee Nebraska Kansas Kentucky

Urbana, III. Vid Jnamusou University of Illinois Library

to Avoid Payment of Postage, \$300,00

Penalty for Private Use

Agricultural Statistician

Grenn E, Fisher

NOIS COOPERATIVE CROP REPORTING SERVICE



July 17, 1959

ILLINOIS PRODUCTION PROSPECTS - 1959

Peach Prospects Below Average

The Illinois peach crop, estimated at 850,000 bushels is 21 percent less than last year and is 26 percent below the 1948-57 average. Production lower than this year's estimate occurred in only three of the past ten years, 1951, 1955, and 1957. Picking of early varieties has begun in southern counties and Elberta harvest will begin there about August 10 with generally good prospects. Prospects decrease to an almost complete failure in the northern half of the State.

2, 120, 000 Bushels of Apples This Year

The preliminary estimate of the apple crop in 25 commercial counties this year is 2,120,000 bushels, slightly below last year and 21 percent below the 1949-57 average. There appears to be a fair-to-good crop throughout the State. Freezing last winter and late frosts this spring did scattered damage in many areas. Insect and disease problems have not been generally serious but June drop was heavier than usual in some orchards. Harvest of transparent has been completed in southern counties and harvest of Duchess and other varieties has started.

Pear Production and Grape Production Lower

Production of pears is estimated to be 80,000 bushels, 9 percent below last year and 45 percent below average. The forecast for grape production is 1,000 tons, 9 percent below last year and 42 percent below average.

UNITED STATES: Early-season prospects point to a commercial apple crop of 119, 122,000 bushels. If this production materializes, it will be 6 percent below last year but 10 percent above average. Many of the important apple States report a heavy June drop. July 1 prospects by geographic regions are: Eastern-57, 390,000 bushels, 1 percent less than last year but 18 percent over average; Central--22, 852,000 bushels, also 1 percent less than last year, but 17 percent over average; Western--38,880,000 bushels, 15 percent below last year and 4 percent below average.

Although a heavy June drop is reported in Michigan, July 1 reports indicate a crop slightly above last year's production. Disease and insect control are reported satisfactory. This is an off-year for Spies, but the decline is expected to be much less than in the previous two off-years. In Ohio, harvest is expected to begin earlier than usual even though dry weather during June slowed growth of fruit in the southern area. Picking of summer varieties is expected to become active in southeast Ohio by July 12; in the northeastern area by July 24. Scattered hail damage is reported in both Ohio and Indiana. Indiana reports poor prospects for Winesaps; fair-to-good prospects for Grimes, McIntosh, and Red Delicious; and a good outlook for Stayman, Wealthy, and Jonathan. Growing conditions have been favorable in Illinois with quality reported good but size of fruit quite variable. Harvest of Transparent began in late June in southern Illinois. Wisconsin reports fairly good prospects except for McIntosh. Kansas has adequate moisture supplies with good prospects in the main production areas.

Cool weather in June favored growth of Washington apples, but the 1959 production in that State is expected to be substantially below the large crops of the past two years.

This year's peach crop is forecast at 75.8 million bushels, 4 percent less than on June 1 but 7 percent more than last year. The July 1 forecast excludes production eliminated through the "green drop" program put into effect under The Peach Marketing Order for California Clingstone peaches. This removal program is responsible for the reduction from the June 1 forecast. Peach production, excluding the California Clingstone crop which is mostly for canning, is now placed at 48.8 million bushels, 2 percent below last year's production but 24 percent above the 1948-57 average.

Indicated peach production for the 9 southern states is 14.4 million bushels, up slightly from the June 1 forecast, 9 percent less than last year but 54 percent above average. Weather in Georgia has been very favorable since early June; fruit is sizing unusually well and promises to be of very good quality. Harvest of an excellent peach crop is well under way in all areas of South Carolina.

A very good peach crop is moving in volume in Alabama. In Arkansas, early varieties now being harvested and the main Elberta crop, harvest of which will soon be under way, are very good in the three main commercial areas. Peaches are of good size as a result of adequate moisture. Harvest of early varieties is complete in Louisiana and movement of mid-season varieties continues active. The fruit is of good size and quality. Harvest of early varieties was under way in all areas of Texas the last half of June.

Peach production in New England and New York is forecast at 1.4 million bushels, compared with 1.7 million bushels last year and average production of 1.3 million bushels. June conditions in New England were favorable for the growth of peaches, but wet weather the last half of the month made it difficult to spray adequately. New York's peach crop is sizing satisfactorily but there was a heavy June drop.

The peach crop in the North Central States is forecast at 5.5 million bushels, 13 percent below last year and 7 percent below average. Expected production is less than last year in all States in this group, except Michigan where it is the same, Ohio peaches are reported to be of generally better size and quality than last year, partly because of the smaller crop. Picking of earliest varieties will begin about July 26 in the important east-central area and about July 28 in the northeastern area. The Illinois crop is confined largely to the southern one-third of the State. Early variety harvest was expected to begin in early July. In Michigan, prospects appear best for the early and mid-season crops. Some were frozen last winter but most orchards have good crops. Dry weather is hurting the crop.

Pear production in the United States is estimated at 32,680,000 bushels, slightly less than the June 1 forecast, but 10 percent more than average.

The 1959 grape crop is forecast at 3,250,800 tons, 7 percent above last year's production and 13 percent above the 1948-57 average. Production of European type grapes, grown almost exclusively in California and Arizona, is forecast at 2,997,000 tons, or 92 percent of the total grape crop, and 9 percent above last year's production. A grape crop of 253,800 tons is indicated for all other States, 9 percent less than in 1958.

Grape production in the Great Lakes States is forecast at 175,100 tons, 12 percent below last year but 19 percent above average. Each State in this region, except Michigan, expects smaller crops than last year. The New York crop is indicated be more than one-fourth below last year. Michigan, however, expects tonnage to be up 15 percent. The New York crop is indicated to

- OVER -

THE LIBRARY OF THE

Illinois Production Prospects

Potal 35 States	108° 728	156,610	119, 122	United States	£87 °T9	- 690°TL	187 ,781
Salifornia	6₹8 °8	099 *6	079 6	California	33, 152	3/35° 205	988 '17
noger	2, 534	2,250	2, 300	Oregon	664	09₺	200
notgnińsky	196 '97	3/59,800	23,800	Washington	767°T	2, 200	2,100
deal	₱0₱	330	320	Utah	223	420	0 <i>L</i> †
New Mexico	₹99	<b>PI7</b>	007	New Mexico	LPI	09T	OLT
Colorado	1,262	T 250	040 T	Colorado	1,682	3/1,820	1, 750
oqepi	97.4.t	1,200	7° 360	Idaho	062	320	220
Montana	LOT	115	OTT	Texas	979	1,100	T,000
Arkansas	₹LE	373	250	Oklahoma	233	320	165
Tennessee	327	069	380	Louisiana	₽L	145	091
Кептиску	808	368	225	Arkansas	I,452	2,100	7' 926
Kansas	523	180	220	Mississippi	334	6443	450
Nepraska	09	30	38	Alabama	809	096	J,000
Missouri	186	087	094	Tennessee	761	087	200
BW0]	781	001	132	Кепшску	218	061	TPP
Minnesota	282	330	008	Georgia	2, 101	000 T/E	3,400
Wisconsin	T 206	001'T	076 T	South Catolina	126 '2	3/2,300	2°100
Michigan	919 8	12, 200	12, 700	North Carolina	T'020	T 320	1,200
appidoill	0 64 6	000 01	002 51	West Virginia	919	0₹8	099
ILLINOIS	2,672	2,140	2, 120	Virginta	315,1	096 T	09₹°T
210141111	OHO G	011 0	001.0	Maryland	T97	06₹	0S7
Indiana	1,428	879 T	009 T	Delaware	123	06	08
Ohio	2,972	3,100	2,800	Kansas	124	132	91
North Catolina	1,303	1,800	1,400	Missouri	437	98	250
West Virginia	4, 258	2,200	008 '9	Michigan	216 '2	3,200	3, 200
Virginia West Virginia	072 '6	11,100	10° 800		010 0	000 0	*****
Maryland	7717	1,270	005 1	ILLINOIS	67T'I	070 L	820
Delaware	322	280	048	210141111	01++	020 \$	0.20
Pennsylvania	811.9	007 °9	008 '4	Indiana	\$4£	200	344
New Jersey	2,715	2,500	3,500	орто	776	1,100	008
	697 '91	22, 500	18, 600	Pennsylvania	687 '7	3,000	2,800
New York	608 T	070 T	028 1	New Jersey	747 L	009 '3	2, 100
		125	140	New York	1,122	1,390	1,150
Rhode Island	2,512	20,400	2, 630	Connecticut	151	071	140
Massachusetts	012 0	OLO T		Rhode Island	ÞΪ	61	12
Vermont	L98 860 °T	1,070	086 099 <b>*</b> T		27 A t	120	102
New Hampshire		009'T		Massachusetts	6	91	11
Maine	1,000	1°520	1,350	New Hampshire		ia bnasuodi	
		Thousand Bu				The buselod's	
	79-8491	8961	1926		78-8481	8961	1928
State	Average		: Indicated	- State	9g s19vA	HOTIOTROAT	: Indicated
-	day	Production	. /			Production	17
•	Tri A	les, Commercia	\ 1 (101.) I.			Peaches	

1/Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

3/ Includes excess cullage of harvested fruit,  $\frac{2}{2}$  For some States in certain years, production includes some quantities unharvested on account of economic conditions,

Charles E. Rogers Agricultural Statistician

J. A. Ewing Agricultural Statistician In Charge

Postage and Fees Paid U. S. Department of Agriculture

P°C° Box 429° Springfield, Illinois AGRICULTURAL MARKETING SERVICE U, S, DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Illinois Production Prospects

A (3-Copies) Urbana, Illinois University of Illinois Library Documents Division

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

9338.1 Il66f F R U T



September 17, 1959

# ILLINOIS PRODUCTION PROSPECTS - 1959

# Peach Harvest Completed

The Illinois peach crop totaled 850,000 bushels, 21 percent below last year and 26 percent below the 1948-57 average. Harvest began in southern counties late in July and was completed near the end of August. Most growers reported excellent size and fine quality but wind and hail damaged the crop in a few orchards.

# Apple Production Near Last Year

Illinois apple production in the 25 commercial counties is estimated at 2, 120,000 bushels. This is just 20,000 less than a year ago but 21 percent below the average. Apples have colored well considering the hot August weather and in most areas sizing has been good during recent weeks. Late apple harvest is in full swing throughout the State.

# Production of Grapes and Pears Continues Downward

Estimated grape production is 800 tons, 27 percent below a year ago and 53 percent below the ten-year average of 1,710 tons. This is the lowest grape production in over 50 years of record. Pear production is estimated at 80,000 bushels, 9 percent below a year ago and 45 percent below the average.

UNITED STATES: The Nation's commercial apple crop is estimated from September 1 conditions at 118,274,000 bushels, 7 percent below last year, but 9 percent above average, Regional prospects, as of September 1, were: Eastern, 58,570,000 bushels, 1 percent above average; Central, 22,939,000 bushels, virtually the same as 1958 and 17 percent above average; Western, 36,765,000 bushels, 19 percent below last year and 10 percent below average. In most of the Eastern apple States and in Michigan, Indiana, and Ohio warm weather hastened maturity, but retarded coloring. August weather was moderately favorable for the New England crop, although Rhode Island suffered from hall on August 29. Fruit has sized well in the Hudson Valley area of New York. In the Lake Ontario area sizes are better in the eastern section than in the western. Harvest of most varieties in New York is expected to be 3 days to a week earlier than last year. Light marketing of McIntosh began in New Jersey August 20 and harvest in that State is expected to be completed earlier than usual. All of the major fruit producing areas of Pennsylvania report enough moisture for sizing of the crop. Production in western and northern Maryland is expected to show sharp increases over last year, but the crop on the Eastern Shore promises to be smaller. Virginia prospects declined slightly during August as many areas of that State experienced a shortage of moisture. Improved moisture supplies helped sizing in Michigan, but this was partially offset by damage from the extreme heat. With the exception of the color problem, quality and size of apples in northeastern Ohio are reported generally good. In southern Indiana apples sized well and have good color, but in northern areas of that State drought held down size and coloring has been retarded. Both Wisconsin and Minnesota reported scattered hail damage. Nebraska reports good sizing. In the Doniphan County area of Kansas quality is expected to be much better than last year. In Kentucky the decrease in prospective pro

Production of peaches is estimated at 72, 356, 000 bushels, 2 percent larger than last year, and 18 percent above average. The California Clingstone portion of the total is placed at 24, 169, 000 bushels which is used mostly for canning. The remainder of the crop totals 48, 187, 000 bushels, 4 percent less than the 1958 production, but 23 percent above average. The California Clingstone estimate remained unchanged from August 1, 15 percent larger than last year, and 9 percent above average. The California Freestone crop, estimated at 12,918,000 bushels, is down 6 percent from last month, but 13 percent larger than last year's production, and 18 percent above average. In the North Atlantic States, prospective production was up 4 percent from a month ago, but was 10 percent below last year's production. Massachusetts, New York, and New Jersey registered increases from a month ago, which accounts for the increase for the region. The Middle Atlantic States' production increased by 200,000 bushels over the August 1 forecast, occasioned by the larger crop indicated for New Jersey. Production in the South Atlantic States increased 100,000 bushels over August 1, due entirely to a higher estimate for South Carolina. Production prospects in the North Central States improved slightly over the August 1 forecast. In Michigan, August weather was too hot for Halehavens and Fairhavens. They ripened too fast and were difficult to handle due to softness. Dropping of over-ripes was heavy. For Elbertas, the season is 10 days to two weeks early. Harvest was in full swing on September 1 in southwest Michigan, with cooler weather expected to hold movement through Labor Day. Cool weather in August lengthened the peach harvesting season in central Washington. Early varieties, largely for the fresh market, such as Redhavens and Dixired were picked right up to the close of August. Late peach harvest, mainly the canning varieties, J. H. Hale and Late Elbertas started the last week of August in the early areas. Reports from the Yakima Vall

Production of pears is estimated at 31,308,000 bushels, which represents a 3 percent reduction from the August 1 estimate. The three Pacific Coast States, with 88 percent of the Nation's production accounted for practically all the reduction. Prospective national production is 8 percent above the 1958 crop, and 6 percent above average. Bartlett pear production in the Pacific Coast States is estimated at 20,575,000 bushels, 4 percent below August 1 prospects, but 12 percent above last year, and 8 percent above

The September 1 estimate of the Nation's grape crop is 3,081,900 tons, 2 percent above last year and 7 percent above average. European-type grapes, grown in California and Arizona, are estimated at 2,816,400 tons, 3 percent over 1958 and 5 percent above average. Compared with a month ago, increases for Washington, Michigan, and Pennsylvania were more than offset by decreases for Ohio, Indiana, Illinois, South Carolina, Arkansas and raisin-type grapes in California. Production of raisin-type grapes in California is estimated from September 1 conditions at 1,650,000 tons, 1 percent above last year and 7 percent over

- OVER -

Illinois Production Prospects

	998 24 .	690 'TL	684,13	United States	118,274	156,610	108, 728	total 35 States
	78,850 2,200 2,200 37,000 37,007	3/32, 502 02, 200 02, 200 03, 200 0450	791 '88 267 'T 267 'T 289 'T	Colorado Mew Mexico Utah Washington Oregon California	380 370 25° 200 380 380 370 380	059.4 08.62\ <u>E</u> 08.62\ <u>E</u> 08.7 08.7 08.7 08.7 08.7 08.7 08.7	8° 346 7° 26° 404 7° 26° 404 7° 26° 404 7° 26° 404	Colorado New Mexico Utah Washington Oregon California
	155 1, 100 150 150 150	320 1,100 350	233 625 530 530	Oklahoma Texas Idaho	1, 250 1, 250 255 256	1, 200 1, 200 1, 200	974,1 701 776	Arkansas Montana Idaho
	420 420 420 420	2, 100 145	74 T	Mississippi Arkansas Louisiana	710 742 740 740	069 966 081	308 308 728	Tennessee Kentucky Kansas
	1,000 200 150	096 081 061	261 808	Ујараша Деппексе Кеппеку	38 004 38 139	08 084 001	09 186 481	Mebraska Mebraska Iowa
	2,200 5,400 1,250	3/2°300 1°380 1°380	1,050	North Carolina South Carolina Georgia	12,800 1,340 16,70	12, 200	7, 206 1, 206 1, 206	Michigan Wisconsin Minnesota
	099 009 T 091	078 096 T 067	919 918'T	Maryland Virginia W. Wirginia	2, 120	2,140	279 .2	ITTINOIS
	08 097	06 98T 098	124	Missouri Kansas Delaware	1,526 2,900 1,525	1, 800 1, 800 1, 628	1, 428	North Carolina Ohio Indiana
	3,200	1,070	216,2	исрівап ТГІИОІЗ	2°800 10°600 1°400 360	1, 270 11, 100 1, 270 2, 200	7° 528 1° 144 358	Delaware Maryland Virginia West Virginia
	\$65 800 800 800	009 3,000	544 544 544 544	Pennsylvanta Ohto Indtana	3° 200 3° 200 16° 400	2, 500 2, 500 2, 500	16, 469 2, 715 6, 118	New York New Jersey Pennsylvania
	1,200 1,200 2,300	Z' 900 T' 300 TL0	151 1.122 1.122 1.122	Connecticut Mew York Mew Jersey	1, 380 150 1, 380	1,040 125 1,040	2,512 1,309 1,309	Massachusetts Rhode Island Connecticut
	6 911 911	120 120 18	97 27	Massachusetts Messachusetts Khode Island	1, 700 1, 700 1, 500	T, 600 1, 560 1, 260	7.000 T	Maine New Hampshire Vermont
	- spaysn	q puesnot	(L	A second second	*	Thousand bu		
	1969 indicated	8961	Totales	eners ::	1959 Figure 1969	8961	Average 73-8461	State
-		Peache Production				oples, Commerc Production !	IA	

<sup>1/</sup> Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

3/ Includes excess cullage of harvested fruit.

Charles E. Rogers Maurice E. Johnson Agricultural Statistician J. A. Ewing Agricultural Statistician in Charge

N° 8° DEPARTMENT OF AGRICULTURE
POSTAGE AND FEES PAID

U. S. DEPARTMENT OF AGRICULTURE P. O. Box 429, Springfield, Illinois

OFFICIAL BUSINESS

Illinois Production Prospects

Documents Division University of Illinois Library Urbana, Illinois A (3-Copies)

<sup>2/</sup> For some States in certain years, production includes some quantities unharvested on account of economic conditions,

8338.1 Il664

LLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT

NW NE
W C E
WSW ESE

August 14, 1959

ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1959

Peach Prospects Below Last Year's Production

The Illinois peach crop, estimated at 850,000 bushels, is 21 percent below last year and 26 percent below the 1948-57 average. Although the 1959 estimate is below 1958, it is 27 percent above the 670,000 bushels produced in 1957. Harvest began in late July in southern counties. Quality is generally good with little insect or disease damage.

Apple Production Near Last Year

Illinois apple production in the 25 commercial counties is estimated to be 2,120,000 bushels, near last year's production but 21 percent below average. Reports of damage are variable but growers generally expect a good crop. Jonathan harvest will begin in mid-August and Golden Delicious in early September.

Grapes and Pears Continue Decline

Grape production is forecast at 900 tons, 18 percent below last year and only 53 percent of the ten-year average. Pear production is estimated to be 80,000 bushels, 9 percent below last year and 45 percent below average.

### UNITED STATES

APPLES:
August 1 conditions indicate a commercial apple crop of 118,707,000 bushels, down slightly from July 1, and 6 percent below last year but 9 percent above average. Declines in prospective production since July 1 in Washington, California, Idaho, Colorado, Michigan, and a few other States were nearly offset by increases in New England, New York, and Ohio. The geographical distribution of prospective 1959 production now is: Eastern, 58,680,000 bushels, 1 percent above last year and 21 percent above average; Central, 22,637,000 bushels, 2 percent below last year but 16 percent over average; and Western, 37,390,000 bushels, 18 percent less than last year and 8 percent below average.

Practically all of the major fruit areas in Michigan were affected by drought the first half of July. Although much of the southwest area had good rains in late July, moisture was still short on August 1 in the northern part of the fruit belt, in the important Kent-Ottawa and Ionia areas, and in the southeastern fruit area. The Michigan crop is earlier than usual. August 1 prospects in this State are for a moderate decrease from the record 1958 McIntosh crop, a new record high for Jonathans and very little decrease from last year for Spies. In Ohio, harvest of fall varieties is expected to get under way around August 24 in the northwest and north central areas, and 5 days later in the northeastern area. In both Illinois and Indiana, dry weather hurt sizing of early varieties. Minnesota crop prospects were also reduced by dry weather. The Kansas crop has adequate moisture supplies, and is sizing well. In Arkansas the drop was heavier than expected but adequate moisture aided sizing.

PEACHES: The 1959 peach crop is forecast at 72.6 million bushels, 2 percent larger than last year, and 18 percent above average. Excluding the California Clingstone crop which is mostly for canning, the rest of the U. S. crop is estimated at 48.5 million bushels, 3 percent smaller than in 1958 but 23 percent above average. Only California, Oregon, Utah, New Mexico, Louisiana, Alabama, and Tennessee expect larger crops than last year. South Carolina, Michigan, and Texas estimate the same size crop as in 1958 but all other States show a decrease.

Prospects remained unchanged from last month in the North Central States. Until mid-July northwestern Ohio was rather dry, but by August 1 rains had enabled peaches to size satisfactorily. Harvest of Golden Jubilees, Halehavens, and Redhavens began July 15 in west central and southwestern areas, about two weeks earlier than usual. In the northwest and north central areas harvest started about July 27. In the southern parts of Indiana and Illinois peaches are being picked. Illinois expects to start on Elbertas around August 10. Michigan started harvest in the southwest a week or 10 days earlier than usual with Redhavens moving in fair volume the last week in July. Movement of Elbertas should be under way by the last week of August. Kansas harvest was about at its peak by August 1.

PEARS: The prospective production of pears, estimated at 32,277,000 bushels, shows a slight decrease from a month ago but is 9 percent above average. Practically all of the decrease from last month is in Idaho. Washington and Oregon are fairly evenly divided between Bartletts and other varieties. Production of Bartlett pears on the Pacific Coast is forecast at 21,340,000 bushels and the winter crop at 7,277,000 bushels.

GRAPES: Estimated production of 3, 128, 700 tons is a reduction of 4 percent from a month ago. The crop is now indicated to be 3 percent above last year and 8 percent above average. The Pennsylvania crop made good progress and it now appears harvest will be early, following the pattern of other crops this year, starting about September 15-20. The Michigan crop prospects declined slightly during July but production is well above last year and about 49 percent above average. Arkansas prospects were lowered about 7 percent during July, mainly as a result of heavy rains in the northwest that caused brown rot.

45, 639	690 °TL	684,18	United States	707,811	126,610	108,728	rotal 35 States
37, 920	3/35,502	33, 152	California	000 6	099 *6	6 <b>†</b> € <b>*</b> 8	California
220	09₹	439	Oregon	2,300	2,250	2, 534	Oregon
2, 100	2,200	767°T	norgninesW	23,000	3/29,800	126 '92	motgnings W
01 <del>1</del>	02₽	623.	UtaU	340	330	\$0\$	Utah gotpridat W
OLT	091	LTI	New Mexico	001	<b>₽</b> Ţ <u>L</u>	₹9\$	
T,800	3/ 1,820	1,682	Colorado	1,000	1,520	1,262	New Mexico
220	320	062	Idaho	1,250	1,200		Colorado
1,100	1, 100	625	Texas	100		94 <b>† 'T</b>	Idaho
991	320	233	Окіанота	225	115	LOT	anstnoM
091	9 <del>7</del> 1	<i>₽L</i>	Louisiana		373	₹LE	Arkansas
1,925	2,100	797'T		380	069	728	Tennessee
017	443	334	Arkansas	225	968	308	,Кептиску
1,000	096		iqqississiM	240	180	526	Kansas
002	180	809	Alabama	38	30	09	Nebraska
120	180	261	Tennessee	007	730	166	InossiM
3, 200	100	218	Кепшску	OLT	100	T81	<b>EWOI</b>
000 8	3\ 2'300 3\ 2'300	2,101	Georgia	280	330	235	Minnesota
2,300	3\ 2,300	2, 931	South Carolina	T° 3₹0	1,100	7°506	Wisconsin
1,250	1,350	1,050	North Carolina	12,500	12,200	919'8	Michigan
099	01/8	919	West Virginia				* * * * * * * * * * * * * * * * * * * *
1,500	1,950	1,315	sinigitV	2, 120	2, 140	2,672	ILLINOIS
09₹	06₹	194	Maryland				5,0,,,,,
08	06	123	Delaware	T* 225	1,628	824 T	Indiana
75	132	124	Kansas	5,900	3, 100	2,972	OPIO
220	390	437	Missouri	1,500	1,800	1,303	North Carolina
3, 200	3,200	216,2	Michigan	2,800	6, 200	4,258	West Virginia
		4,00	11/2/19	10,800	11, 100	9,220	Virginia West Virginia
098	010 T	6†T °T	ILLINOIS	1,400	1,270	1,144	
	020	011	SIONLLI	370	280		Maryland
₽₽6	200	₹LE	Indiana	009 1	00†°9	328	Delaware
008	1,100	776	** *		007 9	811.9	Pennsylvania
2,800	3,000	68₽ °Z	Ohio	3,500	2,500	2,715	New Jersey
2,100	2,600	247 I	Pennsylvania	007 61	22,000	691 91	New York
1,150	068 'I	GVL L	New Jersey	T, 380	1,040	1,309	Connecticut
120	071	1,122	New York	120	125	691	Rhode Island
7T		131	Connecticut	2,800	2,400	2,512	Massachusetts
	61	ÞΙ	Phode Island	930	070 L	788	Vermont
105	120	ZL	Massachusetts	09L T	1,600	860 T	New Hampshire
11	31	6	Stingshire Man Pshire	00₺ °I	1,250	000 T	Maine
- sləqsn	Thousand b			neis -	snq puesnoul	-	
6961 :	OCCT :	L9-816I	: : :	6961 :	9	L9-876T	•
: Indicated	8961	Avetage	- State	: Indicated	8961 :	Average	1 03.97.0
/7	Production '		1 91612		Production 2/		State
	Редслея		: : : : : : : : : : : : : : : : : : : :	Crop IV	les, Commercial	ddv	
					-		

<sup>1/</sup> Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

Charles E. Rogers Agricultural Statistician Agricultural Statistician In Charge

Postage and Pees Paid U. S. Department of Agriculture

P.C. Box 429, Springfield, Illinois
D.C. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Documents Division
University of Illinois Library
Urbana, Illinois
A (3-Copies)

Illinois Fruit Production Prospects, 1959

<sup>2/</sup> For some States in certain years, production includes some quantities unharvested on account of economic conditions,

<sup>3/</sup> Includes excess cullage of harvested fruit.

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

9338.1 Il66fF R U I T



October 15, 1959

## PRODUCTION PROSPECTS - 1959

ILLINOIS: The 1959 peach crop is estimated at 850,000 bushels, 21 percent below last year's production and 26 percent below average. Heavy freezes last winter and late frosts in the spring severely damaged the crop in the northern half of the State, leaving many orchards there a complete failure. Prospects were good throughout the year in the South. Most growers reported a good bloom and many did extensive thinning. In general, quality was good and picking progressed rapidly except for a few areas hampered by rain. The percent of sales and prices by grades as reported by producers are shown below in the five year summary table. Good quality and size is reflected in the large percentage sold as two inch minimum and a smaller percentage in the lower grades.

PEACHES - Percent of Sales and Prices by Grades, Illinois, 1955-59 1/

B 8		955		:	I	956		:	1	957		0	19	958		:	198	59	2/
	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel	:	% of all sales	:	Price per bushel
2" min, and up 1 3/4" to 2" III, hail grade Orchard run Unclassified	53 4 5 10 28		\$3.90 2.95 2.05 2.90 2.45		10 5 23 10		\$2.45 1.65 1.85 1.65		37 7 2 42 12		\$3.15 2.15 2.10 2.30 1.55		46 4 1 41 8		\$2.35 1.75 1.80 1.95 1.40		60 4 22 14		\$2.70 1.95 1.85 1.40
All sales wtd. av.			3.25				2.00				2.50				2.10				2.30

1/Revised figures for 1955, 1956, 1957 and 1958.

2/ Preliminary estimates for 1959.

Apple production is estimated at 2,120,000 bushels, slightly below the 1958 crop and 21 percent below average. Growers throughout the State are completing harvest of Jonathan and Starking, and Golden Delicious harvest is under way. Harvest in most areas will continue through October. Color and quality are generally good. Some scattered disease damage is reported and high winds in Western and Northern areas caused considerable drop.

Pear production is estimated at 80,000 bushels, 9 percent below last year and only 55 percent of average production. The grape crop is now estimated at 700 tons, 36 percent below average production and only 41 percent of average.

UNITED STATES: Prospective commercial apple production declined 2.4 million bushels or about 2 percent during September. The October 1 estimate of 115,843,000 bushels is 9 percent below last year but is 7 percent above average. Declines from September 1 were registered in important apple States in all three regions. The only States where production prospects improved during September were California, Utah, Arkansas, Iowa, Kentucky, Tennessee, and North Carolina. By regions the October 1 prospects were: Eastern, 57,250,000 bushels, 1 percent below last year but 18 percent above average; Central, 22,228,000 bushels, 3 percent below last year but 14 percent over average; and Western, 36,365,000 bushels, 20 percent below last year and 11 percent under average. Hot, dry weather retarded coloring of the Michigan, Ohio, and Indiana crops, and all three of these States, as well as northern and western Illinois, report a heavy September drop. Coloring of late varieties improved with the cooler weather, but this did not come in time for some of the Jonathans and McIntosh in southwest Michigan. Both Michigan and Wisconsin report a shortage of experienced pickers. Picking of the Minnesota crop was slowed by late September rains but the cooler weather was favorable for development of good size and color, on the late varieties.

The 1959 peach crop is estimated at 72.8 million bushels, 2 percent larger than last year, and 18 percent above average. Production in the Western States, principally California, was greater than last year but throughout the rest of the country the crop was generally smaller than in 1958. Excluding California Clingstone peaches, which are used mostly for canning, the rest of the U.S. production is estimated at 48.2 million bushels, 4 percent smaller than last year but 23 percent above average.

The 1959 pear crop is estimated at 31,110,000 bushels, 8 percent above last year and 5 percent over average. The three Pacific Coast States, with 88 percent of the Nation's production, have a crop 12 percent larger than last year, while the total for all other States is down 15 percent. Bartlett pear production in the Pacific Coast States is estimated at 20,575,000 bushels, 12 percent above last year and 8 percent above average.

The October 1 estimate of the Nation's grape crop is 3,248,200 tons, 7 percent above last year and 12 percent above average. Higher production in California and Pennsylvania accounted for all of the increase from a month earlier, more than offsetting moderate declines in Ohio, Illinois, Michigan, North Carolina, and Washington. European-type grapes, grown in California and Arizona, are estimated at 2,986,400 tons, 9 percent over 1958 and 11 percent above average.

- OVER -

THE LIGH

S₽3 °L		33, 152	California	00 <sup>†</sup> 6	099 6	67E 8	California
220	420	664	Oregon	2,200	2,250	2, 534	Oregon
2,200	2,200	767 T	Washington	21, 700	3/58 800	196 '97	Washington
0L <del>1</del>	450	223	Utah	98	330	<b>₹0</b> ₹	Utah
182	061 - T	LUT	New Mexico	380	. PTL	₹99	New Mexico
I'820	3/1,820	789 T	Colorado	T 000	T* 250	7°58	Colorado
220	320	067	Idaho	1,250	T.200	94₽°T	Idaho
T. 100	1,100	979	Texas	· 9L	112	LOT	Montana
155	320	233	Oklahoma	520	373	₹12	Arkansas
091	g⊎T	₽L	Louisiana	02₽	069	728	Tennessee
1,925	2, 100	T* 425	Аткапзая	093	368	808	Кептску
420	644	₹88	Mississippi	220	180	529	Капзаз
T 000	096	208	Alabama	38	30	09	Nepraska
200	180	761	Tennessee	004	730	186	Missouri
120	06T	218	Кептиску	120	00T	. L8T .	IOWa
3, 200	000 't/ <u>E</u>	2, 101	Georgia	797	330	235	Minnesota
2*400	008 9/8	126 'Z	South Carolina	0≯8 °T	00T'T	T. 206	Wisconsin
1,250	T 320	1,050	North Carolina	12, 200	12, 200	919 '8	Michigan
099	840	919	West Virginia	10 000	10 000	010	
1,500	096'I	1,315	Virginia	5,120	2,140	219 2	ILLINOIS
097	090	197	Maryland	001 0	. 011 0	. 020 0	310141111
27 081	06	123	Delawate	T* 222	1,628	1° 428	ansibni
08	132	124	Kansas	2,750	3,100	2,972	ојчо
220	360	437	Missouri	009 T	7.800	T* 303	North Carolina
3, 100	3,200	2,912	Michigan	1,600	9,200	4, 258	West Virginia
9 100	000 6	OLO O	nenidoliki	001°0T	11,100	9, 220	Virginia
098	070 L	6†I 'I	ILLINOIS	096 T	1,270	771 I	Maryland
020	020 1	ONLI	2101/1111	098	1 280	322	Delaware
000	900	¥10	Indiana	098 'L	007 '9	811.6	Pennsylvania
365	1,100	344		3,400	2,500	2,715	New Jersey
087	001 1	₹\$6	Ohlo	18,800	22, 500	697 '91	New York
5,900	3,000	687 3	Pennsylvania		0†0 °I	097 91	
2,400	2,600	ZPL I	New Jersey	1,350		1,309	Connecticut
1,120	1,390	1, 122	New York	720	125	69T	Rhode Island
120	OLT	131	Connecticut	2,850	2,400	2,512	Massachusetts
91	61	14	Rhode Island	088	1,070	L98	Vermont
OTI	120	27	Massachusetts	I, 650	1,600	860 T	New Hampshire
TO	12	6	New Hampshire	T°420	1,250	1,000	Maine
	STATISTIC PROPERTY	_		~ erane	nd bassuodT	_	
696	Thousand bushels	 L9-8761			*	<u> </u>	•
betsed	RUKI	Average		: Indicated	8961	Average	
	Production 2/		_ State		/Z HODODOLI		State
				200	Production 2/	rddar	-
	Реаспея			Crop 17	es, Commercial	Iqq A	

<sup>1/</sup> Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

115,843

126,610

3/ Includes excess cullage of harvested fruit.

Total 35 States 108, 728

Charles E. Rogers Agricultural Statistician

690 'TL

61, 483

United States

Agricultural Statistician In Charge

U. S. DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

908 427

U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE P. O. BOX 429, Springifeld, Illinois

OFFICIAL BUSINESS

Production Prospects

(S-Copies) Urbana, Illinois University of Illinois Library Documents Division

<sup>💆</sup> For some States in certain years, production includes some quantities unharvested on account of economic conditions.

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

·p.2

# FRUIT




December 16, 1959

1959 PRODUCTION


ILLINOIS: The 1959 Illinois commercial apple crop totaled 2, 300, 000 bushels, seven percent above the 1958 crop but 14 percent below the 1948-57 average. An unusually hard winter in the North did considerable damage to trees as well as to the current crop. Blossoming and the set of fruit was quite variable due to late frosts in the spring. Spray weather was generally favorable. Scattered heavy winds in September did considerable damage to Jonathans and lesser damage to later varieties.

The table below shows the percent of sales and average price received by grades to November 1, as reported by Illinois growers. The 1959 crop averaged \$.10 below the 1958 crop. Quality was also below a year ago as indicated by the smaller percentage in the "No.1" grade and greater percentage "Below Utility" grade.

The 1959 grape crop totaled 900 tons, 18 percent below the 1958 crop and only slightly over half the 1948-57 average. Illinois pear production at 80,000 bushels is nine percent below last year and only 55 percent of average.



		; 195			957 :		58 :	19	
		% of ; all ; sales ;	Price: per : bu. :	% of all sales	: Price : : per ; : bu. ;	% of all sales	Price : per ; bu. ;	all	Pric per bu
ll. U.s.	No. 1	58 .	3.20	44	3.45	48	2.95	46	2.90
ombinati	ion	9	1, 95	13	2.40	14	2, 15	18	2.20
il. v.s. t	Jtility	13	1.80	14	1,75	20	1,80	15	1.60
ielow Uti nc. cider		20	. 95	29	. 95	. 18	, 90	21	, 90
Il Sales,	Wtd. Ay	,	2, 45		2, 35		2, 25		2. 15



# APPLE PRODUCTION BY VARIETIES

Summer Varieties Continue Increase

Production of summer varieties totaled 299,000 bushels, up 16 percent from last year and more than double 1957 production. Transparent made up about 189,000 bushels and Duchess 58,000 bushels of the total summer variety production.

# Illinois Third in Production of Jonathan

Illinois ranked third among the States in the production of Jonathan in 1959 with eight percent of the Nation's production of this variety. Michigan leads in the production of Jonathan with 3,150,000 bushels or 38 percent of the total, and Washington was second with 10 percent. Jonathan apples accounted for 27 percent of the total State apple production and made up 82 percent of the fall varieties. Fall varieties produced was 33 percent of total State production of all apples, near the 1948-57 average of 32 percent. Wealthy production was 14 percent below 1958 and Grimes Golden production was about half of last year.

# Illinois Ranks Second in Golden Delicious

Illinois 1959 production of 805,000 bushels of Golden Delicious was 13 percent of the Nation's production and placed Illinois second only to Washington (22 percent) in production of this variety. Golden Delicious accounted for 65 percent of Illinois' production of winter varieties. The production of winter varieties (1,242,000 bushels) was 54 percent of the State's 1959 crop. Production of Delicious was 207,000 bushels compared with 128,000 bushels in 1958, and the 1948-57 average of 236,000 bushels.

- OVER -

the Western crop is below average. UNITED STATES: The United States 1959 commercial production of all apples is now estimated at 118.2 million bushels, 7 percent smaller than last year, but 9 percent above average, In all areas production is down from last year—15 percent in the Western States, 3 percent in Central States, and 1 percent in Eastern States, Only

Compared with last year the 1959 production of winter apples is down, fall apples up slightly, and summer apples unchanged. Commercial production of winter varieties, estimated at 100.8 million bushels, is 1 percent below last year but 12 percent above average. Production of fall varieties, estimated at 12.5 million bushels, is 1 percent greater than in 1958 but still 7 percent above average. The crop of summer apples, which has already been marketed, was practically unchanged from last year at 5 million bushels. This is 5 percent below average.

Only four fall and winter varieties show an increase in production over last year--lonathan, Stayman, Yellow million-bushels, Winesap a 2-million-bushels, Minesap a 2-million-bushels, and Rhode Island Greening down a little over 1 million-bushels,

for 80 percent of this total, The Delicious crop of 27 million bushels is the leading variety and accounts for 23 percent of the total apple crop, but production is 10 percent smaller than in 1958. A 25 percent increase in the Eastern States, Washington, by a sharp decline in Western States, principally Washington, and a small decline in the Central States, Washington, Virginia, California, Michigan, and New York, listed in the order of their importance, account for nearly three-fourths of the Delicious crop. Mcintosh, the second most important variety, is estimated at 15.6 million bushels, down 5 percent from last year, but 28 percent above average, Production is centered in New York with 44 percent of this year's McIntosh from last year, and in New England with 33 percent. Winesap ranks think an estimated 9.7 million bushels. Washington accounts for the Delicious of this total.

Production of other important varieties in 1959 is; Jonathan, 8.2 million, bushels; Rome Beauty, 7.8 million; Stayman, 6.7 million; Golden Delicious, 6.2 million; and York Imperial, 6.1 million;

A .l	• Ewing		,	Charle	s E. Roger	S:
esitsiasV IIA Isto	719'7	2,140	2,300	827,801	019,611	755,811
Other Winter	9€₽	159	26	255,2	510'5	86⊆ '₹
York Imperial		70 to	m- ,	098'9	TS4'9	SPI '9
Yellow Newtown				EIÞ 'Þ	111'b	£92 °₽
qseani W	96	EF	23	588 '01	11, 770	969'6
Stayman	8.6	1.5	23	961 'F	696'9	927, 6
Rome Beauty	52	43	91/	961 'L	ZÞI '8 -	277,7
R. I. Greening			W W	029'2	009'E	815,2
Northern Spy				871,5	£81 '£	959'7
McIntosh	49 49			£\$1,51	114,61	565 '51
Colden Delicious	TLS	813	508	807,5	677 '9	126,0
Delicious	236	128	702	\$\$0'EZ	167,65	226, 62
Cortland	e- m			187,2	714,6	575,E
Black Twig			** **	845	654	515
Ben Davis & Gan	67 0	12	9₺	127,1	855 'T	992,1
Baldwin		D 00	+-	141'6	£07,£	928,2
nter				141 6	£02 £	038 6
Other Fall	67	12	٤2 -	2, 187	178,1	554 'T
Wealthy	16	201	26	₹06 °T	872 , I	135,1
Jonathan	199	115	179	106,7	968,7	155 1 752'8
Grimes Golden	16	£#	62	879,1	625 '1	
11	. ,			840 1	062 1	971'1
Other Summer	325	<b>LS2</b>	662	149'7	202,2	<b>₽</b> ∠₽ '2
nmer Tevenstein				855 '7	\$58,5	2, 499
	чI -	daud bassuc	- els	AT -	end bussuoi	rejs -
rieties	78-8461 :	8561	6561 :	LS-8761 :		
nosi	SgatavA :		0.491	Average :		6961 ;
A Isionmercial A	nno v v ordder	ITTINOIS		:	NILED SIN	LES

Agricultural Statistician In Charge

TST, TII

10'400

005,5

082

091

006,1 004,01 007,2 004,1 007,2 000,1 000,5 000,5 100 001

025,1 002,81 002,5 008,5 008,1

2,700

059,1 068,000 005

019'971

29,800 025,2 025,8

069 968

330

025,1 070,1 251 000,1 251 000,2 000,5 001,1 005,2 001,1 001,2 001,1 001,2 001,1

Thousand bushels

Production Preliminary

827,801

308

905,1 905,1 817,5 811,6 556

212,5

Fruit Report - November 1959 Apples, Commercial Crop

P. O. Box 429, Springifeld, Illinois No. S. DEPARTMENT OF ACTOR.

O. S. DEPARTMENT OF ACTOR.

O. S. DEPARTMENT OF ACTOR.

U. S. DEPARTMENT OF AGRICULTURA POSTAGE AND FEES PAID

Agricultural Statistician

OFFICIAL BUSINESS

1959 Production

United States

Oregon California

New Mexico Utah Washington Colorado

ILLINOUS
Michigan
Wichigan
Michigan
Missouri
Montanska
Kannesea
Kannesea
Arkenses
Arkenses
Montans
Mon

New Hampehire
Vermont
Massachusette
Rhode Island
Connecticut
New York
New Jorsey
Pennsylvanis
Delaware
Virginis
Virginis
North Carolina

New Hampshire

(asigoD-Z) A Urbana, Illinots University of Illinois Library Documents Division

ILLINOIS COOPERATIVE CROP REPORTING SERVICE




July 20, 1960


TREE POPULATION AND PRODUCTION PROSPECTS - 1960

Decline in Fruit Tree Numbers Continues

Total apple trees in commercial counties have shown a continuing decline in both bearing and non-bearing trees. All tree numbers declined from slightly over 4 million in 1924 to an estimates 500,000 in 1960. Trees of bearing age showed an increase from 2.1 million to over 2.6 million from 1924 to 1934, then declined steadily to an estimated 350,000 in 1960. During the same period peach tree numbers have also shown a steady decline. All tree numbers have declined from 4.1 million to an estimated 600,000 with a corresponding drop in bearing trees from 3.1 million to 480 thousand. Factors contributing to the decline in new orchards and replacements is the available labor supply at harvest time and growing competition from other apple producing areas.



7338.1



The following table shows the percentage of new plantings accounted for by each variety.

New Plantings Peach and Apple Trees, May 1, 1959 - April 3, 1960

	Apples		aches
Variety	: Percent of total plantings	: Variety	: Percent of total plantings
onathan	24	Red Haven Red Skin	25 13
Golden Delicious	19	Elberta	9
Red Delicious	15	Rich Haven Rio-Oso-Gem	. <b>5</b> 4
		Early Elberta	3
Starkrimson	13	Georgia Belle Hale	3
Transparent	3	Jersey Land	3
Wealthy	2	July Elberta Sun High	3 3
	2 .	Fair Haven	2
Winesap	<b>2</b> ·	Heath Cling Loring	2 2
Lodi	2	Southland	2
Red June	. 2	Sullivan Elberta White Hale	2 2
Consider a	2	Amber Gem	1
Starking.	2	Gage Elberta Golden Jubilee	1
Blaze	1	J. H. Hale	1
Duchess	1	Hale Harrison Ranger	1
Jon-a-red Dwarf Red	1 .	Sun Haven	1
Others (13 varieties) 1/	12	Others (10 varieties) 1/	7

1/Others reported without verification of variety names were: Apples - Beacon, Crimson, Greening, Grimes Golden, King David, Maiden Blush, Oriole, Raspberry, Red Blaze, Snow Staymen, Turley, Willow Twig, Wilson Red, and "Others" with no variety give Peaches: Brilliant, Coronet, Diamond King, Flaming Gold, H. Bell, July Heath, Pally, Rangle, Red Globe, Valiant and "Others" with no variety given.

Illinois Apple Prospects - July, 1960

The preliminary estimate of the apple crop for 25 commercial counties is 1,990,000 bushels, down 13 percent from the 2,300,000 bushels last year and 25 percent below the 1949-58 average. Late spring freeze reduced crop prospects in scattered areas and blight has damaged trees in some orchards. Harvesting of Transparent, Duchess and other Summer varieties started about the last week in June. Users of estimates in arriving at amounts available for sale should make deductions for local or home use, cullage, and perhaps economic abandonment or unharvested fruit because of low prices.

Peach Prospects Below a Year Ago

The Illinois peach crop estimated at 650,000 bushels is 24 percent below the 850,000 bushel 1959 crop and is 40 percent below average. Late spring freezing temperatures caused damage to the crop in scattered areas. Harvesting of some early varieties was expected to begin around the middle of July - about a week later than normal.

Production of pears is estimated to be 60,000 bushels compared with 100,000 last year and an average of 131,000 bushels.

The prospective grape crop is 1,100,000 tons, 10 percent higher than last year and 36 percent below average.

(MITTH STATES - Apples: The reported condition of the Mation's commercial apple crop declined sharply during lune in many of the important production materializes it will be 12 percent below last year and 5 percent below average. The july 1 estimates by geographic regions are: Eastern—49, 580, 000 bushels, 16 percent below last year and 5 percent below average; Central—mates by geographic regions are: Eastern—49, 580, 000 bushels, 16 percent below last year and 2 percent below average; Central—year and 12 percent under average; Central—year and 12 percent under average.

Peaches: The 1960 peach crop is forecast at 73,2 million bushels, only I percent below last year's large crop. The July forecast crop in removal program is primarily responsible for the reduction in the forecast from June 1, Production excluding the Chingstone crop in California which is largely for canning, is estimated to be 47,9 million bushels, 2 percent under last year but 19 percent larger than appears to the companies of the contraction of the contraction of the larger than the forecast in the forecast from June 1, Production excluding the Chingstone crop in California which is largely for canning, is estimated to be 47,9 million pushels, 2 percent under last year but 19 percent larger than

Average.

An estimated 5.4 million bushels of peaches is expected to be produced in the Morth Central States in 1960. This is about the same as produced in 1959 but 8 percent smaller than average. Ohio peach prospects are generally good. Early varieties in Ottawa County may be somewhat short but other varieties are expected to produce a normal crop. Other counties expect fairly heavy crops of all varieties. Harvest is expected to begin during the last week of July. In Illinois freezing temperatures during May and adverse weather during pollination reduced the crop. Brighter prospects prevail in the Cobden and Anna areas where freezing temperatures during may were not too damaging. In Michigan prospects appear good with uniform sets in most areas. Production Prospects

Production Prospects

	682,87	666 <b>.</b> ₽Г	825,528	United States	078,801	121, 787	112,456	Total 35 States
	38° 350 130 130 130 130	2, 260 550 3, 38, 878 3 38, 878	765, 1,516 1,516 1,516	Utah Washington Otegon California	6, 300 2, 300 23, 000 260	TO' 300 2' 200 23' 620 320	368 364,2 366,35 727,8	Usah Washington Oregon California
	07 009	78t 189	991	New Mexico	180	320	699	New Mexico
	540	240	263 T, 672	Idaho Colotado	882 982	1,000 1,200	1,276	Colorado
	00₽°I	1,100	999	28X9T	35	1, 250 1, 250	79 <b>7 'I</b>	antanoM offsbl
	300	122	244	Oklahoma	300	520	398	Arkansas
	991	09T	37	Louistana	200	09₹	32₹	Tennessee
	1° 920	1,925	1.451	Arkansas	320	260	318	Кептиску
	00₽ 1°200	000 'I 024	716	iqqississiM	230	230	842	Kansas
	061	200	787 787	Alabama	32	36	23	Nebraska
	120	120	202	Кептиску Теппеѕѕее	029	750	912	InossiM
	3° 200	3/ 3° 400	892 '7	Georgia	₹0 30	761 160	917	IOWa
	008 ₺	3\ 2'200	3,213	South Carolina	0TT 'T	0 <b>†8 1</b>	7*217 7*217	Minnesota
	00 <b>₽°T</b>	1,250	6₹0 °T	North Carolina	10,500	12,800	#65 te	Michigan Wisconsin
	09L	099	199	West Virginia	066 T	2,300	2, 641 9, 354	ITTINOIS
	T, 800	T'200	₹0₽°I	Virginia	009 T	1,525	89† T	Indiana
	200	09₹	428	Maryland	3° T00	2, 750	880 6	Оріо
	07	9L	TTT	Delaware	008 T	1,500	1,329	North Catolina
	765 740	08	122	Kansas	00L *F	2,700	\$8\$ <b>*</b> \$	West Virginia
	000 E	3° 100	72 <u>4</u>	imossiM	10,200	006 OT	909 6	Virginia
	000 8	098	806 '7	Michigan	1,200	1,600	7° 782	Maryland
	380	365	760 'T 896	ILLINOIS	07Z 2° 400	390	322	Delaware
	000 T	084	646	oidO sasibal	000 '7	7, 500	978 9	Pennsylvania
	006 '2	2,900	2,570	Pennsylvania	008 '91	3° 400 3° 400	2,828	New Jersey
	5,500	2,400	688 T	New Jersey	018	1,350	767 LT 628 L	Connecticut New York
	T 020	1, 120	6†T'T	New York	OII	180	1988	Rhode Island
	091	120	132	Connecticut	2, 100	2,700	2,548	Massachusetts
	6T	91	ÞΤ	Rhode Island	046	098	468	Уегтопт
	125	110	LL	Massachusetts	1, 180	T 630	1,185	Ием Натрыне
	15	01	6	Mew Hampshire	061.1	1,430	T, 030	Maine
	096T	Thousand bush	OC-CECT	*		sland bushels	the state of the s	
	Indicated	1929	1949-58 1949-58		0961	6961	89-676T	
	1 1 1 1	Production 2/	OD CLON V	- State -	Indicated	•	: SystayA	State
-		Реаспея		_	/1 /	Commercial Crop	səlddy .	
-		~				To To To To Tall (10)	solad A	

 $\frac{3}{2}$  includes excess cullage of harvested fruit,  $\frac{3}{2}$  includes some quantities unharvested on account of economic conditions.

The Crop Reporting Service takes this means of thanking the fruit growers who cooperated on these surveys on the Illinois peach and apple tree population and production prospects.

Marketing Service, U.S.D.A, under provisions of the Agricultural Marketing Act of 1946. For the tree survey State lunds were matched with Federal lunds received from the Agricultural

Lloyd C. Studer Agricultural Statistician

J. A. Ewing Agricultural Statistician In Charge A. Ewing

U. S. DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

P. O. Box 429, Springfield, Illinois
P. O. Box 429, Springfield, Illinois

(Fruit) Tree Population and Production Prospects

OFFICIAL BUSINESS

A (3-Copies) Urbana, Illinois University of Illinois Library Documents Division

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

2338.1 I166f



August 15, 1960

ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1960

Peach Prospects Below Last Year's Production

The Illinois peach crop, estimated at 700,000 bushels is nearly 18 percent below last year's crop of 850,000 bushels and 36 percent below the 1949-58 average. Below freezing temperature around mid-May caused damage in scattered areas with a few reports of complete failure. Hail caused damage to the crop in the West-Central area during the latter part of June. In the Cobden and Anna area, the quality is good and insect damage light. Harvest began about the first of August in the southern counties, about a week later than usual.

Apple Production Below Year Ago

Illinois apple production in the 25 commercial counties is estimated to be 2,200,000 bushels, 4 percent less than the 2,300,000 bushel crop last year and 17 percent below average. Prospects were dimmed due mainly to hail and blight damage, and rain was needed in some areas for sizing the crop. The Jonathan crop is expected to be light, but the Golden Delicious prospects are good.

Jonathan harvest will begin in the southern counties in early September and Golden Delicious in mid-September, both about two weeks later than last year.

Grape Production Up--Pears Decline

Grape production is forecast at 1,100 tons, 10 percent above last year and 70 percent of the 1949-58 average. Vineyards are relatively free of weeds and disease but hot weather the latter part of July damaged the crop in some areas. Pear production is estimated at 70,000 bushels, 70 percent of last year and 53 percent of the 1949-58 average.

## UNITED STATES

APPLES: The Nation's commercial apple crop on August 1 is estimated at 109, 400, 000 bushels—2 percent more than was forecast on July 1. Improvement was reported in all areas of the country with only four States indicating a smaller crop than a month earlier. However, the 109, 400, 000 bushels, if realized, is 10 percent below last year and 3 percent below average. Estimated production by geographic regions shows the Eastern region with 50,020,000 bushels which is 15 percent less than in 1959 and one percent below average; the Central region with 21,825,000 bushels, 6 percent below last year but 7 percent above average; and the Western region with 37,555,000 bushels which is 6 percent below 1959 and 9 percent under average.

Early apple harvest is under way in the Central States. Scab and blight which were common problems throughout these States now appear to have been brought under control. Ohio expects to harvest the largest crop since 1951. Golden Delicious prospects in Illinois are rated as good but some russeting was reported on this variety in Ohio and Indiana. Michigan McIntosh should exceed the 1958 record, but Jonathans and Northern Spys are down. Red Delicious will be at about last year's record. Minnesota's apple crop is 5-10 days late with Duchess picking now in progress. Adequate moisture supplies in Kansas and Nebraska were favorable for the development of the apple crops in those States. An excellent crop is anticipated in Arkansas. Harvest of Summer Champions was at its peak about August 1. Kentucky has a heavy crop in prospect and showed a marked improvement over July 1.

PEACHES: The 1960 peach crop is forecast at 73.6 million bushels, 1 percent smaller than the 1959 crop, but 18 percent above average. Excluding the California Clingstone crop which is used mostly for canning, the rest of the U. S. crop is estimated at 48.2 million bushels, down 1 percent from last year, but 20 percent above average. The only region showing a smaller crop than in 1959 is the Western States, where all States except California and Idaho are down. In the rest of the country New York, Illinois, Michigan, South Carolina, Mississippi, and Delaware expect smaller crops than last year, but these decreases are more than offset by increases in most other States.

In the North Central States peach prospects are up somewhat from a month ago. In Michigan moisture supplies are good and the fruit has sized well. The crop is about a week later than last year in Michigan and between one and two weeks later in Illinois. Illinois has some brown rot, but the crop is relatively free of insect damage. Ohio had some hail damage on July 22, but the crop shows little insect or disease damage. Some areas could use more rain to insure best sizing. Harvest of the Kansas crop was at its seasonal peak about August 1 with production expected to be the largest since In Michigan moisture supplies 1949.

Production in the 9 Southern States is estimated at 15.3 million bushels, 3 percent above last year and 56 percent above average. Elbertas are still being harvested throughout most of these States as the result of a late season.

PEARS: Pear production in the United States is forecast at 27,181,000 bushels as of August 1--10 percent below last year and 9 percent below average. This was 1,100,000 bushels less than the estimate on July 1. All three Pacific Coast States showed a decline with prospects in that area dropping from 25,061,000 bushels on July 1 to 23,856,000 bushels on August 1, a decline of 5 percent. Bartlett pear production on the West Coast is forecast at 18,053,000 bushels, 11 percent below 1959 and 7 percent below average. Other pear production in the three Pacific Coast States on August 1 is estimated at 5,803,000 bushels, 8 percent below last year and 14 percent under average.

GRAPES: The 1960 grape crop is estimated at 3,119,780 tons, 1 percent below last year, but 8 percent above average. Production of European-type grapes in California and Arizona, estimated at 2,834,500 tons, is 1 percent below last year, but 6 percent above average. Production in the remaining States, largely American-type grapes, forecast at 285,280 tons, is 5 percent above last year and nearly a third over average. Northwest Arkansas has a good crop although late spring frosts caused spotted damage. Moisture supplies are abundant throughout the area. Harvest started by August 1 in some areas of South Carolina. Heavy movement was expected to get under way about August 10. Some blackrot has been reported, but most growers have been able to control the disease.

	38° 850	3/38°818	33*380	California	9°300	70° 900	727 <b>.</b> 8	California
	09₹	220	432	Oregon	2,300	2,200	767 '7	Oregon
	2,040	2,260	1,616	Washington	24,000	23,650	26, 355	notgnings W
	210	0L†	861	Utah	280	320	398 36	notpuidseW
	20	182	72e	New Mexico	220	320	300	Utah
	099	075,L	7.9°T	Colorado		098	699	New Mexico
	240	240	263	, , –	094	T, 000	1,276	Colorado
	007°T	1,100		Idaho	949	1,250	1,452	Idaho
			999	Техаѕ	20	98	L6	Montana
	300 375	122	244	Oklahoma	320	220	322	Arkansas
		091	94	Louisiana	200	420	32₹	Tennessee
	T 950	1,925	T° 42T	Arkansas	011	097	318	Кепшску
	001	02 <del>†</del>	LIE	IqqieslesiM	230	230	8₽2	Kansas
	1,200	000 T	231	Alabama	32	38	23	Иергазка
	200	200	182	Tennessee	094	120	216	Missouri
	190	091	202	Кепшску	06	09T	941	LOWa
	9,600	3\3° 400	5,269	Georgia	082	192	262	Minnesota
	008 °F.	3\2*200	3,213	South Carolina	1,200	0\$£'I	1,217	Wisconsin
	T*200	1,250	670 I	North Carolina	11,000	12,800	798'6	Michigan
	09L	099	199	West Virginia	44 000	000 01	736 0	Michlan
	1,750	1,500	707°T	Virginia	2,200	\$,300	2,641	OLONIAGI
	200	091	89 <del>1</del>	Maryland	000 0	004 0	119 0	ILLINOIS
	0L	92	iii	Delaware	1,580	1,625	89†°T	m71m7 m 117
	991	08	122	Kansas	3,200	2, 750	3,088	Indiana
	275	097	424	imozsiM	1,800	I 200		Ohio
	3,000	3, 100	2, 908	Michigan	002 '\$	2,700	638 °T 78 4 °T	North Carolina
			000 6		10,400	10,900	V 0 V V	West Virginia
	004	820	T60'T	ILLINOIS	1,200		909 6	Virginia
		0.10	too t	210141 1 11	220	009 'T	1, 185	Maryland
	380	392	398	TITATCHIC		390	322	Delawate
	1,050	087	646	Indiana	2,700	7,500	978 9	Pennsylvanta
	2,900	006 'Z	2,570	Ohto	009'Z	3,700	828 2	New Jersey
	2,500	2,400		Pennsylvanta	000 LT	79,500	\$6\$ LT	New Kork
		007 6	688 T	New Jeisey	810	1, 350	1,329	Connecticut
	1,000	1, 120	6PT 'T	New York	120	09T	891	Rhode Island
	091	120	132	Connecticut	2,100	2, 700	2, 548	Massachusetts
	61	91	ÞΙ	Rhode Island	046	098	L68	Vermont
	125	OLL	LL	Massachusetts	1,210	0E9*T	1, 185	ием Натрыне
	12	0T	6	New Hampshire	. 06T'T	1,430	1,030	Maine
								, , ,
		eysng puesno				land busse	our -	
	0961	6961	89-6761	: ::	0961	COCT	: 89-676T	*
-	Indicated	*	Avetage	ii state ii	Indicated	1929	Average:	State
		Production 2/		<u>:</u>		roduction 2/		:
		Peaches		: 1:	/I do.	Commercial Cr		*

 $\frac{1}{2}$  First in the commercial crop refer to the total production of apples in the commercial apple areas of each State.  $\frac{1}{2}$  First some States in certain years, production includes some quantities unharvested on account of economic conditions.

001 60T

TST, TST

United States

TT5' 428

Total 35 States

Lloyd C. Stuber Agricultural Statistician

68€ '₽L

829 29

J. A. Ewing Agricultural Statistician In Charge

N° 2° DEPARTMENT OF AGRICULTURE

\$19°67

U. S. DEPARTMENT OF AGRICULTURE P. O. Box 429, Springfield, Illinois

OFFICIAL BUSINESS

Illinois Fruit Production Prospects

Documents Division
University of Illinois Library
Urbana, Illinois
A (3-Copies)

2338.1 f D

Cop. 2

# FRUIT



September 15, 1960

# ILLINOIS PRODUCTION PROSPECTS - 1960

# Apple Production Same As Year Ago

Illinois apple production in the twenty-five commercial counties is estimated at 2,300,000 bushels which is the same as a year ago. Despite dry conditions in some southern counties and hail damage in the west-central areas, apple prospects remained good although the size and quality has been reduced. Apple harvest of late varieties is a little later than usual but picking was well underway by the first week in September, in the southern and west-central counties.

# Peach Production Above Last Year

With over one-half of the peach harvest completed by the latter part of August, the peach crop prospects improved over a month earlier but is 8 percent below last year and is 29 percent below the 1949-58 average. An estimated production of 780,000 bushels compares with 850,000 a year ago and an average of 1,091 bushels. Peach harvesting is continuing a little later than usual, but with favorable early September weather should be rapidly completed. Quality varied, with some growers reporting a good quality crop and others reporting damage from hail and brown rot.

# Grape and Pear Production

Estimated grape production is 1,000 tons, the same as last year, but 36 percent below the ten-year average of 1,570 tons. Pear production is estimated at 80,000 bushels, 20 percent below a year ago and 39 percent below average. This is the lowest pear production in over 50 years of record.

UNITED STATES: Nationally there was virtually no change during August in prospects for the commercial apple crop, The September 1 estimate of 109, 220,000 bushels is 10 percent below last year and 3 percent below average. Compared with a month ago small declines in Washington, Virginia, West Virginia, Idaho, and New Mexico slightly more than offset gains in New England, New Jersey, Delaware, North Carolina, Illinois, Missouri, and Colorado, Regionally, the outlook is: East, 50, 220, 000 bushels, 15 percent below last year and 1 percent under average; Central, 22, 000, 000 bushels, 5 percent less than last year but 8 percent above average; West, 37,000,000 bushels, 7 percent under 1959 and 11 percent below average. Cool nights and adequate moisture favored coloring and sizing of New England apples, Harvest of McIntosh, the main New England variety, will not be general until the week of September 12. August weather conditions were also favorable for the New York and New Jersey crops. The total crop in the Lake Ontario area of New York will be down from last year with Greenings and Romes showing substantial declines, McIntosh and Cortlands minor declines, and only the Wealthy crop expected to exceed 1959. In the Hudson Valley all varieties are expected to yield less than a year ago. Finish and size of fruit is reported generally excellent in New York, New Jersey, and Pennsylvania although there has been some cracking of Staymans in New Jersey from rapid growth. Picking of Red Delicious started in Delaware and the Eastern Shore of Maryland around September 1 with volume harvest expected by September 10. The Virginia crop is reported not sizing as well as expected earlier, particularly in the Winchester area. Compared with last season, production is down substantially in the heavy-producing Frederick and Clarke Counties and will also fall below in other Northern Shennandoah Valley counties. In this area, the three leaders—York, Stayman, and Red Delicious—all have light sets in most orchards; but Golden Delicious, Jo

The September 1 peach production estimate totals 74,5 million bushels, slightly larger than the 1959 crop and 19 percent above average, California Clingstones which are used almost exclusively for processing total 25,4 million bushels, leaving other peaches at 49,1 million, a slight increase from last year and 22 percent more than average, The California Cling peach crop estimate was unchanged from August 1, equal to last year's crop and 14 percent above average. Harvest of the crop is progressing ahead of normal, Labor has been a problem in a few areas. Early fruit matured ahead of normal, resulting in hurried picks, Growers are for the most part getting only one pick through their orchards, Late varieties are now being harvested, California Freestone peach production, at 13,5 million bushels, is also about the same size as it was last year and is 21 percent above average. Freestone harvest has progressed at a normal pace and is nearing completion. Picking of Elbertas for canning is completed and only a light volume of late varieties will continue into September. Conditions during August were favorable for fruit sizing in the Middle Atlantic States. Prospective production for the group increased 2 percent. This increase was in the New Jersey and Pennsylvania estimates, each of which went up 100,000 bushels. The season is well along in both of these States, Harvesting of Elbertas and Bracketts was in progress in New Jersey the last of August and in southern counties picking of Rio-Oso-Gems was starting. In Pennsylvania, Elbertas were moving from the South Mountain and Lehigh Valley areas. Some Hales, Sullivans, and other later varieties were also available in these areas. The deal there was expected to finish early in September. Earlier varieties are available farther north and peaches will be available there until late September. Wet weather at the end of the month in Delaware, Maryland, and Virginia except the Winchester area. Elbertas and other late varieties were available there and in West Virginia and con

SEP 20 1960

in the Illinois crop, Harvest was running a week later than normal and about half completed on September 1. Michigan has a very good crop, Halvest was well underway on September 1. Production of the Mesa County area of Colorado began to taper off the last of August, Cool weather slowed harvest in central Washington. Harvest is active in Yakima Valley, but heavy volume is not expected until were being picked in the Lower Valley and intermediate varieties in the Upper Valley, but heavy volume is not expected until after Labor Day, in the Wenatchee area picking was on the increase and expected to be heavy early in September.

The September 1 pear production estimate at 26.4 million bushels is 3 percent below August 1, 13 percent below average. California, with a decrease of 834,000 bushels in the Bartlett crop, accounts for most of the change. The California Bartlett crop, at about 14.0 million bushels, is 8 percent smaller than the 1959 crop but 4 percent above average. Harvest had been completed by September 1 in all early steas and reached its peak in most later districts, Sizes were expected to Harvest had been completed by September 1 in all early ateas and reached its peak in most later districts, Sizes were expected to

Prospective production of grapes declined during the past month with a reduction in the West more than offsetting increases in the Worth Atlantic and Morth Central States. Production is estimated at 3,071,600 tons, 2 percent below 1959 but 6 percent above average. Bropes average, grown in California and Arizona, are expected to total 2,784,500 tons, down 3 percent from last year although 4 percent above average, Production in States other than California and Arizona is forecast at 287,100 tons, 6 percent greater than in 1959 and 33 percent above average. Of these States, which produce mostly American type grapes, only Washington, Oregon, and lowa expect a smaller crop than last year. Mew York grapes have had plenty of motature, the berry size is good, and clusters are well filled, prospects in all areas are better than in 1959 and total tonnage is expected to be the greatest after 2909, Because of cool weather the crop is about 10 days later than last year, Harvest of Concords in the Finger Lakes region will start the last few days of September and in the Chautauqua-Erle area about October 1, Harvest continues active in North will start the last few days of September and in the Chautauqua-Erle area about October 1, Harvest continues active in North will start the last few days of September and in the Chautauqua-Erle area about October 1, Harvest continues active in North will start the last few days of September and in Arkansas, harvest of Concords will soon be ready in South Carolina and are being harvested in Georgia, in Arkansas, harvest of Concords in the Washington prospects are down from a month ago. Although berry size is good, bunches are not well filled, Cool August weather the layor the crop,

18 New Hampshire Massachusetts Rhode Island 91 DI 098 L68 7° 182 OTT 1, 630 125 LL1,430 OI 6 06T'T prepers Thousand Thousand bushels 096T 89-676T 0961 89-6161 696T : : 696T Indicated Average Indicated Average State Production 2/ Apples, Commercial Crop 1/ State Редслеб Illinois Production Prospects

38° 350 878 88 \<u>E</u> 068 '88 Oregon California 8°300 T0, 900 2, 200 23, 650 727 .8 727 .8 California ₹20 \$°040 220 432 Oregon 1,516 2,260 Washington. 36,355 23,500 washington SIO OLT 861 Utah 083 320 368 Utah 20 **98T** New Mexico 99T 007 320 699 New Mexico 049 T 099 ZL9 'T 1, 452 Colorado 087 000 T Colorado 097 1°400 1, 100 1,250 263 Idaho 029 daho Texas 999 50 Montana 82 46 300 **991** Окјаноша 777 320 520 322 Arkansas 175 2,050 09T 91 Louisiana 009 095 324 Tennessee 1, 925 197°T Arkansas OIF 092 318 Кепшску **02₽** 02₽ SIL lqq122i22iM 230 230 842 Kansas 1,200 000 T 231 Tennessee Alabama 98 98 98 98 23 Nepreska 200 200 182 097. 316 InossiM 2,213 2,213 3,213 1,049 06T OGT Kentucky 06 091 9LT EWOI 3, 700 1,250 3/5,500 1,250 11,000 1,200 280 T97 T°340 T5°800 1, 217 1, 217 262 9, 354 Georgia Minnesota North Carolina South Carolina Wisconsin. 1,500 Michigan 094 099 T99 West Virginia 09L'I 1,500 707 T Virginia 2,300 5,300 T #9 °Z ILLINOIS 009 09₺ 891 Maryland 897 T 880 E 7 356 7 487 7 1,580 1,950 1,950 1,525 1,525 1,500 04 97. TIT Delaware Enelbal 165 08 TSS Kansas OHIO 300 097 レスも MISSOULL North Carolina 3,000 1,200 1,600 Virginia West Virginia 806 8 001.6 3'100 Michigan 006 °01 909 6 084 820 160'T ILLINOIS 1,185 Maryland 096 092'L 004'6 09'61 09'61 2,700 2,700 17,000 17,000 326 946,61 64,71 626,1 Delaware 08E 365 368 ensibni Pennsylvania 087 646 New Jersey New York 1, 120 2, 400 2, 400 1,889 2,570 3,000 Pennsylvanta 009 3 New Jersey New York 098 Connecticut 6≯T°T 096 Vermont Massachusetts Mode Island 120 09T 89I 1,320 1,320 2, 548 09T OGI **T32** Connecticut 2, 700 New Hampshire Maine

3/Includes excess cullage of harvested fruit.  $\frac{1}{2}$  For some States in certain years, production includes some quantities unharvested on account of economic conditions,

109, 220

121, 787

United States

Lloyd C. Stuber Agricultural Statistician

666 ,₽T

823,23

U. S. DEPARTMENT OF AGRICULTURE

097 °7L

No S. DEPARTMENT OF AGRICULTURE ACRUCULTURE

J. A. Ewing Agricultural Statistician In Charge

OFFICIAL BUSINESS

P. O. Box 429, Springfield, Illinois

Total 35 States 112, 456

Illinots Production Prospects

(3-Copies) Urbana, Illinots University of Illinois Library Documents Division

338.1 If 668

ILLINOIS COOPERATIVE CROP REPORTING SERVICE



October 18, 1960

. .

PRODUCTION PROSPECTS - 1960

ILLINOIS: The 1960 peach crop is estimated at 780,000 bushels which compares with a 1959 crop of 850,000 bushels and is 29 percent below the 1,091,000 bushel average. Due to freezing temperatures around mid-May severe damage occurred in scattered spots, principally in the southern third of the State. Wind and hail the latter part of June caused damage to the crop in the West-central area. Despite early season setbacks, crop improved as the season progressed. Picking started a little later than usual but progressed rapidly under favorable harvesting conditions. In general the size of fruit did not measure up to the 1959 crop as indicated by the percent of sales in the lower grades as reported by growers, but the average price received per bushel was the highest in the last five years.

PEACHES - Percent of Sales and Prices by Grades, Illinois, 1956-60

1/0	1956		957		.958	: 195		4 7 (36	
9 0/0						. 200		• 13(	30 2/
t a		: % of : all : sales	: Price : per : bushel	: % of all : sales	: Price : per : bushel	: % of : all : sales	Price per bushel	% of all sales	Price per bushel
" min. and up 52 3/4" to 2" 10		37	\$3.15 2.15	46	\$2.35 1.75	60 A	\$2.70 1.95	45 4	\$3.10 2.10
1. hall grade . 5	1.85	2	2.10	1	1.80	W 60	090 Oct	w w	100 040
orchard run 23 Inclassified 10		42 12	2.30 1.55	41 8	1.95 1.40	22 14	1.85 1.40	45 6	1.30 2.35

/Revised.

2/ Preliminary estimates for 1960.

Apple production is estimated at 2,300,000 bushels, the same size as the 1959 crop, but 13 percent less than the average crop of 2,641,000 bushels. Favorable fall weather prior to harvest overcame most of the earlier delay in coloring and sizing of the crop. Most growers in the southern third of the State considered the quality and yield of the crop as good. In the west-central area, the crop failed to fully recover from an early summer wind and hail storm, and growers reported considerable hail damage to the crop in this area. In the north-west area, the crop was considered light, especially the Jonathans, and picking of the fall varieties was expected to be completed about a week ahead of the usual completion date. Growers in this area anticipated moving the bulk of their crop through local sales. Harvesting of Golden Delicious, Stayman, Willow Twig, and other winter varieties was expected to follow shortly after completion of the fall varieties. A bigger crop in the southern-producing area apparently offset the light crop in other areas and grower indications point to a crop the same size as last year.

Pear production is estimated at 85,000 bushels, 15 percent less than the 1959 crop of 100,000 bushels and two-thirds of the average production. In general, the quality and yield of the crop was good.

Grape production is estimated at 900 tons, 10 percent less than last year and only 57 percent of average. Late cool, and wet weather this year contributed to a smaller and a below average quality crop.

UNITED STATES: Prospects for the Nation's commercial apple production declined about 1.5 million bushels during September.

The 107,710,000 bushels indicated by October 1 conditions is 12 percent below last year and 4 percent under average. Most of the decline from September 1 to October 1 occurred in three areas: New England, New Jersey, Delaware, and Maryland—hit by Hurricane Donna on September 12; Ohio, Michigan, and Wisconsin; and Washington—where first harvest results indicated smaller sizes than expected. The regional outlook now lines up this way: East, 49,810,000 bushels—15 percent below last year and 2 percent under average; Central, 21,385,000 bushels—7 percent below last year and 5 percent above average; and West, 36,515,000 bushels—8 percent down from 1959 and 12 percent under average. In Ohio and Indiana, hot dry weather in September caused poor sizing and color in some areas. Despite this, many growers report a good quality crop. The Anna and Cobden areas of southern Illinois have a bigger crop than last year with good sizes and color. In the west-central area of Illinois, from Calhoun to Rock Island Counties, the crop was cut short by poor pollination, and hail and wind damage. In Michigan, moisture has been adequate and size of apples is much larger than usual. The Minnesota crop is sizing well. Harvest of Delicious and Jonathan in Missouri was about complete by October 1 with quality generally good. The Kansas crop was reduced by severe hail damage in the Doniphan County area. Harvest of a very good crop in Arkansas was virtually complete by October 1.

The 1960 peach crop is estimated at 74.7 million bushels, 1 percent larger than last year and 20 percent above average. Excluding California Clingstones, which are used mostly for canning, production of other peaches in the U. S. is estimated at 49.3 million bushels, a slight increase over last year's crop and 22 percent above average. The California Clingstone crop is estimated at 25.4 million bushels, the same as last year, but 14 percent above average. Harvest was nearly complete by October 1 throughout the country. A few peaches remain to be harvested in the Lake Ontario area of New York. Sizing was good. Increases over last year were greatest in the south-central states with a 16 percent increase, followed closely by the Middle Atlantic States with 11 percent increase. The western states, except California and Idaho, were down in production.

The 1960 pear crop is estimated from October 1 conditions at 26,405,000 bushels, 13 percent below last year and 12 percent under average. Prospective production is virtually the same as a month ago with increases for Oregon and Washington Bartletts a little more than offset by a decrease for this variety in California. The Pacific Coast States, with 87 percent of the Nation's production, have an all-pear production 13 percent less than last year, while the total for all other States is down 8 percent. Harvest of the Michigan Kieffer crop was under way in late September. The New York crop was not affected significantly by Hurricane Donna. Harvest in that State was nearly complete by October 1 except for a few late varieties.

The Nation's grape crop is estimated from October 1 conditions at 3,005,550 tons, 4 percent below last year but 4 percent above average. Compared with a month ago, there were declines in prospective production for California raisin and wine varieties and for Washington, Indiana, Illinois, and Iowa. These more than offset the increases registered for Michigan, Missouri, and Georgia. European-type grapes, grown in California and Arizona, are now estimated at 2,724,500 tons, 5 percent less than in 1959 but 2 percent above average. Production of raisin-type varieties in California is estimated at 1,660,000 tons, 5 percent below last year but 8 percent above average. Harvest is well along, due primarily to continued warm weather which has caused shatter and some loss of tonnage. There has been very little rain in the raisin-producing areas and most trays are now rolled or in boxes.

- OVER -

Grape harvest got under way the latter part of September in the Lake Erie beit of New York, Pennsylvania, and Ohio; The California raisin production survey indicates a total natural raisin production of 190,000 tons (dried basis), 10 percent The California raisin production from survey indicates a total natural raisin production of 190,000 tons (dried basis), 10 percent The California raisin production from survey indicates a total natural raisin production of 190,000 tons (dried basis), 10 percent The California raisin production of 212,000 tons, Tonnage dehydrated in the Lake Erie beit of New York, Pennsylvania, and Ohio;

Illinois Production Prospects

sestate de latol	112,466	121, 787	off, fot	United States	62, 528	686 <b>.</b> 47	74° 123
almoill	727 ,8	006 °01	9,300	California	33° 380	38,878	98,920
นดชื่อ	264.2	2,200	5,300	Oregon	432	220	00₽
notgninge	26,355	23,650	23,000	Mashington	1,516	092 °Z	T 980
da	392 20	320	230	Utah	86₹	0 <i>L</i> ₹	OIZ
w Mexico	699	320	002	New Mexico	12e	182	20
olorado	1,276	000 T	820	Colorado	1,672	1,670	OTL
оредор	1,452	1,250	029	Idaho	293	077	092
anatno	1 460	85	21	Texas	999	1, 100	1°400
	355	092	320	Oklahoma	\$\$\dagger{\pi} \dagger{\pi} \da	122	300
kansas		097	220	Louislana	9L	091	SLI
Sunessee	324	097	017	Arkansas	194'1	T, 925	2,050
эптиску	318		210	iqqisalaalM	LTE	420	024
THE SESTI	248	230		smadsiA	189	T, 000	1,200
praska	23	98	928	Tennessee	182	200	002
issour	912	094			707	120	061
W.B.	9LT	190	150	Kentucky	70Z 69Z Z	3\ 3° 400	3,700
tio250ff.	292	192	082	Georgia	096 6	3\ 2'200	2,100
isconsin	1,217	1, 340	1,150	South Carolina	3,213	3 / 2 200	1,500
tchigan	79E '6	12,800	TO' 200	North Carolina	670 T	1,250	
				West Virginia	199	099	120
TINOIS	749 °2	2,300	2,300	Virginia	707 T	1,500	1,750
				Maryland	8 <b>9</b> 7	097	200
diana	89₹ ¹T	I, 525	T'280	Delaware	III	37	04
off	880 '8	2,750	3,050	Kansas	122	08	165
orth Carolina	1°358	009 T	Z* 000	hinossiM	LZÞ	250	300
est Virginia	\$8\$ '\$	2° 400	009 t	Michigan	808 'Z	3, 100	3,150
irginia.	909 '6	006 °0T	10,200				
aryland	1, 185	J' 600	1,150	ITTINOIS	T60 T	820	08L
elawate	322	360	220				
ennsylvanta	9₹€ '9	009 'L	9, 700	Indiana	368	398	380
ew Jersey	2,828	3, 700	2,500	Ohio	646	087	080 'I
ew York	\$6\$ LT	19,500	000 'LT	Pennsylvanta	2,570	2,900	3°000
onnecticut	1,329	1,350	026	New Jeizey	688'T	2,400	2,800
	168	190	110	New York	6 <b>†</b> T 'T	1, 120	096
node Island	2,548	2, 700	090 °Z	Connecticut	132	120	122
assachusetts			040 6	Rhode Island	ÞΪ	91	LT
ermont	L68	098				OII	125
ew Hampshire	1, 185	T 630	1,250	Massachusetts	LL	OI	91
afine	T, 030	T* 430	1,140	эцифицен мэй	6		
	[, =	Thousand b	shels -		4T -	sud bassuo	- alsh
	89-676T	2007 1	096T :	: ::	89-676T	696T *	0961 :
	Average	6961	Indicated	2 *9	Average		i Indicated
State		Production	17.	State		Production	
	qq A	les, Commerc	T CLOD I	: ::		Реаспея	

 $<sup>\</sup>frac{1}{2}$  For some States in certain years, production includes some quantities unharvested on account of economic conditions.  $\frac{2}{3}$  Includes excess cullage of harvested fruit.

l. A. Ewing Agricultural Statistician In Charge

Lloyd C. Stuber Agricultural Statistician

U. S. DEPARTMENT OF AGRICULTURE

U. S. DEPARTMENT OF AGRICULTURE P. O. BOX 429, Springfleld, Illinois

OFFICIAL BUSINESS

Production Prospects

Documents Division
University of Illinois Library
Urbana, Illinois
A (3-Copies)

9338.1 D1966 f CELINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT




December 20, 1960

## 1960 PRODUCTION


ILLINOIS: The commercial apple crop in 1960 totaled 2,100,000 bushels, 9 percent below the 1959 crop of 2,300,000 bushels and 20 percent below the 1949-58 average. A combination of factors contributed to the smallest apple crop since 1955. Blossoming and set of fruit was light in some areas due to the unusually cool spring weather. Freezing temperatures in mid-May caused spotted damage to orchards throughout the State. Strong winds and hail, the latter part of June caused considerable damage to trees and fruit in an area from St. Louis to above Quincy. Offsetting these setbacks was a good apple crop in most other areas.

The table below shows the percent of sales and average price received by grades to November 1, as reported by Illinois growers. The 1960 crop averaged about 10 cents above the 1959 crop. The quality of the crop was the same as last year for the two top grades with a slight shift in the two lower grades. In areas of heaviest hail damage, a greater percentage of the apples were in the two lower grades than indicated for the State.



The 1960 pear production totaled 85,000 bushels down 15 percent from the 100,000 bushel crop of 1959 and slightly over half of the 1949-58 average. Illinois grape production totaled 900 tons, 43 percent below the 1949-58 average. This is the smallest crop on record and is a continuation of a steady decline in grape production.

Apples - Percent of Sa	191	17 :	193	8 :	19:	9 :	196	
	% of : all :	per :	% of ; all ; sales;	per :	% of : all : sales :	per:	% of : ail ; ualen:	Price per bu.
III. U.S. No. I	44	3.45	48	2.95	46	2.80	46	2.6
Combination	13	2.40	14	2.15	18	2.10	18	2. 19
III. U.S. Utility	14	1.75	20	1.80	15	1.50	1.7	1.6
Below Utility Inc. ciders	29	. 95	18	, 90	21	. 85	19	. 9
All Sales, Wtd. Av.		2.35		2.25		2.05		2.1



## APPLE PRODUCTION BY VARIETIES

# Sharp Decline in Summer Varieties

Production of summer varieties totaled 210,000 bushels, down 30% from last year and 34 percent below the 1949-58 average. Transparent made up about 112,000 and Duchess 52,000 bushels of the summer crop. Unseasonably cool, wet spring weather and late freezing temperatures contributed to the lower production of summer varieties.


# Illinois Third in Jonathan Production

Illinois again ranked third in the Nation in the production of Jonathan apples, with 8 percent of the U. S. production of this variety. Michigan leads in the production of Jonathan with 2, 450,000 bushels or 37 percent of the Nation's production and Washington was second with 682,000 bushels or 10 percent. Jonathan accounted for 26 percent of the total State production and 84 percent of the fall varieties. Fall varieties accounted for 31 percent of the total State production of all apples. Wealthy production was 32 percent lower than last year and Grimes Golden about the same as in 1959.

# Illinois Third in Golden Delicious

Golden Delicious production in Illinois in 1960 was 756,000 bushels, about 6 percent below last year and accounted for slightly over 10 percent of the U.S. production. Virginia ranked second with 1,020,000 bushels (14 percent) and Washington first with 1,760,000 (25 percent) of the Nation's production. Golden Delicious accounted for 61 percent of Illinois' production of winter varieties. Winter variety production amounted to 1,239,000 bushels, 59 percent of the State crop. Delicious production was 189,000 bushels in 1960 compared with 207,000 bushels in 1959. Rome Beauty, Stayman, and Winesap were 42,000, 21,000, and 84,000 bushels respectively.

- OVER -



UNITED STATES: The 1960 commercial production of apples is below both last year and average for all three varietal below last year but only 2 percent under average. The 10,4 million bushel crop of fall varieties is 19 percent less than that of 1959 and 22 percent below average. Summer apples, which have already been marketed, totaled nearly 4.2 million bushels, 21 percent under both last year and average.

All of the winter and fall varieties show less production than last year except two--Golden Delictous and Black Twig Pennsylvania, New Jersey, North Carolina, and West Virginia, Golden Delictous production was above last year in Washington, Virginia, Rew Jersey, North Carolina, and West Virginia, Golden Delictous production was above last year in Washington, Virginia, Pennsylvania, West Virginia, and New York; below in Illinois, Michigan, and California,

Delictous, with a 1960 production of 2A.4 million bushels, is again the leading variety accounting for 23 percent of the Wation's commercial apple crop. Compared with last year, Delicious production was down 12 percent. The Western area, which is the principal Delicious producer, showed a reduction of 9 percent and the Eastern area a cut of 23 percent, while the Central area registered a gain of 3 percent. McIntosh, again the second most important variety, is estimated at 13.5 million bushels, a cut of 17 percent from last season's crop, New York, New England, and Michigan, the three ranking McIntosh areas, all showed reductions from 1959. Winesap retained third place with a production of 8,7 million bushels, down 12 percent from a year ago. Three-fourths of the 1960 Winesap crop was produced in Washington.

Other important varieties produced in 1960 were: Rome Beauty, 7.4 million bushels; Golden Delicious, 7.2 million; Stayman, 5.5 million; Stayman, 5.5 million; A.3 million; A.3 million.

The United States 1960 commercial production of all varieties is now estimated at 106,4 million bushels, 13 percent down 8 percent; and 5 percent down 11 percent. The Washington crop sized below earlier expectations.

otal All Varieties	149'7	2,300	001'7	112, 456	181,181	086,301
723777 11 12713 0	87.6	26	501	<b>₹8₽</b> 'S	887, A	878,5
York Imperial Other Winter	02.5	20	201	417 'S	161'9	745 'S
			an m	677 7	655,4	162 <b>'</b> \$
Yellow Newtown	16	£Z	18	190'11	906 '6	Z#7 ,8
namystč V inesp	85	22	12	690'5	£88 '9	615'5
		9%	24	795,7	£79,7	7, 366
Rome Beauty	27			508,2 505,5	የቅቅ '7	011,5
R. I. Greening		ety es		07 E , S	008,5	151'2
Northern Spy	**		***	226,51	942,81	119'61
McIntosh			001		284 '9	181,7
Golden Delicious	829	\$08	957	880 '7	576,72	501 2 501 47
Delicious	122	702	681	902 '72		300 'E
Cortland				₽26 °Z	3,507	
Black Twig		~~		573	₹2€	340
Ben Davis & Gano	67	97	45	1,709	845,1	1, 182
Baldwin		dan ole		298,8	656'Z	2,70
linter						
Other Fall	87	£Z	12	271,2	1, 783	1,36
Wealthy	₹6	76	89	1,839	1,388	322,1
Jonathan	099	129	975	885,7	767 8	9919
Grimes Golden	83	52	12	526'I	1, 170	91 '1
11.6						
Other Summer	616	662	012	249'2	688'8	96 °I
Gravenstein				579'2	671'2	25,22
ummer						
	- Lpo	and bassu	reja -	- IP	end bassuo	rela -
arieties	85-6+61:	6561	0961	85-6761:		0961 :
pu	: Average		1	: Average		OF TX
otsi Commercial App	:	TTINOE			NITED STA	277

J. A. Ewing

Agricultural Statistician In Charge

Agricultural Statistician

Lloyd C. Stuber

106,380

000,52 021,5 006,9

00 S S 2

008,71 008,5 007,2 007,2 007,2 008,1 001,5 008,1 008,1 008,01

040,1 051,1 049 020,5 098

Preliminary:

U. S. Box 429, Springfield, Illinois
P. O. Box 429, Springfield, Illinois

OFFICIAL BUSINESS

I/ Estimates of the commercial crop refer to the total production of apples in the commercial apple sreas of each state.

> 006,01 007,5 007,5 007,5 008,000,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 008,1 009,

eledend base

1960 Commercial Crop 1/ Production

United States 112, 456 121, 787

271,8
246,5
281,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1
224,1

November 1

Malne
Wew Hampehire
Vermont
Wew Sermont
Rhode Ieland
Gonnecticut
Gonnecticut
New York
New York
New York
New York
Maryland
Virginia
Virginia
Withins
Michigan

Fruit Report -

1959 Production

U. S. DEPARTMENT OF AGRICULTURE

Documents Division of Illinois Library University of Illinois Library Urbans, Illinois A. S. Copies)

9338.1 E19664

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



July 21, 1961

TREE POPULATION AND PRODUCTION PROSPECTS - 1961

The long continuing decline in numbers of bearing apple trees in all orchards with 100 or more bearing trees appears to have moderated recently. Trends in non-bearing trees afford prospects for eventual leveling off and possibly a moderate increase in bearing trees. The downtrend in peach tree numbers in orchards with 100 or more bearing trees has shown signs of leveling off for several years. Preliminary indications suggest a slight increase in both bearing and non-bearing tree numbers this season.

The following table presents a new series of fruit tree estimates—representing numbers of trees in all apple orchards with 100 or more bearing trees, and all peach orchards with 100 or more bearing trees.

		is Apple and Peach les, 100+ Bearing tr			949-61 ches, 100+ Bearin	g trees 1/
Year	Bearing trees	: Non-bearing : trees	All trees	Bearing trees	: Non-bearing : trees	All trees
			- Thousa	ind trees -		
1949	950	190	1,140	1,010	150	. 1,160
1950	870	190	1,060	760	120	880
1951	800	200	1,000	730	130	860
1952	735	185	920	610	100	710
1953	675	185	860	490	90	580
1954	610	190	800	475	105	580
1955	600	200	800	455	105	560
1956	570	215	785	450	110	560
1957	520	215	735	445	85	530
1958	475	215	690	410	80	490
1959	420	210	630	420	90	510
1960	410	220	630	400	. 80	480
1961 2/	400	200	600	405	85	490

1/ Tree numbers are based on orchards with 100 or more bearing trees. 2/ Preliminary.

### New Plantings

Apple trees set (in both commercial and non-commercial counties) during the year ended April 30, 1961 account for 26 percent of non-bearing trees in reporting orchards. Peach trees set during the year account for 11 percent of non-bearing peach trees. The following table shows the percentage of new plantings accounted for by each variety:

	New Pla	antings Apple and Peach Trees,	May 1, 1960 - Apr		
	Ar	ples	0	Peache	28
Variety		: Percent of total plantings	: Variety	:	Percent of total plantings
Golden Delicious		28	Red Skin		20
			Red Haven		19
Red Delicious		17	Hinner Hale		13
			Rich Haven		8
Red June		12	Elberta		8
			Belle of Georgia		4
Jon-a-red		9	J. H. Hale		4
			Early Elberta		3
Winesap		8	Rio-Oso-Gem		3
•			July Elberta		2
Snow		7	Halberta		2
		•	Hale		2
Starkrimson		7	Washington		2
o tarratinson		•	Blake		1
Jonathan		6	Champion		1
JUHAHIAH		0	Hale Haven		1
Dame		. 3			4
Rome		. 0	Summer Queen		<u>.</u>
Lodi		<u>.</u>	Sun Haven		
McIntosh		1			***
Others (18 varieties)		1	Others (14 varieties)		5
		100			100

July 1961 - Illinois Peach and Apple Prospects

July 1 prospects indicate an apple crop of 2,010,000 bushels, in Illinois commercial counties, about 4 percent below last year and 16 percent below the 1950-59 average. The crop varies widely between areas and varieties, Generally good insect control has been maintained.

Peach prospects indicate a crop of 840,000 bushels about 12 percent above 1960 and 7 percent below the 1950-59 average. Winter injury was light and peaches are sizing well. Harvest of Early Elbertas is expected to begin late in July.

Prospects for the Nation's commercial apple crop as of July I indicate a production of 122,770,000 bushels, 13 percent above last year's harvest and 10 percent above average. The July I estimates by geographic regions are: Eastern--63,350,000 bushels, 20 percent above last year and 21 percent above average; Central--24,910,000 bushels, 5 percent above 296,000 bushels, 8 percent above average; and Western-34,510,000 bushels, 8 percent above last year below average. New England reports lune conditions favorable for development of the apple crop, All States except Vermont look for a crop larger than last year. New York's Lake Ontario area has present prospects of a crop equal to the bumper crop of 1958. Only the Champlain Valley was damaged by the May 30 freeze, North Carolina expects a crop 10 percent below 1960, A large Michigan Champlain Valley was damaged by the May 30 freeze, North Carolina expects a crop 10 percent below 1960, A large Michigan Champlain Valley was damaged by the May 30 freeze, North Carolina expects a crop 10 percent below 1960, A large Michigan crop than 1960 is expected, The Hood River area in Ortho are now somewhat lower than earlier expectations, Smaller production than in cop than 1960 is expected, The Hood River area in Oregon expects a lighter expectations, a slightly smaller crop than 1960 is expected, The Hood River area in Oregon expects a lighter crop than 1960, a slightly smaller crop than 1960 is expected, The Hood River area in Oregon expects a lighter expectations, a slightly smaller crop than 1960 in Washington, a slightly smaller crop than 1960 in Washington, a slightly smaller expectations.

The 1961 peach crop is forecast at 75,7 million bushels, 2 percent above the large crop of 1960, Clingstone crop, which is largely processed, is forecast at 49,4 million bushels, 1 percent above last year and 21 percent larger than average, Production of California Clingstones is expected to be 26,3 million bushels, 5 percent above 1960, and 16 percent larger than the 1950-59 average. The California Freestone crop is estimated at 13,1 million bushels, 6 percent above 1960, and 16 percent from last year above average. The production in the 9 Southern States is 17,4 million bushels, 6 percent larger than 1960 and 64 percent above average. Indicated peach production in the 9 Southern States is 17,4 million bushels, 6 percent larger than 1960 and 64 percent above average. Peach production in the 9 Southern States is 183,000 bushels, down 14 percent from last year and about 31 percent below average. An estimated 6,0 million bushels, 600 bushels, 20 percent smaller and about 31 percent below 1960 but 7 percent above average. Michigan prospects improved during the month but 2 factor above average. This is 1 percent below 1960 but 7 percent above average, Michigan prospects improved during the month but a crop slightly smaller than last year is expected. Total production in the Western States is forecast at 44,1 million bushels, 6 percent above average. This is expected. Total production in the Western States is forecast at 44,1 million bushels, 6 percent above average.

Second and 1960 and 16 percent larger than average, washington peach production is 16 percent below last year in the Colorado acrops and 1960 and 16 percent larger than average. This is a percent above average, washington peach production is 16 percent below last year, in Colorado acrops all the 24 percent above average. the crop will be 24 percent above average.

846,66 020,7E 868,E8	California	10'200	068 8	T8₹ 8	California
087 017 707	Oregon	I,700	T,800	2,260	Oregon
T, 456 2, 030 1, 700	Washington	000 '6T	19,500	24, 100	Washington.
475 180 <u>7</u> 20	Utah	072	230	392	Utah
133 10 3/	New Mexico	09₹	280	223	New Mexico
1,650 710 2,050	Colorado	T*320	008	7°124	Colorado
	Idaho	T, 200	200	1,412	Idaho
700	Texas	07	02	OL	Montana
	Oklahoma	225	300	272	Arkansas
	Louisiana	310	₹30	867	Tennessee
1,428 1,950 1,600 1,428 1,950 1,600	Arkansas	322	097	306	Кептиску
	iqqississiM	5 <u>2</u> 0	210	220	Капяая
365 310 352	Alabama	/ <u>E</u>	99	23	Nepraska
600 1,250 1,450	Tennessee	1,080	1,250	776	Missouri
174 175 180		330	091	193	IOWa
5, 501 285 215 2, 669 5,000 5,100	Kentucky	320	082	192	Minnesota
5,669 5,000 5,100	Georgia	099°T	07. 470	1,295	W isconsin
9 009 9 689 6	South Carolina	000 1	006,11	TO' 500	Michigan
1,072 1,300 1,450	North Carolina	2,010	2,100	2,403	ILLINOIS
092 092 089	West Virginia		1° 800	197'1	sasibal
T'34e T'620 T'200	Virginia	1,250	3,700	3,188	ОПО
<b>426</b> 520 440	Maryland	3, 100	2,500	067°I	North Carolina
96 09 16	Delaware	2,250	0 200	\$\$\frac{1}{4}	West Virginia
113 162 145	Kansas	2,700	4° 700	647 ,8	Virginia
428 420 500	lmossiM	10,200	10,200		Maryland
2,942 3,300 3,200	Michigan	1,430	T*300	1,268	Delaware
078 094 708	ITTIMOIS	300	220	312	Pennsylvania
340 420 400	Indiana	008'6	000 L	996 9	New Jersey
034 I, 020 950	Ohio	2,800	2,500	2,866	
5° 282 5° 300 5° 400	Pennsylvania	22,500	17,500	17, 525	New York
1,934 2,800 1,800	New Jeizey	1,350	T° 020	1,323	Connecticut
099 089 ₹80°T	New York	TPO	120	ELT	Rhode Island
138 112 911	Connecticut	2,850	2,250	2, 557	Massachusetts
11 71 71	Rhode Island	078	T 030	806	Vermont
96 0 <del>1</del> 1 88	Massachusetts	7° 400	1,050	1,215	New Hampshire
11 23 12	Ием Натрыте	T° 120	1, 420	1,213	SnisM
- Thousand bassuodT -		- SI	onsand busho	ЧI -	
	RT : :			: 69-096T	:
(1901)	* *		0961	Average :	:
and the same of th	State		Production 2/		. State
Production 2/		· /= do		'səlddA	
Peaches		· /[ ut	Jaj Teloromano)		Production Prospec

\frac{\text{

122, 770

9T9 80T

For the tree survey State funds were matched with Federal funds received from the Agricultural Marketing Service, U. S. D. A. under provisions of the Agricultural Marketing Act of 1946.

United States

Howard D. Utter, Agricultural Statistician

081 89

9TE \*\*L

U. S. DEPARTMENT OF AGRICULTURE POSTAGE AND PEES PAID

889 94

Ewing, Agricultural Statistician In Charge

848 III

U, S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois

United States

OFFICIAL BUSINESS

(Fruit) Tree Population and Production Prospects

(asigoD-E) A Urbana, Illinois University of Illinis Library Documents Division

## ILLINOIS COOPERATIVE CROP REPORTING SERVICE

WSW ESE

August 16, 1961

ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1961

Apple Production Above a Year Ago

Apple production in Illinois' commercial counties is estimated to be 2.3 million bushels--10 percent above last year and 4 percent below average. Frost in late May and a cool, wet season reduced prospects in the East and Northeast areas of the State. Hail has caused some damage in scattered areas of the Northeast and Southwest. Moderate scab damage has been reported for most areas of the State, although disease and insects generally have been well controlled. The Jonathan crop is well sized and of good quality; however, set was light in the Northwest, East, and Southeast areas.

The set of fruit for other varieties varied from a heavy set in some areas to a near failure in scattered sections. Despite hail, frost, and scab damage, prospects indicate a larger apple crop than last year due to a good moisture supply, well sized fruit, good control of insects and a good set of apples in most areas.

In the southern counties harvest of Jonathans is expected to begin in early September with the harvest of Golden Delicious expected to begin by mid-September.

#### Peach Prospects Above Last Year's Production

The peach crop, estimated at 950,000 bushels, is 27 percent above a year ago and 5 percent above average. With the exception of some hail and late May frost damage in scattered areas, the prospects indicate an exceptionally good peach crop. Good moisture supply, control of insects and disease and well-sized fruit have contributed to prospects of a high quality peach crop.

Elberta harvest is expected to reach its peak around mid-August in the Anna-Metropolis area and the latter part of August in the Centralia area.

#### UNITED STATES

APPLES: The commercial apple crop in the United States is now estimated at 125.1 million bushels, up 2.3 million bushels from a month ago, 15 percent above the 1960 crop, and 12 percent above the average. Slight increases from a month ago occurred in all regions of the country.

Estimated production for all the Eastern States totals 64.2 million bushels, a slight increase from the July 1 forecast, and well above last year and the average. Prospects are well above last year in New York, New Jersey and Pennsylvania.

In the Central States, production is estimated at 26.1 million bushels, slightly larger than last month, 10 pe cent above last year and 23 percent above the average. A larger crop than last year is expected in Illinois, Michigan, Wisconsin, Minnesota, and Iowa, while other States expect less production. In Arkansas, Kentucky, and Tennessee, crop prospects continue below last year.

The crop in the Western States is forecast at 34.8 million bushels, slightly above the estimate of a month ago and 9 percent above the 1960 crop, but 9 percent below the average. All States except Oregon expect larger crops than last year. In Oregon, a variable but light set of fruit in all areas is responsible for the lower production. In Washington, the crop made good progress even though weather was warm. A wide variation in crop conditions exists, but in general sizes of Delicious are expected to be larger and those of Winesaps smaller than last year. In California, the high temperatures of June and July reduced production prospects and quality in Sonoma County where Gravenstein harvest is now at peak.

PEACHES: The 1961 peach crop in the United States as of August 1 is forecast at 74,989,000 bushels, up 1 percent from last year and 19 percent above average. Excluding the California Clingstone crop which is used primarily for canning, the rest of the U.S. crop is estimated at 49,570,000 bushels, slightly above 1960 and 22 percent larger than average. Only the North Atlantic and South Central regions indicate a crop less than last year.

The California Clingstone crop is estimated at 25.4 million bushels, almost the same as last year and 14 percent above the average. This estimate excludes the tonnage eliminated by the green drop program put into effect under the Peach Marketing Order for California Clingstones. Picking of early varieties started the first week of July but volume will not become heavy until later varieties attain size.

The California Freestone crop is forecast at 13.1 million bushels, 6 percent larger than 1960 and 16 percent above average. Relatively little sunburn damage resulted from the recent abnormally high temperatures although maturity was advanced. Quality is excellent.

Prospects in the Middle Atlantic States are off from a month ago and well below last year. The crop is slightly later than usual. Crop conditions continued favorable in the New England States and New York. New York's Lake Ontario crop is expected to be the largest in several years, although in the Hudson Valley the crop is smaller than last year.

In the North Central States, prospects are up considerably from a month ago, with Michigan and Illinois accounting for most of the increase. Throughout the area harvest is later than usual. There is little change in prospects from a month ago in the South Atlantic States, though frequent rains in July hampered picking of fruit in Georgia and South Carolina. and South Carolina.

In the far Western States other than California, prospects are about the same as a month ago. A good crop is expected in Colorado where the crop is sizing well and about on schedule. Volume shipments are expected late in August, continuing into early September. Picking of early Elbertas is expected to begin about August 23-26, and Hales slightly earlier. In the Willamette Valley of Oregon picking of early varieties got underway late in July. Harvest in the Southern areas is expected to start about mid-August.

OVER -

	Peaches		9 9 19	\1 qo15	s, Commercial C	olqqA	: .
	Production 2/		ः अधार		Production 2/		ं भार
Indicated	096T	- SprisvA		Indicated	0961	Average	
- s	ousand bushel	чл - 69-0961		1961 .	usnd bussnou	L - 69-0961	
			pridates off mott				
30 1 <b>3</b>	23 140	11 88	Massachwetts New Hampshire	T' 820	1 050 1 420	1, 213	Maine May Hampshire
0T	<b>₽</b> Ţ	14	Phode Island	018 00# *T	T 020	1,215	New Hampshire
112	9LT	138	Connecticut		T 030	808	Vermont
029	089	1° 034	New York	7°00 °	2,250	2, 557	Massachusetts
	2,800	7° 63°T	New Jersey	1°400	1 020	1 303	Rhode Island
1,800	5,900	2,595	Pennsylvanta		7, 500 1, 500	1, 323	Connecticut
2,200		<b>₹</b> 66	oldo	000 EZ	17,500	17, 525	New York
9T <del>7</del> 026	7°020 7°020	340	Indlana	3,000	2,500	2,866	New Jersey
OTT	0.0%	040	pilotpiit	008 008 6	000 °L	996 '9	Pennsylvania
950	09 <i>L</i>	<del>1</del> 06	ILLINOIS	1,500	1 300	316	Delaware
000	0.01	*-0 <i>C</i>	CIONITALI		1,300	1,268	Maryland
3 500	3 300	670 6	Michigan	10,200	10, 200	£\$L '6	Virginia
3,500	3,300	<b>3</b> ₽6 °3		096 6	00L °\$	<u> </u>	West Virginia
130	797 920	428 113	Missouri	2,250	2° 200	06* <b>T</b>	North Carolina
32	20	16	Kansas Delawate	3,300	3,700	381 .8	Ohio
. 0₹₹	250	997		T*320	006 T	197'1	Indiana
1,500	099°T	1°316	Maryland Virginia	2,300	2° T00	50 V G	210MLIII
120	120	089	w. Virginia	000 67	00T ##	2,403	ILLINOIS
1,500	1,300	I, 072	N. Catolina	14,500	11,300	10,260	nepldall
009 9	2,000	689 '8	S. Carolina	1,700	0L**T	1,295	Michigan
2,100	3\2,000	2,669	Georgia	320	087	197	Wisconsin
512	282	201	Kentucky	330	091	193	Minnesota
180	712	₽LI	Tennessee	1,200	1,250	855	[OWa
7°420	1,250	009	Alabama	/ħ	99	29	Meptaska Missouri
398	310	588	lqqlestesIM	0 <u>0Z</u> / <del>†</del>	210	220	
T° 220	1° 920	1° 428	Arkansas	322	091	908	Kentucky Kentucky
07T	142	78	Louisiana	370	430	867	Tennessee
100	183	96T	Oklahoma	180	300	272	Arkansas
099	120	9 <b>7</b> 9	Texas	90	02	01	Montana
260	300	289	Idaho	1,150	200	1,412	Idaho
2,050	OTL	1,650	Colorado	T 300	008	1,154	Colorado
/₺	10	133	New Mexico	370	280	299	New Mexico
0 <u>2</u> 2,	180	<b>9</b> 1₹	Utah	240	230	392	Utah
1 700	080 6/8	997 1	notputdseW	10 900	003 01/6	001 10	dospuides !!!

 $\frac{2}{2}$  For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State,

152 112

19,800 1,700 10,200

108°212

068 8 008 T 009 61 / E

United States

Oregon

notgnines W

3/ Includes excess cullage of harvested fruit,

811 848

24, 100 2, 260 8, 481

United States

California

Washington Oregon

4/ Estimates discontinued beginning with 1961 crop season.

Howard D. Utter Agricultural Statistician

J. A. Ewing Agricultural Statistician in Charge

44° 312

3/34 950

3/2,030

0ET \*E9

869 \* É8

₱0₱ 99₱°T

U. S. DEPARTMENT OF AGRICULTURE

686 \*FL

38'242

1, 700

P. O. Box 429, Springfleld, Illinois U. S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE

OFFICIAL BUSINESS

Illinots Fruit Production Prospects

(BeigoD-Z) A Blonilli , Enedau University of Illinois Library Documents Division

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

93381 TP66F

# FRUIT



September 18, 1961

ILLINOIS PRODUCTION PROSPECTS - SEPTEMBER 1, 1961

#### Apple Prospects Above Last Year

Apple production is estimated at 2,250,000 bushels which is two percent below last month's estimate, seven percent above last year, and six percent below average. Despite reports of a light set of Jonathans in scattered areas, prospects remain good for other varieties and a crop larger than last year's is expected.

Harvest of the Jonathan crop began the first week of September in southern areas and is expected to begin about mid-month in northern areas. Harvest of Golden Delicious is expected to begin about the middle of September in southern area, around the week of September 20th in central area and the latter part of September or early October in northern area.

Harvest of the Winesap crop is not expected to begin until late September or early October. Hail and scab damage affected the size and quality of the fruit in scattered parts of the southern producing area. Size and quality varied from one area to another but in general they were characterized as good or better. In most sections of the State diseases and insects were well controlled.

#### Peach Production Above Last Year

The peach crop, estimated at 910,000 bushels, is down 4 percent from last month, 21 percent above last year and about 1 percent above average. The peach harvest has moved into its final stages and nears completion in central and southern areas. Harvest of late varieties began about September 1 in northern areas of the State.

Statewide, the crop is generally of good size and quality as a result of favorable weather conditions and a minimum of hail, insect, and disease damage.

#### UNITED STATES

APPLES: The September 1 production forecast of commercial apples in the United States remains at 125, 155,000 bushels, about unchanged from last month, 15 percent above the 1960 crop, and 12 percent more than the average. All changes by States were minor. Weather for the most part was favorable during August with adequate moisture available and fruit sizing well, except in the far Northwest where high temperatures have not been conducive to good sizing and color.

Estimated production for all Eastern States totals 64.4 million bushels. 22 percent above the 1960 crop and 23 percent above the average. In New York, prospects for a larger crop than last year continue in all areas except the Champlain Valley. Production of McIntosh, R. I. Greening, Northern Spy, and Rome Beauty varieties are indicated to be up sharply. Prospects continue for good crops in West Virginia and North Carolina. In the Central States, production is estimated at 26.4 million bushels, up 2.8 million bushels from last year and 25 percent above the average. A crop of good color, size, and quality is expected in Michigan, though some damage from hail is apparent.

Production in the Western States is estimated at 34.4 million bushels, up 7 percent from last year but 11 percent below the average. In Washington, Winesap trees are generally heavily loaded but fruit is small. Red and Standard Delicious crops are considered somewhat light.

Production of peaches is estimated at 77.3 million bushels, 4 percent greater than last year and 22 percent above average. Excluding the California Clingstone crop which is used almost exclusively for canning, production of other peaches in the U. S. is expected to total 49.8 million bushels, 2 percent more than last year, and nearly the same as in 1959. Except for California Clingstones, crop prospects changed very little during the past month. In the Southern States, the crop is turning out above earlier indications, but in the North Atlantic States prospects are down.

The California Clingstone crop is estimated at 27.5 million bushels, 8 percent greater than last year and 23 percent above average. The crop is turning out better than indicated a month ago. Estimated production of California Freestones remains unchanged from last month at 13.1 million bushels, but 6 percent larger than the 1960 crop. Harvest is nearing completion.

In the Middle Atlantic States, the crop is expected to be sharply below a year ago, although still above average. New England and New York growers expect fewer peaches than in 1960.

The peach crop for the North Central States is expected to be 5 percent larger than last year. Larger crops in Michigan, Illinois, and Missouri more than offset smaller crops in Ohio, Indiana, and Kansas. August rains caused some brown rot in Ohio but at the same time helped sizing of mid-season and late varieties. Picking of Red Havens and Golden Jubilees was ending by September 1 and harvest is shifting to Halehavens and later varieties. In both Indiana and Illinois, harvest had passed its peak by the end of August. Rains during August are expected to help sizing of Elbertas in Michigan.

In the Western States, California, Colorado, Oregon, and Utah expect more peaches than a year ago. Only Washington and Idaho show a decline from 1960. Colorado expects an above average crop which is nearly three times as large as last year's small crop.

Production in the 9 Southern States, where harvest is over, is estimated at 17.7 million bushels, slightly higher than expected earlier in the season and 7 percent above last year.

392 230		200	detili	374	180	/₹
	280	370	New Mexico	133	01	/V
	008	1,300	Colorado	T* 650	OTL	2,000
	200	1,150	Idaho	682	300	280
on and and and and and	. 02	90	Texas	226	750	099
18a <b>s</b> 272 300	300	180	Oklahoma	96T	183	OOT
	₹30	300	Louisiana	28	341	34T
	09₺	322	Arkansas	7° ₹58	096 °T	1,500
	210	5 <u>3</u> 0	Mississippi	667	310	382
	99	/ <del>1</del>	Alabama	009	1,250	1°420
onti 922 1,250	1,250	T* 420	Tennessee	PLT	112	06T
	091	360	Кептску	201	282	220
	280	320	Georgia	5° 996	3/2,000	6,200
1, 295 1, 470	074,1	1,800	South Carolina	689 6	009 9	008 19
15,300 11,300 11,300 11,300	11,300	14,500	North Carolina	1,072	1,300	1,500
11,300 tt 0.260 11,300	008 11	11 600	West Virginia	089	750	094
norte corte	nor for	0.000 400		976 J	1,650	1,500
OIS 5,403 2,100	2, 100	2° 520	Virginia			
	4		Maryland	994	220	420
006 T T94 T Bu	006 T	T 320	Delaware	T6	20	32
	3,700	3,300	Kansas	113	165	011
	2,500	2,250	ImossiM	824	420	200
	007 ₽	007 ,8	Michigan	2,942	3,300	3,500
nia 9, 743 to, 200	10,200	TO, 200				
Jand 1, 268 1, 300	T° 300	7°200	ILLINOIS	<b>7</b> 06	. 09L	016
	520	300				
sylvania 6, 955 7, 000	000 L	008 6	Indiana	340	09 <del>*</del>	911
leisey 2,866 2,500	5,500	3,000	Ohto	<b>₹86</b>	1,020	096
Kork 17, 625 17, 500	17,500	23,000	Pennsylvanta	834 \$* 282	2° 800	2,200
ecticut 1,323 1,050	1,050	1,450	New Jersey	₹66 °T	2,800	1° 400
	120	041	New York	1,034	089	099
	2,250	2,850	Connecticut	138	941	120
	1,030		Rhode Island	ΦÏ	ΨĪ	OI
	1,030	048 1,400	Massachusetts	88	0 <b>†</b> T	98
		007		11	23	12
1,213 1,420	1,420	006 T	New Hampshire	++	66	01
d bnssuodT -	usnq puesno	e 12 ~		чт ~	usnq puesno	- sisi
096T : 69-096I :	OOGT	1961 :	;	: 69-0961	: 0961 :	1961
: 98197A : 1960	1961	: Indicated		Average :	: 0001	Indicated
22.0	Production 2/		: state		Production 2/	
s ybbjes' Commercia	Commercial Cr	/ <u>T</u> do	:		Реаспея	

2/For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State,

United States

Oregon California

Washington

Utah

125, 155

19, 200 1, 700 10, 200

200

3 Includes excess cullage of harvested fruit.

818 TII

24, 100 2, 260 8, 481

368

United States

Oregon California

notgnides W

New Mexico Utah

4/ Estimates discontinued beginning with 1961 crop season.

919'80T

068'8 008'T 009'61/E

230

Howard D. Utter Agricultural Statistician

44° 312

37,920

OTT 3/2,030

180

63° 130

869 68

₹0₹ 99₹°T

9L7

J. A. Ewing Agricultural Statistician in Charge

U, S, DEPARTMENT OF AGRICULTURE POSTAGE AND PEES PAID

77,262

879 °07

1°430

2.000 \$\frac{4}{\pi}

1100

P. O. Box 429, Springfleld, Illinois U. S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE


OFFICIAL BUSINESS

Illinois Fruit Production Prospects

(Saldod-E) elonilli , enedau University of Illinois Library Documents Division

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



PRODUCTION PROSPECTS - OCTOBER 1, 1961

ILLINOIS

Peach Production Above Last Year

The 1960 peach crop is estimated at 870,000 bushels, 16 percent above last year's estimate, but four percent below the 1950-59 average. A light crop was reported in the southern third of the State as a result of freezing temperatures in late May. Quality of the peach crop was very good with the exception of scattered hail damage. The large percentage of sales in the lower grades, as reported by growers, indicate the size of fruit in general did not measure up to the size of fruit in previous years. A number of growers reported harvest of peaches on a "pick your own basis," which would influence the percentage of orchard run sales.

		PE	ACHES	- P	ercent	of S	ales and	Pr	ices by	Gra	des, Illi	no	is, 195	7-6	1				
:		195	1	:		195	8	*		1959	)	:		196	0 1/	:		96.	1 2/
:	% of	:	Price	:	% of	9	Price		% of	:	Price	:	% of	:	Price	:	% of	:	Price
:	a11	6	per	:	a11	:	per	:	a11	:	per	:	a11	:	per	*	all	:	per
:	sales	:	bushe1	:	sales	:	bushe1	:	sales	:	bushel	9	sales	:	bushel	:	sales	:	bushel
2" min, and up	37		\$3.15		46		\$2.35		60		\$2.70		45		\$3.10		29		\$2.80
1 3/4" to 2"	7		2.15		4		1.75		4		1.95		4		2.10		3		1.70
Ill, hail grade	2		2.10		1		1.80		Dec 1988		***		***		***				PM 000
Orchard run	42		2.30		41		1.95		22		1.85		45		1.30		60		2.20
Unclassified	12		1.55		8		1.40		14		1.40		6		2.35		8		1.55
All sales wtd.av.			2.50				2.10				2,30				2.60				2.30

2/Preliminary estimates for 1961.

338.1 -966 f

Apple Production Above Last Year

Apple production is estimated at 2,250,000 bushels, seven percent above last year's production, but seven percent below average. A light crop was reported in the southern part of the State. Frost in the late spring and scattered wind and hail damage during the season evidently reduced this year's output more than was previously expected. The northern part of the State reports an excellent crop of apples. A very heavy crop was reported in the central areas.

Harvest of fall and winter varieties ranged from about two-thirds complete in the southern areas to one-third complete in northern areas. In the central areas harvest was reported four to six days later than usual. Size was reported as very good in most areas of the State, although in the central part of the State, Jonathans were reported smaller than last year. In general, quality is very good, despite widely scattered reports of scab damage. Fall conditions were reported favorable for good coloring in most areas.

### UNITED STATES

The 1961 peach crop is now estimated at 77.7 million bushels, slightly larger than estimated last month, 5 percent larger than last year, and 23 percent above average. Increases over last year occurred in the West, the South Atlantic, and North Central States, while production decreased elsewhere.

Excluding California Clingstones, which are used mostly for canning, production is estimated at 50 million bushels, only slightly larger than the 1960 crop but 23 percent above the average. Harvest in all areas is now through for all practical purposes, though some scattered picking continued as of October 1, mostly in the northeastern States.

The California Clingstone crop is estimated at 27.7 million bushels, only slightly larger than that estimated last month, and 24 percent above average. Harvest is now through with a better crop than expected earlier, due in part to improved sizing of late fruit.

The indicated production of 125, 225,000 bushels for the Nation's commercial apple crop increased only slightly during the month. Lower production prospects in Washington, Oregon, and North Carolina about offset increased prospects in New England, New Jersey, and Colorado. Damage from Hurricane Esther was relatively minor, although locally severe in some orchards in southern New England and New Jersey. The indicated crop of 125.2 million bushels is 15 percent above last year and 12 percent above average.

Production in the Eastern States is now indicated at 64, 730,000 bushels, 22 percent above last year and 24 percent above average. In the North Atlantic States, color was generally slow to develop and picking was delayed in some areas while waiting for color to develop. In New York State, the largest producer of apples this year, the crop is running well above last year in the Hudson Valley and Lake Ontario areas, but well below in the Champlain Valley. However, the crop there now appears larger than it did earlier.

In the Central States, production prospects at 26,445,000 bushels are only slightly changed from a month ago. A crop this size would be 12 percent above 1960 and 25 percent above average. In Michigan, the most important apple State in this area, McIntosh apples didn't color as well as desired. Size was not up to other years but is considered good.

Prospective production in the Western States is now set at 34,050,000 bushels, down about one percent from the September 1 forecast. It is still six percent above last year, although eleven percent below average. In Washington, September weather was good for coloring. There is a light crop of Red and Standard Delicious, but size range is good and the color is the best of recent years.

T° 400	3/2,030	99₺ ⁴1	Washington	00T 6T	3/10,500	24, 100	Washington
5 <mark>2</mark> 7	. 081	9L\$	Utah	200	230	368	Utah
/₺	OT	133	New Mexico	340	082	223	New Mexico
2,000	OTL	1'920	Colorado	1,360	008	1,154	Colorado
180	300	682	Idaho	1,150	200	1,412	Idaho
099	094	979	Texas	0₹	20	0L	Montana
100	183	961	Окјурошу	180	300	272	Arkansas
<b>1</b> ₹2	742	78	ronagana	300	430	863	Tennessee
1'200	1° 920	1,428	Arkansas	322	09₺	908	Кептску
328	310	667	Mississippi	2 <u>4</u> 0	012	220	Kansas
<b>1°</b> ₹20	T, 250	009	Alabama	/ <del>*</del>	99	29	Nepraska
06I	712	₽LT	Tennessee	1°420	1,250	326	Missouri
220	282	SOI	Кептиску	370	160	£6T	Iowa
2,200	<u>3√2°000</u>	699 2	Georgia	320	087	192	Minnesota
008 9	009 '9	689 '8	South Carolina	1,800	0L† T	1,295	Wisconsin
I,500	1,300	Z70 .I	North Carolina	14°200	11,300	TO SE0	Michigan
09L	120	089	West Virginia				
T°200	1,650	976,1	Virginia	2,250	2,100	2° 403	ITTINOIS
450	250	997	Maryland		, ,		
32	20	16	Delawate	1,350	006°T	T97°T	Indiana
132	165	II3	Kansas	3,300	3, 700	3° T88	Ohio
200	420	82₽	ImossiM	2, 200	2,500	067 T	North Carolina
3° 600	3,300	2,942	Michigan	004 '9	00∠*₹	₽₽7 . A	West Virginia
			* * * * * *	10,200	10,200	6, 743	Virginia
078	0 <i>9L</i>	<b>₹</b> 06	ILLINOIS	T'200	1,300	1,268	Maryland
				300	220	312	Delawate
914	09₹	340	Indiana	008 6	000 *4	996 '9	Pennsylvanta
096	1,020	<b>⊅</b> 86	Ohlo	3,200	2,500	5,866	New Jersey
2,400	5,900	2,595	Pennsylvania	23,000	17,500	11,525	New York
1, 700	2,800	₽66 °T	New Jetsey	1 420	T' 020	1,323	Connecticut
919	089	1,034	New York	180	120	173	Rhode Island
120	112	138	Connecticut	2,950	2, 250	2,557	Massachusetts
6	ΨĪ	ÞΙ	Rhode Island	006	1,030	806	Vermont
96	140	88	Massachusetts	001°T	1°020	1,215	ием Натрыте
₽I	23	11	New Hampshire	096°T	1,420	1,213	Maine
	lousand bashot				sousand bushe		
1961	0961	69-0961	* ***	1961	0961	69-0961	:
Indicated	Production 2/	Average		Indicated	*	Average	
-			: State ::		Production 2/		=; state
	Peaches		; ;;	/T do	s, Commercial Cr	əlqqA	:

 $\frac{1}{\sqrt{}}$  Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State,  $\frac{1}{\sqrt{}}$  For some States in certain years, production includes some quantities unharvested on account of economic conditions,  $\frac{1}{\sqrt{}}$  Estimates discontinued beginning with the 1961 crop season,

125,225

T0230

108,515

068 '8 008 'T

United States

Oregon California

Howard D. Utter Agricultural Statistician

44° 372

0T#

3/31,920

081 130

869 '88

₹0₹

J. A. Ewing Agricultural Statistician in Charge

> 2, 260 8, 481

Total 35 States 111,848

Oregon California

U. S. DEPARTMENT OF AGRICULTURE

399 'LL

768.0₽

₹30

U, S. DEPARTMENT OF AGRICULTURE P. O. Box 429, Springfleld, Illinois

OFFICIAL BUSINESS

T AON T SIL

Production Prospects

Documents Division
University of Illinois Library
Urbana, Illinois
A (\$-Goples)

TP66F

COPERATIVE CROP REPORTING SERVICE

FRUIT

NW NE
W C E
WSW ESE

November 14, 1961

ILLINOIS PRODUCTION PROSPECTS - NOVEMBER 1, 1961

Apple Production Above Last Year

The 1961 apple crop is estimated at 2.3 million bushels, about 10 percent above last year, but four percent below average. The two southernmost districts of the State reported a light crop of apples with good quality. Size of fruit was smaller than usual in these areas. Some hail and scab damage was reported.

The Central districts and Calhoun County reported a very heavy crop of apples. Quality in these areas ranged from a report of fair to very good. Size was reported as good to exceptional. In Calhoun County a number of growers reported scab damage. Harvest was a week later than normal in Calhoun County. A few growers in the Central area reported hail damage.

The two northernmost districts of the State reported a good crop. Quality was reported as good with fruit clean due to very good control of insects and diseases. Some wind and hail damage occurred, with scattered reports ranging from very little to as much as 50 percent damage.

Inshipments of Michigan apples were reported in several areas. Prices were reported as lower than usual in areas of heavy production.

#### UNITED STATES

The commercial apple crop is now estimated at 126,840,000 bushels, up about one percent from the October 1 forecast. At this level, production is 17 percent above last year and 13 percent above average. Harvest is running later than usual except in the Pacific Coast States where picking was completed about on schedule. Late October weather favored picking in practically all areas. As harvest neared completion, growers reported the Eastern crop was a little larger than expected on October 1. All the increase was in New England. West Virginia was the only State in the East showing a decline from October. With the Michigan crop turning out well above earlier expectations, the crop in the Central States is up about 5 percent from October. The estimate for the West is up slightly from October. Increases for Idaho and Colorado more than offset a decline in Oregon where Newtowns failed to come up to earlier expectations.

The regional distribution of the crop is as follows: Eastern, 64,900,000 bushels, 23 percent above last year, and 24 percent above average; Central, 27,880,000 bushels, 18 percent above 1960, and 32 percent above average; and Western, 34,060,000 bushels, 6 percent above last year, but 11 percent below average.

The New England crop generally sized well as picking was delayed waiting for development of color. A scarcity of experienced pickers here and in New Jersey and Pennsylvania also slowed harvest. In New York's Hudson Valley, apples sized well and quality was good, but a lack of good color was a problem with the McIntosh crop. In the Lake Ontario region, harvest is expected to continue well into November. In Virginia, picking was delayed by late maturity and is not expected to wind up before mid-November, several days later than usual.

In the Central States some shortage of crates developed in Michigan, with the crop turning out well above earlier expectations. In Ohio, Indiana, and Illinois, lack of sizing was a problem in some areas and for some varieties. Quality of the crop was high throughout the area.

In the Western area, harvest was about complete by November 1, although some late varieties were still being picked in Idaho, Colorado, and California. Color and quality was good throughout the area. Record high temperatures caused some heat damage to California apples in the later stages of harvest.

### APPLES, COMMERCIAL CROP 1/

Production 2/

10,200	068 (8	I87 '8	California
099'I	008'T _	2,260	Oregon
001'61	3/16,500	24, 100	Washington
- 002	230	268	Utah
370	082	223	New Mexico
00₺'1	008	₹\$1 'T	Colorado
1,200	200	214,1	Idaho
0₹	02	04	Montana
180	300	27.2	Arkansas
300	430	867	Leuressee
062	0 9₺	908	Kentucky
2₹0	210	022	Ksnsss
mo esp	99	79	Лерьзака
1,400	1,250	226	irnossiM
320	091	193	EWOI
370	280	197	Minnesota
1,800	07£,1	362,1	Wisconsin
000 '91	11,300	10, 260	Michigan
, , , , , , , , , , , , , , , , , , ,		0,000	: 4 - : 4 - : 4
2,300	2, 100	2, 403	ITTINOIS
		33, 6	52022 2 12
1,350	006 '1	19₺'1	Indiana
3,300	3,700	881 '£	Opio
2,200	2,500	064 '1	North Carolina
009'9	004 '₹	<b>ቅ</b> ቅሬ 'ቅ	West Virginia
10,200	10,200	£47,9	Virginia
1,500	1,300	1, 268	Maryland
300	250	315	Delaware
008'6	000 ' 2	996'9	Pennsylvania
3,200	009 '7	998'7	New Jersey
000,82	14, 500	17,525	New York
1'420	1,050	1, 323	Connecticut
007	120	143	Rhode Island
3, 150	2,250	755,5	Massachusetts
096	1,030	806	Vermont
09₺'፤	1,050	212,1	New Hampshire
2,000	1,420	1,213	Maine
		•	, , ,
	- alahand basabela -	L -	
1961	; 00/T		9 p
Preliminary	0961	Average :	;
	equitors .		State

on account of economic conditions. 2/ For some States in certain years production includes some quantities unharvested the commercial apple areas of each State. I/ Estimates of the commercial crop refer to the total production of apples in

919'801

3/ Includes excess cullage of harvested fruit.

848,111

Agricultural Statistician Howard D. Utter

126,840

J. A. Ewing Agricultural Statistician In Charge

U. S. DEPARTMENT OF ACRICULTURE

7.44

U, S, DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois

United States

OFFICIAL BUSINESS

Illinois Fruit Production Prospects

(2-Copies) A Urbana, Illinois University of Illinois Library Documents Division

ILLINOIS COOPERATIVE CROP REPORTING SERVICE



Illinois Crop Reporting

December 14, 1961

COMMERCIAL PRODUCTION BY VARIETIES, ILLINOIS.

0 100 200 300 400 500 600 700

Thousand Bushels

Transparent make up about 120,000 bu, and Buchess about 97,000 bu, of All Summ
Willow Twig makes up about 37,000 bu, of the 80,000 bu, of Other Winter Varieties

### 1961 PRODUCTION

Golden Delicious

All Summer \* Delicious Other Winter \*\*

Rome Beauty Stauman

Ben Davis & Gan Other Fall

ILLINOIS: The commercial apple crop in 1961 totaled 2.3 million bushels, 10 percent above the 1960 crop of 2.1 million bushels but 4 percent below the 1950-59 average. In the southernmost districts of the State a light crop resulted from a light set of fruit and frost damage in late spring, but a heavy crop was reported in the central and northern districts, Scattered reports of wind and hail damage occurred in most areas of the State and in Calboun County a number of grown. of the State and in Calhoun County a number of growers reported scab damage. In general, disease, insect, wind, and hail damage was light.


The table below shows the percent of sales and average price received by grades to November 1, as reported by Illinois growers.

A comparison of 1960 and 1961 percent of sales by grades indicates a shift from the combination grade to other grades--especially utility.

Combinations of a large crop, wind, hail, and scab damage were reported in areas with a high percentage of 1961 sales in the lower two grades. In other areas a high percentage of sales was reported in the Illinois U. S. #1 grade. All prices by grades were lower than those of a year earlier and a larger fraction was sold as Utility or below Utility resulting in an average for all sales 11 percent below the 1960 price.

Winesap Grimes Golden

	. 19	58	; I'	759	: 1	76 <b>0</b> :	1	961
	all sales;	per	: % 01 : all : sales		: all	: Price: : per: : bu.;	% of all sales	: Price : per : bu,
11. U. S. No. 1	48	2.95	46	2.80	46	3.00	48	2.80
Combination	14	2.15	18	2.10	18	2.25	10	2.00
nl. U. S. Utility	20	1.80	15	1.50	17	1.65	21	1.55
Below Utility inc. ciders	18	. 90	21	. 85	19	1.00	21	. 70
All Sales, Wtd. Av.		2.25		2.05		2.25		2,00



### APPLE PRODUCTION BY VARIETIES

Summer Variety Production Above Last Year

Production of summer varieties totaled 276,000 bushels, up 31 percent from last year but 4 percent below the 1950-59 average. Transparents made up about 120,000 and Duchess about 97,000 bushels of the summer crop.

#### Illinois Second in Jonathan Production

Illinois ranked second in the nation in the production of Jonathan apples, with 7 percent of the U.S. production of this variety. Michigan leads with 4.1 million bushels or 45 percent of the Nation's production. Jonathan accounted for 29 percent of the total Illinois apple production and 87 percent of the fall varieties. Fall varieties accounted for 34 percent of the total State production of all apples. Wealthy production was 27 percent below last year while Grimes Golden was 10 percent above 1960.

#### Illinois Third in Golden Delicious

Golden Delicious production in Illinois in 1961 was 823,000 bushels, 10 percent above last year and accounted for about 11 percent of U. S. production. Virginia ranked second with 966,000 bushels, (12 percent) and Washington first with 1,580,000 bushels (20 percent) of the Nation's production. Golden Delicious accounted for 66 percent of Illinois production of all winter varieties. Winter varieties amounted to 1,253,000 bushels; 54 percent of the State crop. Delicious production was 172,000 bushels in 1961 compared to 189,000 bushels in 1960. Rome Beauty, Stayman, and Winesap were 69,000, 46,000, and 23,000 bushels respectively.

- OVER -

UNITED STATES: Commercial apple production for 1961 totaled 125.5 million bushels, 16 percent more than in 1960, but only 4 percent above average. Fall varieties accounted for 13.5 million bushels (32 percent more than in 1960, but only 4 percent above average), and summer varieties accounted for 13.5 million bushels (32 percent more than in 1960, but only 4 percent above average), and summer varieties accounted for 5.6 million bushels shelf (31 percent more than in 1960 and 9 percent above average).

All varieties except Yellow Newtown, Ctimes Golden, and Black Twig produced larger crops than last year, nost years, Delicious and McIntosh were the leading varieties followed by Rome Beauty, Jonathan, and Winesap in the order of their importance. Usually Winesap ranks third, Rome Beauty fourth, and Jonathan lifth,

The Delicious crop of 24 million bushels was 2 percent larger than in 1960, with the Eastern and Central States showing an increase which more than offset the decrease for the Western States. This variety accounted for 19 percent from last year but that State was still the leader in production of Delicious apples was down nearly 2 million bushels bushels, up 5,3 million bushels from last year. Mo other variety showed such a large increase over 1960, Mew York, Mew England and Michigan are the principal producers and accounted for 91 percent of the McIntosh crop, The 1961 Mew England and Michigan are the principal producers and accounted for 91 percent of the McIntosh crop, The 1961 Mew England and Michigan are the principal producers and accounted for 92 percent of the 1961 Mew York, Mew England and Michigan are the principal producers and accounted for 73 percent of the 1942. As usual, New York was the leading producer with 45 percent of this year's society from last year, with send accounted auction of the 1950 crop, Michigan is the leading producer with 45 percent of this year's production of the 1960, Washington, as usual, was the principal produced more Golden Delicious and 37 percent from last year, with virginia accounted for 73 percent for the 1960, Washington, as usual, produced more Golden Delicious in the production of this variety, the same as in most years, However, production in Pennsylvania nearly equalled that in Virginia, Production of this variety, into same as in most years, However, production in Pennsylvania nearly equalled that the United States are as in most years, However, production in Pennsylvania nearly equalled that in Virginia, Production of this variety, including the same as in most years, However, production in Pennsylvania nearly equalled that the production of the principal producer of this variety for 1961, although the pennsylvania nearly equalled the production of the principal producer of this variety for the pennsylvania pennsylvania pennsylvania pennsylvania pennsylvania

All regions produced more apples in 1961 than a year ago with the Eastern States (65.2 million bushels) up 23 percent, the Central States (32.5 million bushels) up 18 percent, and the Western States (32.5 million bushels) up only I percent. Although most States produced more apples than in 1960, Washington, Oregon, Indiana, Ohio, and North Carolina had amaller crops.

	125,510	515'801	848,111	2,300	2, 100	€0₽'Z	Total All Varieties
-	4,720	4, 135	5,332	08	901	082	Other Winter
	9919	994 '9	694 '5	m 10	W 19	**	York Imperial
	3,206	3,982	061 '1	nn pn			Kellow Newtown
	069 '8	890'8	10,320	E.S.	₽8	₽L.	Winesap
	7, 170	626 '9	1949	9₽	IZ	36	Stayman
	579'6	1,804	284 'T	69	24	€9	Rome Beauty
	188 €	2, 144	2,685		** **		R. I. Greening
	3,475	258,5	\$68'Z			W 101	Northern Spy
	197,91	14, 435	£65'ET	~ ~		me ou	McIntosh
	7,823	117'L.	00¢ '\$	828	994	E\$9	Golden Delicious
	£ 50 , \$ 5	23,554	819'62	172	681	210	Delicions
,	3,641.	3,217	9,050	4 4			Cortland
	₹02	.373	189	no se	ng on	40 May	Black Twig
	882 1	1, 222	1,532	38	242	62	Ben Davis & Gano
	188,2	258,5	3,262		***	- mar mar	Baldwin
							Winter
				*			
	187,1	601 I	160,5	38	1.2	92	Other Fall
	7991	186,1	1,784	91/	£9	68	Wealthy
	620'6	7,002	7, 390	499	949	609	Jonathan
	1, 127	1, 292	1,802	23	1.5	45	Grimes Golden
							F'811
	799 17	10117	c4cln	012	0.7.77	0.07	TORREST TORREST
	976,5	Z, 134 Z, 107	2, 496 894	975	210	882	Other Summer
	940.6	Art c	404.6	9 9		m 46	Gravenetein
	- 8194	snq pusst	OUT	- 819U	and pues	nou I -	Summer
eldonon				2		69-096	Varieties ; l
	1961	0961	Average 1950-59	1961	0961	Average	t bas
	LES	TED STA	INO I		ILLINOIS		i noasad
91				by Varie	uoilon di	d biddy	Total Commercial

J. A. Hwing Howard D. Utter Agricultural Statistician in Charge

01	tolor refer	nercial	I/ Estimates of comi
126,610	108, 515	848 II.	United States
			Part
019	230	TOT	Other States 3/
TO 500	068 8	184.8	California
T 220	T'800	2,260	Oregon
77, 500 1, 400	19,500	1,154	notantaseW
1, 200	800	1, 154	Colorado
002 T	906 T	1,603	Other States 2/. Idaho
00½ T	1, 250	226	Missouri
	1, 470	262 °T	Wisconsin
000 91	11,300	TO 260	Michigan
2,300	5° T00	S. 403	SIONITI
T 320	006 T	T97 T	Indlana
3,300	3,700	881 °C	oidO
5, 200	2,500	067 T	North Carolina
2,500	007 .4	PPL P	West Virginia
TO 200	TO 500	6, 743	Virginia
T, 800	T 220	1,583	Maryland-Delaware
008 6	000 4	996 9	Pennsylvanta
3,200	2,500	2,866	New Jersey
23,000	009 LT	17, 525	New York
9,200	076 *9	7,389	New England
pers -	sud busan		
T96T		69-096	
+02+	9	Average	
-	duction		= State
	/I do		*
[cial	Соште	səlaa A	21017 2704011 2777 7
	19	19 Tadm	Fruit Report - Nove

The stringles of commercial crop refer to continued beginning with the 1961 crop areas of each State, 2/ Minnesota, Iowa, and Arkansas, Estimates for Nebraska distant Renamed beginning with the 1961 crop and Utah, Tennessee, and Mexico, and Utah, season, 3/ Montana, New Mexico, and Utah,

U. S. DEPARTMENT OF ACRICULTURE

U. S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfleld, lilinois

1961 Production

OFFICIAL BUSINESS

by heccorner mes?

Documenta Division University of Illinois Library Urbana, Illinois A (3-Coptes) 9338.1 Il66 f

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

ESE WSW

February 8, 1963

ILLINOIS APPLE AND PEACH SURVEY, 1962 PRELIMINARY SUMMARY

There were 445 commercial apple orchards and 396 commercial peach orchards in Illinois in the summer of 1962, according to a complete survey made cooperatively by the Statistical Reporting Service of the U. S. Department of Agriculture, Southern Illinois University, Western Illinois University, the University of Illinois, and the Division of Agricultural Statistics and the Division of Markets of the Illinois Department of Agriculture. For purposes of this report, a commercial orchard was one having 100 or more apple or peach trees.

The 445 commercial apple orchards contained 613, 416 trees. Of these, 252, 775 or 41 percent were set out during 1955 and later, while 360,641 were set out in 1954 and earlier. Apple trees are concentrated primarily in the West Southwest and Southwest Districts. These two districts contain 35 and 39 percent respectively, of the commercial apple plantings in Illinois. On the basis of the number of trees not yet of bearing age, it appears that the Southwest will become even more important in apple production in years ahead as that district accounts for 47 percent of the trees set out in 1955 and later.

The 396 commercial peach orchards had a total of 428, 700 trees. Of this number, 93,030 or 22 percent were set out during 1959 and later, while 335, 670 were set out in 1958 and earlier. The Southwest District is the predominant peach area in Illinois and has 55 percent of the commercial peach plantings. Based on the number of trees not yet of bearing age, the Southwest will continue to be the important Illinois peach area in years ahead. However, in the West Southwest District, which ranks second in peach tree numbers, plantings since 1959 make up over one third of the total compared with one sixth in the Southwest District and slightly over one fifth for the State.

Jonathan is the leading apple variety in Illinois with 186, 193 trees or 30 percent of the total trees in commercial orchards. Of this number, 13,054 are dwarf trees. Golden Delicious is the second leading variety with 141,220 trees or 23 percent of the total. Dwarf Golden Delicious accounted for 19,052 trees. Delicious trees total 115,443 or 19 percent of the total. Dwarf Delicious number 22,055 trees. Of the plantings made since 1955, Jonathan leads with 72,480 trees, Delicious ranks second with 63, 194, and Golden Delicious third with 57,621.

The table on the back shows the rapid shift from standard to dwarf trees in recent years. A decade ago dwarf trees accounted for an extremely small percentage of plantings while in 1962 nearly three-quarters of new plantings were dwarf

Elberta is the leading peach variety in Illinois commercial orchards with 212,542 trees or nearly half of the total peach trees. Redhaven and Halchaven, respectively, rank second and third in number of peach trees, but each comprises less than ten percent of the total. New plantings in the period 1959-1962 indicate that Elberta will continue to be the leading variety, but the production of Rio-Oso-Gem, J. H. Hale and particularly Redskin should increase significantly in the years ahead.

ILLINOIS APPLE INDUSTRY - 1962

	:	Number	:	Acreage	:		Number trees 2/	
District	:	of	:	in	:	Total		out during
		orchards 1/	:	orchards	4		: 1955 & later <u>3/</u>	: 1954 & earlier <u>4/</u>
Northwest		38		605		25, 219	6, 872	18, 347
Northeast		24		502		27, 605	12, 551	15, 054
West		28		970		34, 493	10, 529	23, 964
Central		17		236		12,048	4,610	7, 438
East		8		154		4,894	1, 168	3, 726
W. Southwest		157		4, 483		215,859	84, 512	131, 347
E. Southeast		28		658		20, 998	5, 294	15, 704
Southwest		110		5, 342		241, 532	118,092	123, 440
Southeast		35		665		30, 768	9, 147	21,621
ILLINOIS		445		13,615		613,416	252, 775	360, 641

1/With 100 or more apple trees. 2/In orchards of 100 or more apple trees. 3/Most trees not of bearing age at time of survey. 4/Trees of bearing age.

				ILLINOIS PEACI	INDI	JSTRY - 1962	2	
	:	Number	:	Acreage	:		Number trees 2/	
District	:	of		in	:	Total	: Set o	out during
	:	orchards 1/	:	orchards	:	Total	: 1959 & later <u>3/</u>	: 1958 & earlier <u>4/</u>
West		15		93		4,355	2,090	2,265
Central		5		19		1,303	743	560
W. Southwest		128		2,354		79,756	27, 347	52, 409
E. Southeast		63		736		48, 223	9,595	38,628
Southwest		128		2,999		234, 982	38, 219	196, 763
Southeast		53		978		58,883	14, 408	44, 475
Other Districts 5/		4		25		1, 198	628	570
ILLINOIS -		396		7, 204		428, 700	93,030	335,670

1/With 100 or more peach trees. 2/In orchards of 100 or more peach trees. 3/Most trees not of bearing age at time of survey. 4/Trees of bearing age. 5/Northwest, Northeast, and East combined to avoid disclosing individual operations.

										- MAL 1 - 1 / 1
2, 442	826,52	921 '211	066 '\$6	₱£1 ,79	<b>**0</b> '23	30, 273	24, 990	10, 723	428, 700	Total
60 00	200	SO# 'Z	2, 260	1,540	247	12	nc	2.7	982 '9	All Varieties
220	171	067 '1	297,1	766,1	599	084	641 ,1 82	\$13 513	£₽2,8	Georgia Belle Hinners Hale
100	SZ	2, 532	889 'E	871,2	1, 830	200,5	686	818,1	107,71	J. H. Hale
	001	1, 136	078 E	097 '8	3, 534	4, 208	017	\$72,1	799,552	Rio-Oso-Gem
OS	~~	SZ	458,8	754,8	3,511	6, 255	S\$2 '\$	SZ9	285,582	Redskin
874	848	12, 133	975 'Z	654,8	619	779,1	857,1	SZ6	700,65	Halehaven
OS	SZZ	1, 695	60'6	14, 224	3, 342	3, 412	3, 426	₹8Z	469 'SE	Кедћауел
	20,851	89, 290	041,02	31,512	812,6	2, 261	686,8	1, 792	212,542	Elberta
	740 00	000 00	011 02	0,1,0	0,0	, , ,	000	CO2. \$	Cha ctc	Leading Varieties
rearlier	1 55-05-57	Charles !		20-20-5	40.42	1 0000	1 1		1	:
Pur 6261	68-0861	64-0461	25-0261	82-2261	6261	0961	1961	1962	Total :	Classification
			Suin	np ano	198				1 1	1
						CH LKEE I	CINOIS PEA	TI		
			· ·	-0, /, -			, 14 910111		rees or more	1/In orchards of 100 t
23,254	£8£ 'Z9	₱94 'A!	2, 239 16	201 056	1991	34,437	249 °₽€	117,81	914,619	Total
cales date	40.00	2, 513	242,5		21,	14, 331	556 '41	12,506	SZZ '0Z	Dwarf
23, 254	\$8£ '49	122 '59	21 L66'6		'S#I	20, 106	16, 722	4,205	542, 641	Standard
									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	All Varieties
316	SIS	Z70 '9	1 57 ,2	160	'S	204	2		11, 606	Duchess
729	1,683	699 <b>'</b> £	119'6		'S	175	2	125	12, 354	Wealthy
339	1,629	6, 312	962 Ԡ			<b>754</b>	911	SSS	610,01	Rome Beauty
2,261	3, 757	090 (9	168 1	£60	'S	785	1, 272	96	718,55	Winesap
1,987	844 '\$	11,536			,21	046'1	333	051	38,872	Transparent & Lodi
2, 251	S46 '6	667 '61			37,	11,282	12, 523	2,278	115, 443	Delicious
3, 22.1	285,81	12, 283				8,212	628 '9	£78,4	141, 220	Golden Delicious
SS6 'L	106, 91	ESE , ES	3, 134	E 691	'ZS	7,347	160 '8	£78,4	186, 193	Jonathan
										Leading Varieties
1929 and	; ee-0ee1	64-0461	†S-09	61 65	-5561	0961	1961	7961	: IstoT	Classification
			Suli	np ino	398				;	1
						TE LEEE N	LINOIS APP	ITI		

r 02	6 F G	PolitolanV IIA	8 85	C 17	saitaireV IIA
			۷ °9	£ .£6	All Dwarf
			9*59	<b>₽.</b> ₽€	All Standard
I 'S6	6 ⁴₺	Hinners Hale	2,08	8.91	Duchess
6*69	1 ,0E	Georgia Belle	9°44	₽,22	Wealthy
₱ '\$9	3 <b>⁴°</b> 9	J. H. Hele	S *8Z	21.5	Rome Beauty
9.78	₽.S₽	Ro-Oso-Gem	0°04	30.0	Winesap
€ •0₽	∠ *6S	Redskin	6*09	1 .9£	Transparent 6 Lodi
1 .68	6.91	Halehaven	€ *5₺	∠ *ÞS	Deficions
۷°0۷	29,3	Яеdhaven	2°69	8.0₽	Colden Delicious
8.06	<u>8.9</u>	Elberta	1,13	6.85	Jonathan
Percent	Percent	Leading Varieties	Percent	Percent	Leading Varieties
bearing age 2/	: of bearing age 1/ :	1	bearing age 2/	of bearing age 1/:	:
Trees of	1 Trees not yet 1	s Variety	Trees of	Trees not yet	Variety ;
Intotal	: Percent o		of total	Percent	-
	Peaches			Apples	
	1961 - Ya	nt of Total, by Var	ed by Age as Perce	Trees Classifi	

-						
	78, 3	7.12	All Varieties	8 *85	2,14	All Varieties
				۷ *9	£ *£6	All Dwarf
				9 * 59	<b>₽°</b> *€	All Standard
	1 'S6	6 °₺	Hinners Hale	2,08	8,61	Drchess
	6°69	1 .0E	Georgia Belle	9°44	₽,52	Wealthy
	₱ '\$9	9 <b>*</b> ₽€	J. H. Hele	S*8Z	21.5	Rome Beauty
	9.78	<b>₹</b> °Z₹	No-Oso-Gem	0 °04	30.0	Winesap
	€ •0₽	∠ *6S	Redskin	6 *09	1 *6E	Transparent 6 Lodi
	1 .68	6.91	Надерачеп	£ *SÞ	∠ * <b>†</b> S	Deficions
	7.07	29°3	Кедћачеп	2°69	8.0₽	Colden Delicious
	8.06	<u>6°5</u>	Elberta	1,13	6.85	Jonathan
	Percent	Percent	Leading Varieties	Percent	Percent	Leading Varieties
i	bearing age 2	: of bearing age 1/ :	1	bearing age 2/	of bearing age 1/:	

1/Apple trees set out in 1955 and later, peach trees set out in 1959 and later.  $\overline{2}$ /Apple trees set out in 1954 and earlier; peach trees set out in 1958 and earlier.

This survey was made cooperatively by the Statistical Reporting Service of the U. S. Department of Agriculture, Southern Illinois University, Western Illinois University, University of Illinois, and the Division of Markets of the Illinois Department of Agriculture. For the Illinois Department of Agriculture contribution to this project, State funds were matched with Federal funds received from the Agricultural Marketing Act of 1946.

A more detailed publication will be available within the next few months. Should you desire a copy, a request to the Illinois Cooperative Crop Reporting Service, P. O. Box 429, Springfield, Illinois, will put your name on the list to receive the publication when available.

Sincere appreciation is expressed to the Illinois fruit growers who cooperated in furnishing the basic data summarize Sincere appreciation is expressed to the Illinois fruit growers who cooperated in furnishing the basic data summarize

Sincere appreciation is expressed to the Illinois fruit growers who cooperated in furnishing the basic data summarized herein. Without their splendid cooperation, this survey would have been impossible.

H. James Tippett Agricultural Statistician

Robert H. Moats
Agricultural Statistician In Charge

U. S. DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois

1 In orchards of 100 trees or more.

**OFFICIAL BUSINESS** 

Illinois Apple and Peach Survey

9 338.1 I 666 f cop. 2

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



July 18, 1962

TREE POPULATION AND PRODUCTION PROSPECTS - 1962

Current indications provide further evidence that the long downtrend in number of apple trees in orchards with 100 or more bearing trees is tending to level off.

Peach tree numbers continue to decrease. The increase in 1959 is the only break in the downtrend of tree numbers.

Growth Through Agricultural Progress

The following table presents a new series of fruit tree estimates—representing numbers of trees in all apple orchards with 100 or more bearing trees, and all peach orchards with 100 or more bearing trees.

Illinois Apple and Peach Tree Numbers, Selected Years 1949-62

7.7	:		pples, 100+ Bearing	trees	1/	*		ches,	100+ Bearing t	rees 1	/
Year	*	Bearing trees	: Non-bearing trees	:	All trees	9 0	Bearing trees	:	Non-bearing trees	: A	ll trees
					- Thou	sand	trees -			<del></del>	
949		950	190		1, 140		1,010		150		1, 160
950		870	190		1,060		760		120		880
951		800	200		1,000		730		130		860
952		735	185		920		610		100		710
953		675	185		860		490		90		580
954		610	190		800		475		105		580
955		600	200		800		455		105		560
956		570	215		785		450		110		560
957		520	215		735		445		85		530
958		475	215		690		410		80		490
959		420	210		630		420		90		510
960		410	220		630		400		80		480
961		420	220		640		390		80		470
962 2/		420	220		640		375		85		460

1/ Tree numbers are based on orchards with 100 or more bearing trees. 2/ Preliminary.

New Plantings

Apple trees set (in both commercial and non-commercial counties) during the year ended April 30, 1962 account for about three-tenths of the non-bearing trees in reporting orchards. Jonathans were the leading variety planted and accounted for more than one-third of the total planting. These plantings along with Golden Delicious and Starkrimson accounted for nearly three-fourths of all plantings in orchards reporting. Peach trees set during the year account for about half of the reported non-bearing trees. Elbertas were the leading variety planted, accounting for one-fifth of the plantings. Rio-Oso-Gem, Red Haven, and Red Skin along with Elbertas accounted for three-fifths of the plantings in reporting orchards.

New Plantings Apple and Peach Trees, May 1, 1961 - April 30, 1962 Apples Peaches Variety Percent of total plantings Variety Percent of total plantings Jonathan 35 Elberta 21 Golden Delicious Rio-Oso-Gem Red Haven 21 15 Starkrimson 17 13 Red Delicious 4 Red Skin 13 Stark Delicious 4 Rich Haven 3 Ion-a-red Hale Harrison 43 Winesap Hale Blaze Hale Haven 3 McIntosh Loring 3 2 2 Summer Champion Belle of Georgia D. R. Stayman Early Red Blake Early Elberta Lodi Halberta Jerseyland Red Melba Turley Other (11 varieties) Summer Queen Washington Other (23 varieties)

July 1962 - Illinois Apple and Peach Prospects

July 1 prospects indicate an apple crop of 2, 100, 000 bushels, in Illinois commercial counties, 16 percent less than the 2,500,000 produced last year and 9 percent less than the 1951-60 average. Insect control generally has been good with a few scattered reports of mites. Several growers reported some reduction in prospective production of Jonathans, due to fire blight. However late June reports suggest lighter damage than was anticipated at the end of May. Harvest of Transparent and Lodi varieties began the last week of June in the southern half of the State. Duchess harvest was expected to begin the week of July 8.

Peach prospects indicate a crop of 780,000 bushels, 10 percent below last year and the 1951-60 average. Some failures were reported in central and northern areas of the State.

U. S. Apple and Peach Prospects Below Last Year

The 1962 apple crop is forecast at 124.2 million bushels, 2 percent below last year, but 13 percent above average. In general the Eastern and Central States expect fewer apples than last year, but the Western States expect more. By geographic regions, the July 1 estimates are: Eastern--62.0 million bushels, down 6 percent from last year, but 20 percent above average;

OVER -

Central—27.2 million bushels, down 4 percent from 1961, but 27 percent above average; Western—35.0 million bushels, down 4 percent from 1961, but 27 percent above last year, but 5 percent below average. The New York crop is expected to be about 11 percent below last year's record crop. Prospects are for fewer McIntosh, Red Delicious, Romes, and Morthern 5py in both thre Lake Ontario and Hudson Valley areas. Prospective production of Cortland and Colden Delicious is up in the Hudson Valley, but down in the Lake Ontario area. The Champlain Although the indicated Pennsylvania crop is 13 percent below last year, it is still well above average. Usignia's northern Shenandoah Valley expects more apples than last year, but the Colden Delicious, Golden Delicious, Romes, but the Colden Delicious, Stayman, and Maryland and Delaware. Virginia's northern Shenandoah Valley expects more apples than last year, but the Colden Delicious, Stayman, and Maryland and Delaware. Virginia's northern Shenandoah Valley expects more apples than last year, but the Colden Delicious, Golden Delicious, and Jonathan are down from last year, but the Colden Delicious, Golden Delicious, and Jonathans are down from last year. The Michigan crop is expected to be slightly larger than last year with prospects good for Red Delicious, Romes, and Winesaps. The last year, but still well above average. Wisconsin suffered local damage from June 17–18 winds, but the loss was not great. The Mashington apple crop is expected to be slightly larger than last year with prospects good for Red Delicious, Romes, and Winesaps. The Washington apple crop is expected to be slightly larger than last year with prospects good for Red Delicious, Romes, and Winesaps. The Washington apple crop is expected to be slightly larger than last year with prospects good for Red Delicious, Romes, and Winesaps. The Mashington apples are successed to be slightly larger than last year with prospects good for Red Delicious, Romes, as not great. below average

The 1962 peach crop is forecast at 77.7 million bushels, but still slightly below last year's large crop. If this estimate is realized it will be 18 percent above the 1951-60 average. Production, exclusive of California Clingstones, which are largely processed, totals 47 million bushels, 6 percent above the 1961 crop and 33 percent above the average. The California crop is expected to total 12.9 million bushels, up 3 percent from last year and 11 percent above the average. The California freestone crop is expected to total 12.9 million bushels, up 3 percent from last year and 11 percent above the average. The California below the 1961 crop but 26 percent above the average, prospects in each of the States are well below last year. Harvest to earlies below the 1961 crop but 26 percent above the average. Prospects in each of the States are well below last year. He main Elberta in Arkansas is about mid-July. In the Mid-Atlantic States the peach crop is estimated at 8.3 million bushels, Opercent and Information bushels produced last year. The outlook for a good crop in Virginia continued with good size and quality expected. Movemill begin about mid-July, in the Mid-Atlantic States the peach crop is estimated at 8.3 million bushels compared to 6.8 million bushels produced last year. The outlook for a good crop in Virginia continued with good size and quality expected. Movement of Redhavens will begin about mid-July followed closely by Halehavens and later by Sunhighs. Harvest of Elbertas will begin about August 5. Western Washington has practically no peaches this year but in Central Washington, a heavy bloom and good set

about August 5. V

11-

State

Indicated

Production 2

Apples, Commercial Crop 1/

Production Prospects

State

Average

SZ9 ZZ	568 77	995 '\$9/₺	United States	124, 225	126, 710	4/110,322	United States
SPS '0S	962 '0₺	S9S '7E /S	California	10, 000	10, 300	0£7 ,8	DWITATTERA
0470	430	420	Oregon	007 ,1	1, 700	2, 151	California
2, 100	3/1,750	1, 646	Washington	20, 200	006,81	121 0	Oregon
310	210	Z8₽	Utah	360		22, 630	Washington
2,000	3/1,900	665 'I	Colorado	320	320 320	386	Utah
SZ	180	314	Idaho	1, 200	1, 500	79S	New Mexico
220	059	<b>₹</b> \$\$	Texas	1, 180	1 500	941,1	Colorado
05	001	184	Oklahoma		1, 150	1, 326	Idaho
OS	SPI	76	Louistana	52	07	19	Montana
1,000	1,500	854,1	Arkansas I outstan	200	180	261	Arkansas
200	352	312		370	270	562	Tennessee
006	00≯'I	202	iqqississiM	360	290	315	Kentucky
200	061	281	Alabama	061	240	221	Kansas
260	220		Tennessee	1, 350	1,400	933	ImossiM
4, 200	3/5,200	3, 088	Kentucky	520	320	193	IOWA
000 '2	008,7/5	3 086	Georgia	300	370	282	Minnesota
1, 250	1, 500	4,213	South Carolina	1, 300	008,1	1,313	Wisconsin
052	0SZ	071 ,1	North Carolina	12,000	16,000	10, 520	Michigan
009 '1	005 '1	669	West Virginia	2, 100	2,500	2,315	ITTINOIS
200		074,1	Virginia	1,850	1,350	1,525	Indiana
01/2	35 420	691	Maryland	3,900	3,500	3, 205	Ohio
06		78	Delaware	2, 400	2,300	7SS'I	North Carolina
007	132	811	Kansas	2,500	2,500	£773	West Virginia
2, 400	005	450	imossiM	10, 600	10, 500	SOS '6	Virginia
	3, 450	2, 792	Michigan	1, 400	1, 600	1,270	Maryland
087	078	873	ITTINOIS	290	300	306	Delaware
120	001	358	Indiana	8, 500	008 '6	7, 028	Pennsylvania
058	096	996 ,	Ohio	3,000	3,000	S'842	New Jersey
5, 900	2, 400	2, 666	Pennsylvania	21, 500	24, 100	SOP 'LI	New York
2,500	1, 700	2, 044	New Jersey	1, 200	1, 450	1, 285	Connecticut
009	725	666	New York	081	200	162	Rhode Island
591	120	9 <b>Þ</b> I	Connecticut	2,900	3, 150	2, 450	Massachusetts
6	6	12	Rhode Island	1, 170	096	₱16	Vermont
135	\$6	100	Massachusetts	1, 550	0SF 'I	081,1	New Hampshire
92	₽Į.	ΨĪ	New Hampshire	1, 850	2,000	1,220	Maine
	snq puesno	4T -		;	spaysna puest		
1961	TOCI		4	1962		. 09-1561	
Indicated	1961	эдвтэчА	: ::	Indicated	1961	Average	

1/Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State. 2/For comlage of harvested fruit, 4/U, 5. Totals for the 1951-60 average and for 1960 include production for States no longer estimated. 5/Mainly for caming. Production in toms: Av. 1951-60, 800; 1960, 612,000; 1961, 666,000; 1962, 735,000.

Robert H. Moats, Agricultural Statistician in Charge For the tree survey State funds were matched with Federal funds received from the Agricultural Marketing Service, U.S.D.A. under provisions of the Agricultural Marketing Act of 1946.

Howard D. Utter, Agricultural Statistician

Production

Безсрез

U. S. DEPARTMENT OF AGRICULTURE

POSTAGE AND PEES PAID

P. O. Box 429, Springfield, Illinois U. S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE

OFFICIAL BUSINESS

6961 61 TAC

Tree Population and Production Prospects
(Fruit)

(seigou-2) Urbana, Illinois University of Illinois Library Documents Division 9 338.1 Ile669

### LLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



August 16, 1962



ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1962

Apple Production Below a Year Ago

Apple production in Illinois' commercial counties is estimated at 2.2 million bushels—12 percent below last year and five percent below the 1951-60 average. In some areas the set of Golden Delicious and Jonathan was light. Jersey County and the southern areas report a slight lack of moisture. Heavy hall damage occurred in widely scattered areas. Generally the fruit is well-sized and quality is good. Wealthy harvest was most active during the latter part of July. Jonathan harvest is expected from late August to mid-September followed by Grimes and Golden Delicious.

#### Peach Prospects Down From Last Year

The Illinois peach crop, estimated at 750, 000 bushels, is 14 percent below last year and the 1951-60 average. A light crop is in prospect with complete and near failures due to winter kill in many orchards north of the Benton-Carbondale areas. Prospects are good in the heavy producing Anna-Jonesboro area where some thinning was necessary. A few scattered areas of hail damage were reported.

Harvest of early peaches was under way in mid-July. Elberta harvest was expected to begin about August 5.

#### UNITED STATES

APPLES: The United States commercial apple crop is estimated at 122.6 million bushels, down one percent from last month's forecast. This estimate is three percent below 1961, but 11 percent above average. Production prospects in the Eastern and Central States decreased one and five percent respectively, while those in the western region increased slightly. Lack of moisture has been a problem in the eastern and central regions. Estimates by region are as follows: Eastern 61.3 million bushels, eight percent below 1961 but 18 percent above average; Central 25.7 million bushels, nine percent below 1961 and 20 percent above average; Western 35.7 million bushels, 11 percent above last year and four percent below average.

The apple crop in the New England States developed favorably in July. Dry weather has favored disease and insect control, and many growers report an exceptionally clean crop. In New York, prospects are for a crop below last year in all areas except the Champlain Valley. Dry weather in New Jersey restricted sizing of early apples, especially in northern counties. In Pennsylvania, weather conditions continued dry. Early apples picked were small. Sizing of the main crop also has suffered some. York, Stayman and Rome, the leading varieties, are light, but other varieties are making a good crop.

Prospects remained good in Virginia's northern Shenandoah Valley with a larger volume of Red Delicious and Yorks expected. In the important Northeastern Ohio area, limited rainfall has affected the sizing of apples and is a factor in the lower prospective production. Indiana's apple crop continued to make good progress.

Michigan crop prospects are down from last month. The crop is down sharply from last year but is still well above average. Moisture is short and may cause a sizing problem. All major varieties are below last year. Prospects for Spys are down more than one-third, Jonathans down about one-fifth and McIntosh and Red Delicious are down less than one-tenth.

PEACHES: The 1962 peach crop in the United States is forecast at 75.0 million bushels as of August 1. This is four percent below last year but 14 percent above the 1951-60 average of 65.6 million bushels. The August 1 forecast is down three percent from a month earlier primarily due to the California Clingstone "green drop" program, under which part of the crop was eliminated. Excluding the California Clingstone crop, which is used primarily for canning, the U. S. crop is forecast at 46.7 million bushels--7 percent below last year but 9.5 percent above average.

In California the Clingstone crop is now estimated at 28.3 million bushels—two percent above last year and 23 percent above average. In the nine Southern States earlier expectations have generally materialized and a crop of 14.9 million bushels is now estimated. This is up slightly from last month and four percent above the June forecast. However, a crop of this size would be 20 percent below last year but 26 percent above average.

Production prospects declined slightly during July in the Middle Atlantic States as drought conditions prevailed in some areas. However, the August 1 forecast of 8.2 million bushels for this region is 20 percent above last year and 10 percent above average.

Production prospects in the North Central States declined six percent during July due to lack of soil moisture. The expected 4.4 million bushels now forecast is 30 percent under last year and 20 percent below average. In Michigan, little production is expected in Berren County, due to winter freeze damage. Movement of Redhaven variety peaches from southeastern counties hit peak volume around August 1--somewhat ahead of normal. Harvest dates in Ohio also are seven to ten days ahead of usual.

In Colorado, harvest of principal varieties is expected around August 20. Crop prospects continue to improve in Utah, as irrigation water is plentiful and the crop is sizing well.

- OVER -

2, 100 470 41, 254	2/1, 750 630 7, 750	39 <b>5 '</b> 78 979 1' 949	Washington Oregon California	005,02 009,1 005,01	006,01 007,1 005,01	8, 730	Oregon California
330	210	482	Utah	320	200	22,630	Mashington
2,000	3/1,900	665 'I	Colorado	380	07.5	988	Utah
52	081	314	odebi	1, 300	1,500	₹9S	New Mexico
220	059	<b>₹</b> \$\$	Texas	1, 180	021,1	941 '1	Colorado
0\$	100	181	Oklahoma	52		1, 326	Idaho
01⁄2	S₽I	26	Louisiana	200	0ħ	19	Montana
1, 020	1, 500	1° 428	Arkansas		081	261	Arkansas
200	352	312	iqqississiM	400	270	562	Tennessee
006	1, 400	. 607	smada!A	390	230	315	Kentucky
081	061	S8I	Lennessee	210	240	221	Kansas
260	220	218	Кеппску	1,300	1, 400	933	imossiM
4, 300	3/2, 200	3, 088	Georgia	560	320	561	Iowa
000 4	008,7\£	4, 213		300	370	282	Minnesota
1, 150	1, 500	071,1	South Carolina	1,400	1,800	1,313	Wisconsin
OSZ	005 I 0SZ	669	North Carolina	13, 500	16, 000	10, 520	Michigan
009 '1	1, 500		West Virginia				
084	025	074,1	Virginia	2,200	2, 500	2,315	ITTINOIS
08 <i>V</i>	SE SE	691	Maryland		,		
001	135	78	Delaware	1,850	1,350	1,525	sasibal
007		811	Kansas	3, 700	3,500	3, 205	olido
2, 200	200	450	imossiM	2,400	2,300	₹SS I	North Carolina
2 200	3, 450	2, 792	Michigan	2,300	2,500	£77.4	West Virginia
007	040	0.45		10, 600	10, 500	SOS 6	Virginia
750	078	873	ITTINOIS	1,400	009 'I	1,270	Maryland
O.L.7	0.01			590	300	306	Delaware
140	001	328	Indiana	8,500	008 6	7, 028	Pennsylvania
008	0\$6	9\$6	, oidO	3,000	3, 000	S\$8,5	New Jeizey
2,800	2, 400	2,666	Pennsylvania	21,000	24, 100	204,71	New York
2, 500	1, 700	2, 044	New Jetzey	1, 200	0St 'I	1, 285	Connecticut
009	725	666	Ием Хогк	081	200	162	Rhode Island
591	120	941	Connecticut	2,900	3, 150	0S₽ 'Z	Massachusetts
01	6	SI	Rhode Island	1,200	0\$6	<b>716</b>	Vermont
140	S6	001	Massachusetts	081,1	0S₱ 'I	1, 180	New Hampshire
92	ÞΙ	ÞĪ	New Hampshire	1,850	2,000	1, 220	Maine
						,	• • • •
The state of the s	isherd bashel				ysnq pursno	чл -	
Indicated 1962	1961	05 1301	: ::	1965	: 1961	: 09-1861	;
Potoolbal		Average	Ti State	Indicated	: 1301	Average :	:
	Production 2/		- atet2 tr		roduction 2/		: State
	Peaches		: ::	/I doi	Commercial C	səldd A	:

2/ For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

3/ Includes excess cullage of harvested fruit.

122,635

4/U. S. totals for the 1951-60 average and for 1960 include production for States no longer estimated.

126,710

Howard D. Utter Agricultural Statistician

S68 '44

Robert H, Moats Agricultural Statistician In Charge

4/110, 322

United States

U, S, DEPARTMENT OF AGRICULTURE P. O. Box 429, Springfleld, Illinois

OFFICIAL BUSINESS

Illinois Fruit Production Prospects

DUAY

U. S. DEPARTMENT OF AGRICULTURE POSTAGE AND PEES PAID

000 'SZ

THE FIREVER OF THE

AUG 23 1962

Urbana, Illinois University of Illinois Library or Hilling Documents Division

5-PM

995 'S9/7

· S SUA -

A (3-Coptes)

MIS-SENT TO CARLE CLINIC

9 338.1 Il 664 ILLÍNOIS COOPERATIVE CROP REPORTING SERVICE

WSW ESE

September 18, 1962



Growth Through Agricultural Progress

ILLINOIS PRODUCTION PROSPECTS - SEPTEMBER 1, 1962

#### Apple Production Prospects Decline

Apple crop prospects in Illinois' commercial counties, estimated to be 2.1 million bushels, are down five percent from last month's estimate. This is 16 percent below last year and nine percent below the 1951-60 average. Size of fruit was reported below normal in early fall varieties, due to a lack of moisture. Rains during late August are expected to improve sizing of late fall and winter varieties. Scattered reports of wind and hail were received. A light crop of Jonathans is expected by some growers in the Calhoun County area. Harvest of fall and winter varieties was expected to begin a week earlier than last year. Harvest of Red and Golden Delicious and Grimes Golden was expected to start about mid-September. Willow Twig and Winesap harvest should begin about the first week of October.

### Peach Estimate Down Sharply From Last Month

The Illinois peach crop, estimated at 650,000 bushels, is 13 percent below last month, 25 percent below last year and 26 percent below average. Harvest of peaches in the main producing areas was nearing completion, the last week of August. The size of fruit was smaller than normal because of moisture shortages in the southwest and southern areas of the State. A number of growers reported failures or near failures in the Centralia and Belleville areas and northward, due to winter kill.

#### UNITED STATES

APPLES: The commercial apple crop in the United States is now forecast at 120.2 million bushels, a decrease of 2.4 million bushels from last month. This is five percent below last year's crop but nine percent above average. Production prospects declined slightly in all but the Western region because of the unusually dry weather conditions that persisted during much of August in most of the eastern half of the country. Fruit to date has generally failed to size adequately due to the drought conditions in these States. While rains in late August in several States were beneficial, adequate soil moisture is still lacking in many of the States. Weather in the Western States has been generally favorable for continued development of the

Estimated production for all Eastern States totals 59.7 million bushels, down three percent from last month's forecast and ten percent below last year's crop. Additional moisture is still needed for sizing in New York, Pennsylvania, Maryland, Virginia, and West Virginia.

In New York, harvest was to get under way after Labor Day on Wealthys in the Lake Ontario region and on McIntosh in the Hudson Valley. Most New England States now have sufficient soil moisture for adequate fruit development. In the South Atlantic States many orchards are showing effects of the drought. Active picking of Red Delicious was expected to be in progress in each of the South Atlantic States by September 10.

Estimated production in the Central States totals 24.6 million bushels, about one million bushels less than a month ago and 13 percent below last year. Sizing has been affected in these States although drought conditions now have been largely alleviated in Indiana, Illinois, and Minnesota. Quality and color appear to be generally good. Picking in Michigan has been completed on early varieties and is now under way on McIntosh and Jonathans. Red Delicious are expected to start about mid-September. Harvest in Ohio is about a week or more ahead of usual with picking of Wealthy, McIntosh, Cortland, and Duchess varieties now under way. Picking of fall varieties is in progress in Kentucky, Tennessee, and Arkansas.

Indicated production in the Western States is up slightly from a month ago and is now estimated at 35.9 million bushels. This is 12 percent above last year but three percent below the average. Weather in Oregon and Washington was almost ideal during August with fruit sizing and coloring well. While there is a considerable volume of hail-marked fruit in Washington, much of it is expected to move to market because of its good color. Generally, picking in Oregon is expected to be a week to the days letter than usual ten days later than usual.

PEACHES: Production of 1962 crop peaches is estimated at 75.4 million bushels, down three percent from last year's near record crop, but 15 percent above the 1951-60 average. Excluding the California Clingstone peach crop, which is used almost exclusively for canning, production is estimated at 45.4 million bushels, down nine percent from last year but seven percent above average. During the past month crop prospects declined in many of the North Central and Middle Atlantic States, but were generally unchanged throughout the rest of the country. The principal exception is California where the forecast is above that of last month.

The California Clingstone crop is now estimated at a record high 30.0 million bushels (720,000 tons) compared with 28.3 million bushels expected a month ago and 27.8 million bushels harvested last year.

The California Freestone crop of 12.9 million bushels, the same estimate as last month is the fourth largest of record. Harvest of a good quality crop is nearly complete. The total California peach crop of 42.9 million bushels or 1,030,000 tons is a great high production. is a record high production.

In Michigan the crop is picking out lighter than expected. The 1.6 million bushel estimate is sharply below earlier forecasts—less than one-half of last year's turnout and only 57 percent of the 10-year average. Harvest is expected to be finished by mid-September. Other North Central States as well as Maryland, Virginia, and West Virginia are realizing a shorter crop than expected due to dry weather.

Harvest is virtually complete in the South Atlantic States with a generally good crop realized along the Atlantic Coast. In the New England States harvest is under way. Rains came in time to help sizing. Harvest of peaches in New York made good progress during August, and picking of Elbertas was expected to begin after Labor Day--nearly two weeks earlier than last year. The Lake Ontario crop is smaller than in 1961, but in the Hudson Valley production is turning out above last year.

Western States, other than California, have generally realized a good crop of peaches. However, in Idaho the crop was virtually foredoomed by severe freeze damage to trees last January. In Washington, harvest was expected to pass its peak by September 7. Many varieties tended to mature at the same time this season instead of showing the usual spread.

- over

\*

stot2 batter	L/V	ccc of i		012 301										
Lifornia		087 ,8		10, 300		10, 300	Cali	ifornia		34, 565		₹0° 562		42,918
aoge		2, 151		007 ,1		006,1	Oreg			450	_	430		047
notgnińa		22, 630		006,81		20, 200	SEM	hington		949 1	3	054 1/		2, 100
		386		200		420	กรส			482		210		062
че				320		380		orad <b>o</b>		665 'I	ε	006 1/		2,000
osixeM w		₹95		1,500		1, 400	Idah	_		314		081		SZ
lorado		341,1		005 1		1, 250	хэТ			<b>†</b> SS		089		220
oye		1, 326		1, 150				виошв		481		100		09
sastac		19		07		52		sas is i		26		S#1		Οħ
kansas		192		081		200				8SÞ 'I		005 'T		1,020
əəssəuu		295		270		370		susas				352		200
ntucky		315		290		320		iqqissis		312		001,1		006
sesur		122		240		061		pama.		203				140
imossi		933		00⊅ 'I		1, 100	Ten	messee		182		061		
W.S.		£61		320		260	Ken	tracky		812	net.	220		245
innesota		282		320		300	Geo	eigro		3,088	Ĺ.	1/2,200		4, 200
isconsin		£1.5 ,t		008,1		1,400	nos	th Carolina		4,213	i .	008 1/8		000 'Z
inginosi ieconein		10, 520		16,000		13,000	NOL	th Carolina		071,1		1,500		1,200
ichigan		052 01		000 31		000 27	Mes	st Virginia		669		092		029
		or o for		S' 200		2, 100	BILV	ginia		02# 'I		1,500		1,500
SIONIT		2, 315		005 6		001 6		ryland		69₺		450		420
				000 12		1,850		aware		48		SE		0₽
ansibi		1,525		1, 350		3,500	-	resu		811		135		06
oir		3, 205		3,500				imoss		420		009		320
orth Carolli		1, 554		2,300		2, 400		chigan		267 ,2		3, 450		1,600
est Virgini		£773		005'S		000 's	2 F TA	and Info		COL C		04, 6		
sinigu		SOS <u>'</u> 6		10,500		10, 000	CHOCK	07017		£Z8		048		059
aryland		1, 270		1,600		004,1	111	SIONI		648		OL O		
elaware		90£		300		290		400 M 1000 to 100		220		00₺		011
einsylvania		7, 028		008 6		8,500		sasi		328		007		004
ew Jersey		2,845		3,000		3,000	140			9\$6		2, 400		2,800
ew York		SO7 'LI		24, 100		50° 200		ginsylvania		2,666		007 6		2,500
onnecticut		1, 285		0St'I		1, 200	Ner	w Jeisey		2, 044		1, 700		
hode Island		162		200		081		w York		666		725		009
assachuset		2, 450		3, 150		2,900	CO	nnecticut		941		120		165
		<b>716</b>		096		1,200	ВР	ode Island		SI		6		01
ermont en crampa	2	1, 180		1, 450		1, 480		issachusetts		100		<b>S6</b>		011
ew Hampsl	0			2,000		059 '1	Ne	oringameh w		ÞΙ		ÞΙ		92
entel		1, 220		000 6		045 +	••							
		-	очт	nesurg pu	чѕі	- 213						nd buss	lenshel	-
	ï	09-1561	;	1961	;	1962	**		:	Average 1951-60	:	1961	:	Indicated 1962
	:	Average	:	7507	ō	Indicated	::	ລາກາດ		ODDION!	-	TTOTTON	75	
State	3			Squetton 2/			::_	State	:		ਪੋਰ	oduction		
		7 7	601	Commerci	-	IT don	2:		- 5			Реаспея		

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

2/ For some States in certain years production includes some quantities unharvested on account of economic conditions.

120, 195

United States

4/ U.S. totals for the 1951-60 average and for 1960 include production for States no longer estimated.

126,710

Howard D, Utter Agricultural Statistician

S68 'L4

995 '59/7

6Z₹ 'SZ

Robert H. Moats Agricultural Statistician In Charge

3\ Includes excess cullage of harvested fruit.

United States 4/110, 322

U. S. DEPARTMENT OF ACRICULTURE

U, S, DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinois

OFFICIAL BUSINESS



Illinois Fruit Production Prospects

Documents Division University of Hillinois Library Urbana, Hillinois A (3-Copies)

## ILLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



October 15, 1962

· · · · · · · · · · · · ·

PRODUCTION PROSPECTS - OCTOBER 1, 1962

#### ILLINOIS

Peach Production 25 Percent Below Last Year

The 1962 peach crop is estimated at 650,000 bushels, 25 percent below last year's estimate and 26 percent below the 1951-60 average. Failure and near failure due to winter kill in many orchards in the northern two-thirds of the State reduced the peach crop considerably. Also, the fruit sized smaller than normal in southwestern and southern areas where moisture shortages existed during July and August. Reports on sales indicate that a higher percent of the peach crop was graded this year than last year.

DESCRICTANT TO THE PROPERTY OF 
Growth Through Agricultural Progress

		PEACHES -	- Percent	of Sales and	Pri	ces by					,
:		1958	1	1959	3		1960	9	1961		962 1/
-	% of	: Price	: % of	: Price	:	% of	: Price	: % of	: Price	: % of	: Price
	all	: per	: all	: per	:	all	: per	: all	: per	: all	: per
	sales	: bushel	: sales	: bushel	1	sales	: bushel	: sales	: bushel	: sales	ı bushel
2" min, and up	46	\$2,35	60	\$2.70	.,	45	\$3.10	29	\$2.80	40	\$2.85
1 3/4" to 2"	4	1.75	4	1.95		4	2, 10	3	1.70	3	2.10
Ill, hail grade	1	1.80		Gen 1000		160 000	no m	Map 200	majo mine	1	1.60
Orchard run	41	1.95	22	1.85		45	1.30	60	2.20	46	2.30
Unclassified	8	1.40	14	1.40		6	2.35	8	1.55	10	1.55

1/ Preliminary estimates for 1962.

#### Apple Production Below Last Year

Apple production is estimated at 2, 100, 000 bushels, 16 percent below last year and 9 percent below the 10-year average. Size of fruit in most areas is smaller than last year with dry weather in the southern half of the State resulting in a reduction of yield. Harvest of the crop was about 60 percent completed on October 1.

Quality of the apple crop is generally good. Color ranges from good in the southern half to excellent in the northern half of the State.

#### UNITED STATES

The 1962 peach crop is estimated at 75.8 million bushels, down 3 percent from last year, but 16 percent above the 1951-60 average. Increases from last season occurred in the West and in the North Atlantic States while production decreased elsewhere.

Production of Clingstone peaches in California is now estimated at a record high 30.6 million bushels compared with 27.8 million bushels harvested last year. The estimates exclude that portion of the crop eliminated from production under the "green drop" program of the Clingstone Peach Marketing Order. Harvest of the California Clingstone crop was completed September 25. Quality and sizes were very good.

The California Freestone crop of 12.9 million bushels is the fourth largest of record. Harvest of this crop was virtually completed at the end of September.

The Nation's apple crop is estimated at 119,850,000 bushels, down 5 percent from last year, but 9 percent above average. Compared with last year, production prospects are equal or higher in all South Central and Western States except Colorado and Montana. In the Atlantic and North Central States, a lighter crop is forecast for all States except Vermont, North Carolina, Ohio, and Indiana.

In the Eastern States, the indicated production of 59, 160, 000 bushels is down 11 percent from last year. Late apples continued to size and quality and color are very good. Harvest of winter varieties is under way and movement into storage has started. Fruit damaged by the late July hailstorm in Pennsylvania healed well and many apples previously considered a total loss are being picked. In Virginia, harvest was well advanced by the end of September, with picking of Red Delicious complete in southern and Piedmont counties and approaching the end in the Winchester area. In West Virginia, quality is good, but extended dry weather resulted in small sizes. The North Carolina crop was over half harvested at the end of September.

The forecast of 24,065,000 bushels in Central States is down 15 percent from last year, but 12 percent above average. In Michigan apple harvest is two weeks ahead of schedule. Color and quality are very good but sizes are running small. Red Delicious apples sized better than the Jonathan and McIntosh, but are still smaller than usual. The exceptionally good quality of this year's crop has resulted in limited supplies for cider and juice plants. In Ohio, harvest of fall varieties was practically complete by October 1. Picking of winter varieties was under way the latter part of Septémber, with most active harvest expected during October. Sizes are small, but color and quality are good to excellent. Dry weather in southern Illinois resulted in a light crop. Harvest was past the half-way point by October 1.

Production in the Western States is now placed at 36.6 million bushels, up 2 percent from the September 1 forecast. This is 14 percent above last year, but 1 percent below average. In Washington, harvest has been slowed by unseasonably warm weather during September, which resulted in slow coloring. Weather during September in Oregon was favorable for good fruit development, although occasional heavy rains caused some limited drop. In the Hood River area where harvest is starting a good crop of Newtowns is expected, but Red Delicious failed to size. Harvest got under way about mid-September in the Milton-Freewater area. In California, harvest of late apples is advancing rapidly. While there have been reports of frost damage in some mountain counties, most of these areas have come through with good to excellent crops.

- OVER -

OCT 17 1997

State   1		2, 100 470 43, 545	210, 210 84, 750 84, 750	785 1, 646 205, 1 205, 1	Utah Washington Oregon California	470 000,12 000,12 005,01	200 16,900 1,700 10,300	22, 630 2, 151 8, 730	Utah Washington Oregon California
Mainteed   1, 220   2,000   1, 350   Meastending   1, 450   1, 250   1, 250   1, 250   Meastending   1, 251   2, 250   Meastending   2, 250   2, 200   Meastending   2, 250   2, 250   Meastending   2, 250   Meastending   2, 250   2, 250   2, 250   Meastending   2, 250   2, 250   Meastending   2, 250   2, 250   Meastending   2, 250   2,				665 1				₹9S	
State   1   1951-60   1   1962   1   1952   1   1953						1, 300		1, 146	
Althouse									
Maine   Massachusetts   Mass									
State   1   1951-60   1   1961   1961   1961   1961   1961   1961   1961   1961   1961   1961   1961   1961   1962   1962   1963   1964   1963   1964   1964   1965   1964   1965   19		07		. 26					
Maine   Massachusetts   Maine   Massachusetts   Maine   Main									
Michigan   1,220   2,000   1,300   1,450   1									
State   1961   1961   1961   1962   1961   1962   1961   1962   1963   1963   1964   1964   1964   1965						081			
State   1									
State   1   Average   1   1961   1   1962   1963   1964   1   1964   1   1965   1964   1   1965   1964   1   1965   1		2002 th		816					•
State   1			000 3/5	000 E					
State   Stat		000 2	008 278	7,17			10,000		
State   Thousand   Lithols   State						000 6	000 31	001 0,	* * * * * * * * * * * * * * * * * * * *
State   Average   Averag						S2 100	005 fz	S18 <sup>6</sup> Z	ITTINOIS
State   Thousand bushels   State   Thousand bushels   Thousand bushels   State   Thousand bushels   Thousa						007 0	001 0	270 0	5.0.1.1.1.
State   Production 2/2   State   State   Production 2/2   State   Production 2/2   State   State   State   Production 2/2   State						058 'I	0SE 'I	szs'ı	Indiana
State   Thousand bushels   State   S					Kansas	3, 700	3,500	3, 205	ordo
State		320	00S	027	imossiM	2, 500	2, 300	₽SS'I	
State   Production 2   State   State   Production 2   State   St		1,600	0St 'E	2,792	Michigan		2,500	£77, £	
State   Production 2\  State   State   State   State   Production 2\  State									
State   Production 2   State   State   State   Production 2   State		029	048	873	ITTINOIS				
State   Production 2   State   State   Production 2   State						560		306	
State   Production 2   State   State   Production 2   State								7, 028	
State   Production 2   State   State   Production 2   State		004		986				2,845	
State   Production 2   State   Production 2   State   Production 2   State		2, 700		2, 666					
State   Production 2\    State     Production 2\    State     State     Production 2\    State     State   State     State     State     State     State     State     State   State     State     State     State     State     State     State     State     State     State     State     State     State     State     State     State     State     State     State   State     S									
State   Production 2\    State     State     Production 2\    State     St									
State   Production 2\    State     State     Production 2\    State     St									
State       : Average : Av									
State : Average : 1961 : Indicated :: 1951-60 : 1951-60 : 1961 : Indicated :: 1951-60 : 1951-60 : 1962 : 1962 : 1962 : 1962 : 1962 : 1963 : 1964 : 1965 : 19									
State : State : State : State : 1961 : Indicated :: 1951-60 : 1961 : 1961 : 1962 : 1962 : 1962 : 1962 : 1962 : 1962 : 1962 : 1963 : 1963 : 1965 : 196		96	P i	P.I	aridampH wall	062 1	2 000	ncc t	paint
State : Production 2/ : State : Average : Indicated :: Indicated : indicated	-		nq pubsno				ysną puesnot		
\C antiqued			1961		: ::	Indicated	1961		1
		/	Production 2		: State :		Production 2/		t state
			Редспея		: ::	/I do.	Commercial Cr	'səlddA	:

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.  $\frac{1}{2}$ / For some States in certain years, production includes some quantities unharvested on account of economic conditions,  $\frac{3}{4}$ / Includes excess cullage of harvested fruit.  $\frac{1}{4}$ / U. S. totals for the 1951-60 average include production for States no longer estimated.

058,611

126,710

United States 4/65,566

Howard D. Utter Hosea S. Harkness Agricultural Statisticians

968 '44

908 'SZ

Robert H. Moats Agricultural Statistician In Charge

Total 35 States 4/110, 322

U. S. DEPARTMENT OF AGRICULTURE

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springifeld, Illinois



OFFICIAL BUSINESS

Production Prospects

Topments Division
University of Illinois Library
Urbana, Illinois
A (3-Copies)

9 338 1 IL66 £

## TNOTS COOPERATIVE CROP REPORTING SERVICE

HMINENSIA ST BEIMINS

November 16, 1962

ESE

ILLINOIS PRODUCTION PROSPECTS - NOVEMBER 1, 1962

Growth Through Agricultural Progress

A total of 2.2 million bushels of apples is estimated to have been produced this season in Illinois' commercial apple counties, 12 percent less than in 1961 and 5 percent less than the 1951-60 average. Harvest was nearly complete at the end of October.

Apples frequently ran small due to dry weather during the summer months, but rains in September improved sizing of late varieties. Quality generally was good. Hail damage was about average, and insect and disease problems were light except for fire blight in some southern orchards. Color was good to excellent, although limited in a few instances by warm weather in October.

#### UNITED STATES

The production of commercial apples is now estimated at 121,255,000 bushels, up about one percent from last month's forecast. At this level the crop would be 4 percent less than in 1961, but 10 percent above average. Harvest of late varieties continued through most of October and was virtually complete by November 1 in all major apple producing areas. Weather has been generally favorable for harvesting operations and quality is good.

The Eastern crop, estimated at 59.5 million bushels, is a little larger than expected on October 1, but considerably below last year's production. Much of this reduction is in the North Atlantic States, especially New York and Pennsylvania. The estimate of apple production in the Central States, virtually unchanged from last month, is 15 percent below last year due mainly to lower production in Michigan. The estimated production of 37,635,000 bushels for the Western States is up nearly 3 percent from last month and is 17 percent above 1961. The increase over last month is due chiefly to an increase in the estimate for Washington.

Favorable weather prevailed throughout the harvest season in New York. Picking was virtually over by the end of October in the Hudson Valley and was expected to end in early November in the Lake Ontario area. Quality and color of the fruit in both areas has been excellent and late varieties sized well. In New Jersey and Pennsylvania harvest is complete except for a few Romes and Staymans. In New England a few McIntosh still remain to be harvested. Apple harvest in Virginia and West Virginia is complete except for a few Yorks in the northern part of the Shenandoah Valley, where some of the remaining fruit has been damaged by the late October freeze.

Harvest of apples in the Central States is in the final stages. Sizes have been small but quality and color have been excellent. Damage from hail, insects, and disease has been minor this season.

In the Western States, limited harvest of late varieties continued into early November in most areas. In Washington, apples generally sized well and the crop is now estimated at 22.0 million bushels -- up 1.0 million from a month ago and 30 percent above last year's short crop. Apples in Washington were slow to color due to warm weather and some apples were left on trees beyond the desirable picking time. However, quality generally has been good and harvest was nearly complete by November 1. Harvest was delayed in Oregon due to the heavy rainstorm during October, and some fruit was blown from trees. In California, some fruit was also blown down, but is expected to be utilized with minimum loss.

- OVER -

## APPLES, COMMERCIAL CROP 1/

121 256	012 96	919 801/7	7/110 333	
359'15	32, 160	32,020	966 '98	Total Western States:
10,300	10, 300	068'8	087,8	California :
000'Z	004'1	008'I _	191'7	: noge TO
000,22	006 '91	3/16,500	089,52	: notgainesW
430	200	230	988	Utah .
380	370	082	₹99	New Mexico
1,300	005'I	008	9₹1'1	Colorado :
1,200	1, 150	009	1,326	: odsbl
97	0₺	07	19	Montana .
20			- /	Western States:
081,45	092,82	099'87	21,432	Total Central States:
522	180	300	197	Arkansas :
007	072	430	967	Tennessee :
375	067	09₹	315	Kentucky:
081	042	012	122	Ksnsas :
1, 250	00 <del>1</del> '1	1,250	556	: impasiM
097	350	091	161	Iowa
062	075	082	282	Minnesota:
00£,1	008'1	074,1	515'1	Wisconsin :
000,51	000 '91	005,11	022,01	Michigan
002,2	000 71	2, 100	2,315	Bionill
058,I	1,350	006 'I	1,525	Indiana
3,700	005,5	3,700	3,205	орто
002 €	3 500	002 2	3000	Central States:
067'69	008'99	078,52	968'IS	Lotsl Eastern States:
2,700	2,300	2,500	₹99'I	North Carolina:
000'9	005.5	007, £	£77,4	West Virginia :
008,6	10, 500	10,200	909'6	Virginia :
00% 0	009'I	1,300	1,270	Maryland:
097	300	097	908	Delaware :
007,8	008'6	000,7	820,7	Pennsylvania :
006 '7	000 'E	000 2	248,2	New Jersey :
000 '07	24, 100	003,71	304,71	New York :
1,300	057 'I	1,050	282,1	Connecticut :
180	200	120	791	Rhode Island
	002 051 'E	022,2	024,45	Massachusetts :
002,1	096	1,030	\$16	Vermont
	054 , I	1,050	081,1	New Hampshire
1,400	097 1		022,1	Maine
1,750	2,000	1,420	1 220	Sastern States:
				:
	q pagera -	ursanodT -		•
7961	- alahela -	110	09-1561	•
: 1962	1961 - 1961	0 961	Average 1951-60	Tea and State :

I/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State. 2/ For some States in certain years, production includes some quantities unharvested on account of economic conditions. Estimates of such quantities were as follows (1,000 bushels): 1961-New Hampshire, 7; Massachusetts, 32; Connecticut, 80; New York, 1,084; Pennsylvania, 98, 3/ Includes 100,000 bushels excess cullage of harvested fruit, 4/ U. S. totals for the 1951-60 average and for 1960 include production for States no longer estimated.

515,801/\$ 525,011/\$ :

Burton R. Miller Agricultural Statistician Robert H. Moats
Agricultural Statistician In Charge

N° 2° DEBARTMENT OF ACRICULTURE POSTAGE AND FEES PAID

121,255

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois

United States



Illinois Fruit Production Prospects

Documents Division
University of Illinois Library
Urbana, Illinois
A (3-Coples)

126,710

9 338.1 Il66f

eop. 2

ILLINOIS COOPERATIVE CROP REPORTING SERVICE



December 18, 1962

. . . 9

### 1962 PRODUCTION




Growth Through Agricultural Progress

ILLINOIS: The commercial apple crop in 1962 totaled 2.2 million bushels, 12 percent below the 1961 crop of 2.5 million bushels and 5 percent below the

1951-60 average. Dry weather during late summer limited sizing of the crop in most areas, but particularly in southwestern counties. Scattered reports of wind and hail damage occurred in most areas of the State, and in the South a number of growers reported damage from fire blight. In general, disease, insect, wind, and hail damage were light.

Reduced production along with good demand for apples resulted in prices to growers considerably above those of recent years. The season average price for sales up to November 1 was \$2.35 per bushel. This compares with \$2.00 received in 1961, \$2.25 in 1960, and \$2.05 in 1959.



- \* Transparent makes up about 86,000 bu. and Duchess about 146,000 bu. of All Summer Varieties.

  \*\* Willow Twig makes up about 60,000 bu. of the 110,000 bu. of Other Winter Varieties.

  \*\* Illinois Cree Meverling Service

## Illinois Crop Reporting Service

## APPLES - COMMERCIAL PRODUCTION BY VARIETIES, ILLINOIS 1962 (Percent of Total) Delicious Duchess 12% Beauty ayman 2% Jonathan 24% Wealthy 2% Winesap 2% All Other 4% Golden Delicious 34% All Other is made up of Other Summer 1 percent, Other Fall 1 percent, and Other Winter 2 percent

Illinois Crop Reporting Service

#### APPLE PRODUCTION BY VARIETIES

Summer Variety Production Below Last Year

Production of summer varieties totaled 264, 000 down 12 percent from last year and 4 percent below -60 average. Transparent made up about 86,000 the 1951-60 average. Transparent made up about 86, 0 and Duchess about 145, 000 bushels of the summer crop.

Illinois Fourth in Jonathan Production

Illinois ranked fourth in the nation in the production of Jonathan apples, with 7 percent of the U.S. production of this variety. Michigan leads with 3.0 million bushels or 39 percent of the Nation's production, Jonathan accounted for 24 percent of the total Illinois apple production and 84 percent of the fall varieties. Fall varieties accounted for 28 percent of the total State production of all apples. Wealthy production was 11 percent below last year while Grimes Golden was 76 percent above 1961.

Illinois Fourth in Golden Delicious Production

Golden Delicious production in Illinois in 1962 was 748,000 bushels, 6 percent below last year and accounted for 8 percent of U. S. production. Washington, Virginia, and Pennsylvania led in Golden Delicious production with 2,574,000 bushels, 872,000 bushels, and 757 bushels, respectively. Golden Delicious accounted for 57 percent of Illinois production of all winter varieties. Winter varieties Illinois production of all winter varieties. Winter varieties amounted to 1, 309, 000 bushels; 60 percent of the State crop. Delicious production was 264, 000 bushels in 1962 compared to 188,000 in 1961.

> THE LIDIARY OF THE DEC 27 1962 UNIVERSITY OF LEANING

UNITED STATES: Commercial apple production in 1962 totaled 121.4 million bushels, down 5.3 million bushels or 4 percent in Western States was more than offset by lower production in important Central and Eastern States. Production of winter varieties accounted for 104.4 million bushels, and summer accounted for 104.4 million bushels, production for each of these seasonal groups was below last year.

Declines in production from 1961 were registered for all but 4 varieties—Crimes Golden, Black Twig, Delicious, and Golden Delicious. Production of the Delicious variety increased 20 percent to 28.8 million bushels—the largest Delicious crop on record—with most of the increase occurring in Washington. Delicious was the leading variety, are usual, followed by McIntosh, Rome Beauty, Golden Delicious production has increased rapidly in all regions since 1955 when this variety ranked twelith. In 1962 Golden Delicious was the long fourth most important variety with a groduction of 9.0 million bushels.

Production of McIntosh at 16.6 million bushels was down 16 percent from last year's record level but held firmly to second position among the varieties. This variety is grown primarily in New York, New England, and Michigan. Crowers harvested their second largest crop of Rome Beauty apples in 1962. Although production at 9.2 million bushels, was nearly equal to last year's record level, Romes were almost displaced by Golden Delicious as the third most important variety. New York and Pennsylvania are the leading producers of Rome Beauty accounting for about one-third of the 1962 crop. The fifth ranking variety was Jonathan and accounted for 7.8 million bushels, 39 percent of which were grown in Michigan. Winesap production has declined sharply in the last five years and the 1962 harvest of which were grown in Michigan. Winesap production has declined sharply in and accounted for 7.8 million bushels, 39 percent of which have grown in Michigan. Winesap production has declined sharply in the last five years and the 1962 harvest of which have compared with 12.1 million bushels harvested in 1957. Washington primary producer of this variety with three-fourths of the total 1962 harvest. Production of York Imperial apples is limited primary producer of this variety which three-fourths of the total 1962 harvest. Production of York Imperial apples is limited primary producer of this variety where 93 percent of this year's York crop of 6.3 million bushels was harvested.

Production of minor varieties generally has been declining in recent years in contrast to general increases for most major variety this variety in Michigan. Production of Wealthy was down 24 percent; R.I., Greening down 22 percent; and Ben Davis and Gano down 18 percent from 1961.

bushels or 30 percent. Apple production was down from 1961 in many of the States with Michigan showing the sharpest percentage drop--down 25 percent. New York was down 17 percent from last year's big crop; Pennsylvania down 11 percent and Wisconsin 22 percent. However, these four States still had above average crops. Leading the States with increases over last year was Washington, up 5.1 million

Statistician In Charge

Total All Varieties	2,315	2,500	2,200	92, 675	107,441	104, 36
Other Winter	SSS	88	110	5, 124	290'S	4, 73
York Imperial	***			209 'S	087 '9	608 '9
Yellow Newtown	940 010	000 000		841 ,4	3,817	3,682
Winesap	89	SZ	<b> ** ** ** ** ** ** ** </b>	₹88'6	785,8	7, 300
Stayman	32	0\$	<b></b>	988'S	7,211	295 '9
Rome Beauty	89	SZ	SS	967 'L	S87 '6	91 '6
R. I. Greening	one gen	cop (ren	000 000	2,677	3, 730	7,91
Northern Spy	-	000 000	need tests	5,535	3, 743	2, 135
McIntosh	00 Tek		000 000	13,655	198,91	16,63
Golden Delicious	<b>₹</b> 49	006	8⊉7	017, A	7,843	46'8
Delicious	661	881	₹97	Z3, 264	23, 928	28, 777
Cortland	3 00 00	oter and	100 100	3,090	3,845	90s'E
Black Twig	gen (m)	mer min	90 84	€6₽	203	24(
Ben Davis & Cano	30	32	₽₽	6St 'I	1, 300	90 '1
Baldwin	900 GM		-	450 '8	2,576	2, 36
Vinter	a arms my my teams.					
Other Fall	SZ	32	33	016,1	1,934	1,53
Wealthy	98	05	33	1, 685	<b>ZSS'I</b>	1, 17
Jonathan	869	725	228	E75,7	640'6	7,82
Crimes Colden	<b></b>	SZ	55	849 T	1, 142	1,255
ILE	, ,			-,-,		
Other Summer	942	300	₹92	SIS'Z	₹9°2	S '2
Gravenstein	-		000 mile	2,517	2,963	2, 683
ummer						
	оцц -	usud bursi	<b>–</b> alə	smoul -	eysnq pur	- sī
arieties	9-1561:		2961 ;	: 09-1561:	TOST	2961
and	: Average	1961	C301	: Average:	1961	CAOL
pples, commercial eason	:	ILLINOIS		LINO :	ED STAT	E2

commercial areas of each State. 1/ Estimates of commercial crop refer to the total production of apples in the

	AGRICULTURE	WENT OF	DEPART	°S	.U
ĺ	Agricultura	Moats,	.H 319	qo	Я

production of apples in the commercial areas of each State. 2\ Minnesota, Iowa, Nebraska, Estimates for Nebraska discontinued beginning with the 1961 crop season. 3\ Montana, New Mexico, and Utah.

1/ Estimates of commercial crop refer to total

2, 151 8, 730 1, 011

1, 621 1, 326 1, 146 12, 630

: 1951-60:

United States

Oregon California

Colorado Washington Idaho

State

Other States 3/

Missouri Other States 2/

 New England
 7, 211

 New York
 17, 405

 New York
 2, 845

 New Jersey
 2, 845

 Pennsylvania
 7, 028

 Virginia
 4, 773

 West Virginia
 4, 773

 North Carolina
 1, 556

 North Carolina
 1, 526

 Indiana
 1, 526

 Ohio
 3, 205

 Michigan
 1, 520

 Michigan
 1, 520

 Michigan
 1, 520

 Wichier
 1, 520

 Wisconsin
 1, 313

 Wisconsin
 1, 313

 Wisconsin
 1, 313

 Wisconsin
 1, 313

 Other States 2/
 1, 621

Apple Production - 1962

110, 322 126, 710 121, 390

1, 700 1, 500 1, 500 1, 500 1, 500

2, 300 1, 350 1, 350 1, 350 1, 350 1, 350

1961 Production

Crop Apples, Commercial Crop 1/

009 10, 500 006'1 008'6 3,000 9,200

019

004 00Þ

832

2, 700 2, 700 2, 200 1, 300 2, 200 1, 700 1,

20, 000 2, 700 2, 000 3, 000 8, 500 2, 700 2, 700 2, 700

H. James Tippett, Agr. Statistician

O\* 2\* DEPARTMENT OF ACRICULTURE POSTAGE AND FEES PAID

P. O. Box 429, Springfield, Illinois

**OFFICIAL BUSINESS** 

(seldod-2) Urbana, Illinois University of Illinois Library Documents Division

a 1 houghthand grant of

1962 Production

COLOR 2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE

FRUIT

NW NE
W C E
WSW ESE

July 24, 1963

#### ILLINOIS PRODUCTION PROSPECTS

Apple Production Below a Year Ago

Apple production in Illinois commercial counties is estimated at 1.8 million bushels--14 percent below last year and 22 percent below the 1957-61 average. Late frosts caused a poor set of fruit and an excessive drop in many areas. Moisture shortages in some orchards has limited sizing of fruit. Hail damage has been common. Harvest of early varieties began a few days earlier than usual.

Peach Prospects Lowest Since 1930

The Illinois peach crop, estimated at 120,000 bushels, is only 18 percent of last year's crop of 650,000 bushels and only 14 percent of the 1957-61 average. If peach prospects do not improve, this year's crop will be below the 1955 crop of 130,000 bushels and the smallest since the 1930 crop of 39,000 bushels. Extremely low temperatures for a prolonged period this past winter caused complete or near failure in most orchards. Prospects are good in the southern Calhoun County area and fair in the Grafton to Chester area. Elsewhere, the crop is poor to nonexistent, depending to a considerable degree on individual orchard elevation and available air drainage.

#### UNITED STATES

The U.S. commercial apple crop is estimated at 116.3 million bushels, 7 percent from last year and 4 percent below the 1957-61 average of 121.7 million bushels. Smaller crops are in prospect throughout the Eastern States with the exceptions of New England, Delaware, and Maryland. In the Central States only Missouri expects a larger crop than last year. Production prospects in Western States vary sharply but point to a net increase of 3 percent over last year and the average for that area. Of the five leading apple States, (Washington, New York, Michigan, Virginia, and California) which normally account for about 62 percent of total production, only Washington has prospects for a larger crop than last

Winter kill of fruit buds was not excessive but killing frosts in late May reduced prospects in most Central States and eastward into New York, Pennsylvania, West Virginia, Virginia, and in parts of Maryland and New Jersey. Excessive rains in California limited bee activity at the time of bloom, and cool, wet weather reduced pollination in most Western areas. Weather conditions across the country during June were generally favorable for disease and insect control and for sizing of early apples.

All New England States except Rhode Island expect a larger crop than lastyear. The Pennsylvania crop is spotted and an excessive June drop will reduce the overall crop. However, sizes may be somewhat better on trees that have a light crop. Apple production prospects vary widely in Virginia with a smaller crop expected because of freeze damage. There has been little damage from insects and disease throughout the Eastern States. In Maryland harvest of some early varieties started in late June on the Eastern Shore and despite freeze damage in western Maryland, a crop equal to last year and near average is expected to materialize.

In Michigan, the apple crop varies sharply with a heavy crop of Spys, a light crop of Red Delicious and McIntosh, and fair prospects for other varieties. Frost on May 23 resulted in a heavier than normal drop. A heavy June drop in Ohio was an important factor in reducing that State's prospects. Total output in the Central States is placed at 20.1 million bushels, down nearly 20 percent from last year and 19 percent below average. In this region, only Wisconsin, Missouri, Arkansas, and Iowa expect a crop equal to or above last year.

In the eight Western producing States a crop of 39.1 million bushels is expected, up 3 percent from last year's average sized crop of 37.8 million bushels. The four Northwestern States of Washington, Oregon, Montana, and Idaho all expect larger crops than in 1962 while the other four Western States expect smaller crops. The Washington crop is forecast at 26.5 million bushels, up 24 percent from last year and 15 percent above average. The 5.1 million bushel increase expected in Washington is nearly offset by a 4.1 million bushel decline indicated in California. The California apple forecast is for 6.8 million bushels, down 38 percent from last year and 29 percent below average.

The U. S. peach crop is estimated at 73.1 million bushels, down 1 percent from a month earlier, nearly 4 percent below last year, and 6 percent below 1961 but 1 percent above the average. The decline from last month was caused by the elimination of part of California's Clingstone production through a "green drop" program put into effect by the California Cling Peach Advisory Board. U. S. production excluding the California Clingstone crop is estimated at 43.0 million bushels, up 2 percent from the June forecast but 5 percent below last year and 10 percent below average.

The California Clingstone crop is estimated at 30.1 million bushels, compared with the 1962 crop of 30.6 million and the 1961 crop of 27.8 million. The estimate is 23 percent above the 1957-61 average of 24.4 million bushels. Harvest of the crop is expected to start somewhat later than usual. The California Freestone crop forecast is 12.5 million bushels, 3 percent smaller than in 1962 but about the same as in 1961 and the average. Fruit is sizing well and harvest in the San Joaquin Valley continues.

As of July 1 harvest was in full swing throughout most Southern States. Picking was general in the southern, central, and Ridge areas of South Carolina, and most of Georgia's peaches were coming from middle Georgia. Alabama and Mississippi were harvesting mid-season varieties such as Southland and Halehaven while the bulk of the Louisiana crop had been harvested by July 1. Arkansas was picking Redhaven and Fair Beauty varieties.

All North Central States, with the exception of Michigan, expect a much smaller crop than a year earlier. The indicated Michigan crop is 12 percent larger than last year.

In Colorado production is down sharply from a year earlier. The decline in production is the result of damage to orchards during January when temperatures were extremely low. Many growers reported trees were dead. The crop in Washington was also damaged by cold weather in January and spring frosts that hit the crop when it was in the blooming stage.

OVER -

Illinois Department of Agriculture Division of Agricultural Statistics

	000 1 1 1 000 1 1 1 000 1 1 1 000 1 1 1 000 1 1 1 000	000 (1 00	2,660 424 424 424 425 425 425 425 426 427 426 427 428 428 429 429 424 424 424 425 426 427 428 428 429 429 420 421 421 422 423 424 425 426 427 427 428 428 429 429 420 420 420 420 420 420 420 420	Pennsylvania Ohio Indiana Michigan Missouri Kansas Delaware West Virginia Worth Carolina South Carolina Ceorgia Kentucky Tennessee Alabama Missishph Missishph Arkansas Oklahoma Tennessee Alabama Missishph Missishph Tennessee Alabama Missishph Missishph Missishph Missishph Tennessee Alabama	20,000 2,400 2,500 2,500 2,500 1	2, 200 2,	2030, 22 3080, 22 3080, 22 3080, 22 3080, 23 31, 162 31, 162 31, 163 31, 163	New York New Jersey Pennsylvania Delaware Wayland Virginia Worth Carolina Ohio Indiana ILLINOIS Misconsin
		002	926					
	006,1	2, 300	042,2	New Jersey	1, 350	1, 220	1, 326	Comecticut
	000	220	659	New York	IZO	081	871	Phode Island
	130	091	135	Connecticut	3, 100	5, 900	2,824	Massachusetts
	II	OI	11	Rhode Island	1,250	1,200	8⊉6	Vermont
	130	140	105	Massachusetts	1,500	1, 400	मार्गा	New Hampshire
	₽S.	24	91	New Hampshire	001,S	006,1	<b>₽69 1</b>	Maine
-		aysnq pursn			- s[:	eysnq pursno	р4Т -	
	1963	7961	19-7261	: ::	1963	: 2961	: 19-7261	9
P	Indicate	Production 2/	: agraevA	-: State :-	Indicated	Production 2/	Average:	-: State
		Peaches 24		: :-	/ī do	Commercial Cre		-
		o do do d		• • • • • • • • • • • • • • • • • • • •	/1 40	- J [violottiato]	Jolaan	•

 $\underline{1}$  Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

2/ For some States in certain years production includes some quantities unharvested on account of economic conditions.

116,330

 $\frac{3}{4}$  The 1957-61 average includes production for States no longer estimated.

125, 425

4/ Includes excess cullage of harvested fruit.

United States 3/121, 734

H. James Tippett Burton R. Miller Agricultural Statisticians

3/72, 130

Robert H. Moats Agricultural Statistician In Charge

N° 2° DEPARTMENT OF ACRICULTURE POSTACE AND FEES PAID

684 '\$4

73, 133

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinois



OFFICIAL BUSINESS

Illinois Fruit Production Prospects

(aeigoD-E) A Urbana, Illinois University of Illinois Library Documents Division

9 338.1.) TI (66 + )

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

## FRUIT



ILLINOIS PRODUCTION PROSPECTS AND TREE PLANTINGS-AUGUST 1, 1963

Apple Production Down From Last Year

Apple production in Illinois' commercial counties is estimated to be two million bushels.—5 percent below last year and 13 percent below the 1957-61 average. Hail damage affected scattered areas but does not seem to have been a major factor. Generally, the fruit looks good and insect and disease problems are low. Some Wealthy harvest occurred in July with Jonathan expected to be harvested in late August and mid-September. Golden Delicious, Delicious, and Grimes Golden varieties are not expected to be harvested until mid-September and early October.

Peach Prospects Improve But Production Lowest in Eight Years

The Illinois peach crop, estimated at 140,000 bushels is 78 percent below last year and 83 percent below the 1957-61 average. This will be the lowest production since 1955 when production fell to 130,000 bushels. However, prospects have improved since July due to favorable growing conditions. Harvest of early peaches was underway in mid-July. Elberta harvest was expected to begin about August 10.

#### New Tree Plantings

Apple trees set during the year ending April 30, 1963 account for about two-tenths of the non-bearing trees in reporting orchards. Golden Delicious was the leading variety planted and accounted for more than one-third of the total planting. These plantings, along with Jonathan, Red Delicious, and Starkrimson, accounted for 84 percent of all plantings in orchards reporting.

Peach trees set during the year account for over one-half of the reported non-bearing trees. Red Skins was the leading variety planted, accounting for 13 percent of the plantings. Elberta and Red Haven, along with Red Skins accounted for over one-third of the plantings in reporting orchards.

#### UNITED STATES

APPLES: The United States Commercial apple crop is estimated at 117.9 million bushels, up 1 percent or 1.6 million bushels from the July 1 forecast. This estimate is 6 percent below last year's production and 3 percent less than average. Production prospects are up from last month in each of the 3 major areas. Estimates by regions are as follows: Eastern 57.5 million bushels, 8 percent below last year and 3 percent below average; Central 20.6 million bushels, 18 percent below 1962 and 17 percent below average; Western 39.8 million bushels, 5 percent above last year and the average.

Apple prospects declined during July in all New England States except New Hampshire and Rhode Island where prospects are unchanged. The decrease in prospects was the result in part of hot, dry weather. In New York, frost damage was somewhat less than estimated earlier and prospects are up 500,000 bushels from last month. Both the Lake Ontario region and Champlain Valley were dry, but in the Hudson Valley, rainfall has been normal to well above normal. In the Lake Ontario area, McIntosh, Rhode Island Greening and Rome crops are expected to be larger than last'year. The Cortland crop is expected to be about equal to last year, but Delicious and Baldwin prospects are down from 1962. The Hudson Valley will have smaller crops of all varieties. Size of apples in this region are generally larger than last year when rainfall was short. The Champlain Valley has prospects for a very good crop, but rainfall is now a limiting factor.

While many orchards in New Jersey show the effects of inadequate rainfall, irrigation in some orchards plus thunder-shower activity has kept the crop growing. Sizes are somewhat smaller than usual and apples have been slow to color because of unusually high temperatures. Pennsylvania apple trees set a bumper crop, but an unusually heavy drop occurred and a smaller crop than last year is in prospect.

The crop in Maryland is sizing well, but soil moisture supplies are getting short in some areas. Prospects are good for Golden Delicious and Rome varieties. In North Carolina, ample moisture was available during July in the major apple-producing areas. The fruit has more color than usual and harvest is expected to start about five days earlier than last year. In Ohio, a small crop is in prospect because of late spring freezes. Michigan apple prospects are up from last month, but still much below last year's production and 1.3 million bushels below average. An apple crop of 1,250,000 bushels is forecast for Idaho, the largest crop since 1959. Washington apple prospects are up slightly from last month, with the crop expected to be 25 percent above the 1962 crop and 16 percent more than average. The apple crop in California is now expected to be 7,200,000 bushels, up 400,000 bushels from last month. The apple crop is late in the Watsonville District but some Delicious may be picked in late August or early September. Soil moisture was generally good in the apple producing areas.

PEACHES: Production of 73.0 million bushels of peaches is now expected for 1963, down 4 percent from last year's large crop

PEACHES: Production of 73.0 million bushels of peaches is now expected for 1963, down 4 percent from last year's large crop but 1 percent above average. Excluding the California Clingstone crop, which is used primarily for canning, the U. S. crop would be 42.9 million bushels, down 5 percent from last year and 10 percent below average. The California Clingstone crop estimate is 30.1 million bushels (723,000 tons), down nearly 2 percent from last year but 23 percent above average. Harvest of California Freestone peaches is making rapid progress, although cool nights retarded maturity somewhat. The crop is forecast at 12.5 million bushels, the same as average but slightly below the 12.9 million bushels harvested in 1962. Peach production in the nine Southern States has generally exceeded early season expectations, although the August 1 estimate for this region is 1 percent below a month ago. The estimated crop of 18.7 million bushels is the largest since the 1946 harvest, 26 percent above last year and 20 percent above average. Drought conditions in Virginia reduced overall prospects in that State. Elsewhere in the Eastern and Central States, prospects are holding steady or are improved over a month ago. Peach production prospects in Western States (other than California) generally weakened during July.

•		New I	Plantings A	pple and Peac	h Trees, May 1, 1962 -	April 30, 1963	
Λ	APPLES		:		P	EACHES	
Variety : P	ercent	of total	plantings:	Variety	: Percent of total planti:	ngs: Variety	: Percent of total plantings
Golden Delicious		35	:	Red Skin	13	J. H. Hale	2
Jonathan		21	:	Elberta	11	Rio-Oso-Gen	n 2
Red Delicious		16	:	Red Haven	10	Belle of Geor	gia 1
Starkrimson		12		Hale Haven	9	Blake	1
Stark Delicious		6	:	Rich Haven	8	Late Glow	1
Blaze		2	1	Sun Haven	6	Other (12 var	ieties) 11
Transparent and I	Lodi	2	\$	Jefferson	5		100
Rome Beauty		2	3	Red Elberta	5		
McIntosh		1	\$	Washington	4		
Stark Gold		1	:	July Elberta	3		
Winesap		1	:	Hale	3		
Other (9 varieties	f a	1	:	Red Glow	3		
	,	100	:	Early Elberta	2		
					OVED		

041 000,1 030 830,24	\$\frac{15}{\pi}\$ \$\frac	828,86 878,86 878,86	Utah Washington Oregon California	2°, 200 2°, 400 2°, 200 390	430 21, 400 2, 200 10, 900	215, 680 2, 5092 2, 516	Utah: Washington Oregon California
970	008'I/\$	1, 634 352	Colorado	088	025	£\$\$	New Mexico
081	SZ	747	Idaho	051'1	1, 300	1,080	Colorado
094	220	089	Техая	1,250	1,000	1, 162	Idaho
OII	09	₽₽ I	Окјарошв	0₺	SZ	42	Montana
091	0₹	142	Louisiana	200	525	061	Arkansas
1, 750	1,020	989 '1	Arkansas	220	00Þ	340	Tennessee
350	200	304	iqqississiM	220	375	345	Kentucky
1, 150	006	1,025	Alabama	O₽1	081	530	Kansas
22	091	991	Tennessee	1,200	1, 250	1, 158	İmossiM
52	245	536	Кептиску	260	260	228	Iowa
009 'S 00S 'Z	005 7/1	4, 340	Georgia	562	380	333	Minnesota
005 Z	009 (9/1	076 S	South Carolina	1,400	001,1	1,536	Wisconsin
004	00½ °¥	1, 350	West Virginia North Carolina	11,500	13,000	12,780	Michigan
000,1	002 'I	017 646 1, 546	Virginia PiripiiV teaW	000 (7)	007 (7	000 (#	0.7.0.1.7.7.7.7
320	005 <u>r</u> 05t/t	29ħ	Maryland	000,3	2, 100	2, 308	ITTINOIS
050	St	6 <del>7</del>	Delaware	\$86	028 1	8£7 ,1	Indiana
St	\$6	138	Kansas	2,200	3, 700	3,460	Oldo
SZO	320	65 <u>4</u>	Missouri	2,300	2, 700	2,070	North Carolina
008,1	009'1	3, 380	Michigan	008,4	2, 200	086 '5	West Virginia
	,			8, 200	059 '6	10, 160	Virginia
041	029	2 <del>1</del> 8	ITTINOIS	1,400	1, 350	914°1	Maryland
				082	280	312	Delaware
01	100	<b>₽</b> Z₽	ansibal	005 '8	00½ 6	049 '8	Pennsylvania
0\$	002	₹76	Ohlo	2,500	2,800	2,880	New Jersey
2,000	2,600	2,660	Pennsylvania	50,500	22, 300	19,920	New York
2,000	2, 300	2,240	New Jerzey	1,300	1, 220	1, 326	Connecticut
009	OSS	629	, New York	120	081	821	Rhode Island
135	091	135	Connecticut	000 °ε	2,900	2,824	Massachusetts
11	01	11	Rhode Island	1,200	1, 200	8₹6	Vermont
135	140	102	Massachusetts	1,500	1,400	ग्रेकार	New Hampshire
2₫	54	91	New Hampshire	006,1	006,1	769 T	Maine
	nq pursnouL	-		- spays	nq pursnouL	-	
£961 :	1967	19-7891 :	* D • 0	£961 :	2961	19-7861	:
: Indicated		эдетэуА:	- :: State	: Indicated		Average	State
	Production 2/		**		Production 2		: 04045
	Беасћеѕ		::	/1 do:	Commercial Cr	səlaaA	•

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

117,930

United States

2/ For some States in certain years production includes some quantities unharvested on account of economic conditions.

 $\frac{3}{4}$  The 1957-61 average includes production for States no longer estimated.

125, 425

4/ Includes excess cullage of harvested fruit.

United States 3/121, 734

Gerald L. Clampet H. James Tippett Burton R. Miller Agricultural Statisticians

Robert H. Moats Agricultural Statistician in Charge

U. S. DEPARTMENT OF AGRICULTURE

HAINEBRILL DE IFFINDIS

E361 22 2UA

THE LIBRARY OF THE

886,27

684 'SA

3/72, 130

OFFICIAL BUSINESS

P. O. BOX 429, SPRINGFIELD, ILLINOIS 62705 V. S. DEPARTMENT OF ACRICULTURE

Illinois Production Prospects and Tree Plantings - August 1, 1963

(asiqoD-Z) A Urbana, Illinois University of Illinois Library Documents Division

1 266 f Cap. 2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE



September 12, 1963

ILLINOIS PRODUCTION PROSPECTS - SEPTEMBER 1, 1963

Apple Prospects Continue To Be Down From Last Year

Apple production in Illinois' commercial counties is estimated to be two million bushels, the same as a month earlier, but five percent below last year and thirteen percent below the 1957-61 average. Cool weather has aided color development in many areas. Size of fruit varies from small to medium in scattered areas, due to some moisture shortages. Jonathan harvest is just about completed with Grimes Golden, Golden Delicious, and Delicious just beginning the first week of September. Stayman and Winesap picking will begin toward the end of the month and Willow Twig about mid-October.

#### Peach Prospects Continue To Be Poor

Illinois' peach production, still estimated at 140,000 bushels, is the smallest crop since 1955. It is 78 percent below the 1957-61 average. Trees have been reported to be recovering from the winter freeze which caused this year's poor production. Harvest was virtually completed by the end of August.

#### UNITED STATES

APPLES: Prospective production of apples increased during the past month in all regions with the U. S. crop now forecast at 122 million bushels, 3 percent below last year but about average. The Eastern States with a near average crop of 59.4 million bushels show a five percent decline from last year's 62.5 million bushels. The forecast for the Central States is 20.7 million bushels, 18 percent smaller than the 25.1 million bushels produced in 1962 and 16 percent below average. The Western States show an 11 percent increase over last year with 42.1 million bushels now estimated for that region--also 11 percent above average.

August rains helped apple prospects throughout much of the Atlantic Coast area, where a shortage of moisture had threatened the sizing of the fruit. Cool nights during recent weeks helped apples develop a good color throughout most of the East Coast. Although dry weather in New England limited sizing, production for the area is expected to be larger than in 1962 and above average. Color is good and apples show little damage from insects and disease. New York has had enough rainfall this season to insure good sizing of fruit in most orchards. Harvest of summer apples was about finished by September 1, and in the Lake Ontario area, growers expected to start picking Wealthys about September 6. Production of R. I. Greenings, McIntosh, and Romes in the Lake Ontario area is expected to be larger than last year. Hudson Valley growers expect more McIntosh but a smaller production of other varieties than in 1962. Harvest of McIntosh in the Hudson Valley was expected to begin about September 11.

Although New Jersey received some rainfall, the subsoil continued dry. Golden Delicious show considerable russeting. Pennsylvania apples did not size as much as usual during August because of limited moisture supplies. Subsoil moisture reserves are low. Cool nights promoted good coloring.

Rains during August boosted prospects in Virginia and West Virginia. Harvest of Red Delicious in Virginia began about August 29 in the Roanoke area and was expected to begin about September 9 in the Winchester area. Growers expect to start picking Golden Delicious about September 15 in the southern counties. In both Maryland and West Virginia, some harvest of fall varieties was underway but it will be about mid-September before volume picks up.

Prospects increased slightly during the past month in the central part of the country, even though some areas need more rain. Fruit was coloring well and harvest of fall varieties was underway throughout the area. In Ohio, apples had not sized as well as expected. In Indiana, harvest was earlier than usual. Michigan expected to start harvesting McIntosh shortly after September 3. Jonathans and Golden Delicious show considerable russeting.

Most of the Western States had favorable growing conditions during August. Prospects increased over a month ago in both Washington and California, but in New Mexico, dry weather resulted in poor sizing and a heavy drop of apples, and estimated production is down from last month. Washington growers expected to start picking Jonathans September 3 and Delicious are expected to be ready about mid-September. Oregon has a good crop in the Hood River and Milton-Freewater areas, and the fruit was sizing well. California apples grew well during August and prospects are better than a month ago, although still below last year's production. Idaho apples are maturing earlier than usual and picking of Jonathan and Winesaps had started by September 1, although it will not become heavy until about mid-September.

PEACHES: Production of 1963 crop peaches is estimated at 73.1 million bushels, down 4 percent from last year's large crop, but 1 percent above the 1957-61 average. Excluding the California Clingstone peach crop, which is used almost exclusively for canning, production is estimated at 43 million bushels, down 5 percent from last year and 10 percent below average.

The California Clingstone crop estimate is 30.1 million bushels (723,000 tons) compared with 30.6 million bushels harvested last year and the average of 24.4 million bushels. The estimate excludes that portion of the crop eliminated under the "green drop" program of the Clingstone Peach Marketing Order. Harvest of the Clingstone crop started somewhat later than usual but progressed rapidly. Early varieties were nearly all harvested and late varieties should reach peak volume the middle of September. There was some cullage because of split pits early in the season but apparently this has not shown up in mid-season and later varieties.

The Freestone crop in California is now estimated at 12.9 million bushels, up more than 400,000 bushels from last month and the same as last year's harvested production. Harvest of a good quality crop is nearly complete. The total California peach crop of 43 million bushels is slightly below last year's record crop of 43.5 million bushels or 1,045,000 tons.

In Michigan, the crop is picking out better than had been anticipated earlier as general rains during August increased the size of the peaches. Early varieties were all harvested but Elbertas were not expected to be in volume movement until the second week of September. Quality of the crop has been excellent except for a few split pits. Other North Central States as well as Maryland, Virginia, and West Virginia in the Middle Atlantic Region have smaller crops than last year because of the severe winter and late spring freezes.

- OVER -

\*

Lie Elling Ut Mis SELLIFER HALLALLO A TITLE 16

Harvest was virtually complete in the Southern States and production is much above last year in all of these States with the exception of Kentucky and Tennessee where crops were hurt by the winter cold and late spring freezes.

In the New England States, harvest was underway. Early varieties were rather small in size because of the peach conditions, varieties not usually hurt by this disease. This caused cullage to be high for some growers. Picking of the peach crop in Pennsylvania was nearing completion by the end of August.

Western States, other than Idaho, have a smaller crop than last season. Weather during August in Idaho was favorable for the maturing of peaches. Harvest of the early varieties was nearly complete and about one-fourth of the late varieties were picked. Harvest of late varieties was starting and quality is expected to be good.

	056	320	OEV	fario 33		002 6	020 6	antiform D dans M
	2,000	1,600	3, 380	chigan	2°000 S	2, 200	2° 380	West Virginia
					8,500	0\$9'6	10, 160	sinigniV
	071	029	845	SIONIT	1' 400 IFI	1, 350	914 1	Maryland
	1				280	280	312	Delaware
	10	100	<b>₹</b> 2₹	ansil	8, 500 Inc	00₺ '6	0₹9 '8	Pennsylvania
	0\$	002	<b>₹</b> 76	or	S' 600 Oh	2,800	088 'Z	New Jersey
	2,000	2,600	2, 660	nnsylvania			19,920	New York
	2,000	2, 300	2,240	w Jersey		1, 220	1, 326	Connecticut
	250	220	69	M York	ohi Ohi	081	178	Rhode Island
	130	091	132	nnecticut	5,900 Co	2,900	₹85₹	Massachusetts
	13	01	11	ode Island	1, 200 Rh	1, 200	8⋫6	Vermont
	125	140	102	тггасрпгецг	1, 500 Ms	1,400	कार दाव	New Hampshire
	S₫	54	91	w Hampshire	1,900 Ne	006 1	₹69 °I	Maine
	- stad:	snq puesn	оч1 -		- 81	nesuq puesn	oul -	
-	£961 :	70.CT	19-72e1	:	# £96I	; 70cr	: 19-7861	:
	: Indicated	1962	Average :	* 22722.0	ndicated ::	796I	* sgerayA	22.82.0
-		oduction 2/	Pro	-: State	::	roduction 2/		State
		Реасћеѕ		:	:: /	amercial Crop L	Apples, Con	:

220 02	002 32	007 0070		,,		, , . , .	
540 °E#	S#S 'E#/#	828 '98	California	008 48	006 '01	915 6	California
300	005	438	Oregon	2, 400	2, 200	260 'Z	Oregon
1, 400	00£ 'Z/₹	1, 770	Washington	27, 600	21, 400	23,080	Mashington
140	310	322	Ուցր	390	430	312	Ոեab
054	008'1/7	1,634	Colorado	480	049	223	New Mexico
200	SZ	247	Idaho	1, 150	1, 300	1,080	Colorado
054	220	089	Техая	1, 250	000 '1	1, 162	Idaho
011	08	₽₽I	Окјаноша	01/2	SZ	2₽	Montana
160	04	241	Louisiana	200	552	190	Arkansas
1, 750	1,020	989 'Ţ	Arkansas	220	00₺	340	Lennessee
320	200	304	İqqississiM	592	• SZE	345	Кептиску
1, 200	006	1,025	Alabama	OSI	180	230	Kansas
SZ	091	991	Lennessee	1, 200	1, 250	821,1	Missouri
SZ	245	236	Кептиску	882	260	528	BWOI
000 's	00S 't/t	4, 340	Georgia	S6Z	380	333	Minnesota
005 'Z	009 '9/ <del>*</del>	076'S	South Carolina	1,400	001,1	1, 536	Wisconsin
005 1	005,1	1, 350	North Carolina	11, 500	13,000	12, 780	Michigan
0St	004	017	West Virginia	004 77			
000,1	I, 500	1, 546	Virginia .	2,000	2, 100	2, 308	ITTINOIS
320	0St/t	Z9Þ	Maryland	000 0	00, 0		
S₹	Str.	67	Delaware	1,085	058 1	847 ,1	Indiana
S₹	\$6	138	Kansas	2, 100	3, 700	3, 460	OPTO
250	320	<b>6</b> €₹	Missouri	2, 600	2, 700	2,070	North Carolina
2,000	1,600	3,380	Michigan	000 'S	2, 200	2, 380	West Virginia
000 0	005 7	000 0		005 '8	0\$9'6	10, 160	Virginia
071	029	845	ITTINOIS	1, 400	1, 350	1,416	Maryland
	049	0,0	01011111	082	280	312	Delaware
0.1	100	<b>424</b>	Indiana	005 '8	00₺ <b>'</b> 6	049 '8	Pennsylvania
05	002	<b>₹</b> 26	OPTO	2, 600	008 'Z	2,880	New Jersey
2,000	2,600	2, 660	Pennsylvania	21, 500	22, 300	19,920	New York
2,000	2, 300	2,240	New Jerzey	1, 350	1, 220	1, 326	Connecticut
250	088	659	New York	041	180	871	Rhode Island
130	091	132	Connecticut	2,900	2,900	₹28,5	Massachusetts
13	OI	11	Rhode Island	1, 200	1, 200	876	Vermont
ISS	040	105	Massachusetts	005 '1	1, 400	\$1\$ 'I	New Hampshire
24	₹Z	91	New Hampshire	1,900	006,1	₹69'I	Maine
						,	
HCT9 =	eno nupenous	mer .		- GIAIIC	no nurgnous	gee	

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

2/ For some States in certain years production includes some quantities unharvested on account of economic conditions.

122, 183

3/ The 1957-61 average includes production for States no longer estimated.

125, 425

4/ Includes excess cullage of harvested fruit.

Gerald L. Clampet Burton R. Miller Agricultural Statisticians

684 'SA

Robert H. Moats Agricultural Statistician In Charge

U. S. DEPARTMENT OF AGRICULTURE

73,077

U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. BOX 429, SPRINGFIELD, ILLINOIS 62705

**OFFICIAL BUSINESS** 

United States 3/121, 734

Illinois Production Prospects

(3-Copies) A Urbana, Illinois University of Illinois Library Documents Division

3/72, 130

III 66 f

Cop 2

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

1308.1

# FRUIT

NW NE
W C E
WSW ESE
SW SE

November 20, 1963

PRODUCTION PROSPECTS - NOVEMBER 1, 1963

### **ILLINOIS**

A total of 2.2 million bushels of apples is estimated to have been produced this season in Illinois' commercial counties. This is five percent more than the 1962 crop of 2.1 million bushels, but five percent less than the 1957-61 average. In spite of moisture shortages during the season, Illinois apples are generally of adequate to good size with good coloring. Moderate hail damage occurred but good disease and insect control was reported.

#### UNITED STATES

With the harvest virtually completed, the 1963 apple crop is estimated at 122.8 million bushels, 2 percent below the large 1962 crop but 1 percent above the 1957-61 average. The November 1 estimate is nearly 1.0 million bushels above the October 1 forecast due primarily to a further increase in Washington and the better than expected turnout in Michigan. Because of extended dry weather in the eastern half of the Nation, there was very little additional sizing of the late varieties during October and earlier expectations have not been realized in some States.

The Eastern crop, at 58.3 million bushels is down 640,000 bushels from last month, down 7 percent from last year and 1 percent below average. Harvest of the crop was nearly complete by November 1 in this region. Sizes have been relatively small, but the color and quality have been good. Weather for harvest was generally ideal. In Virginia, a top quality crop of 8.8 million bushels has been harvested, only 9 percent below last year and 13 percent below average despite late spring freezes and severe summer drought.

In Michigan, only a few Northern Spies and Red Romes remained on the trees as of November 1. Continued warm weather during October caused some Red Delicious to become overripe before they were picked. The Tennessee crop is short because of winter freezes.

The production of 42.9 million bushels in Western States accounts for 35 percent of the national total this year compared with 31 percent on the average. The Washington harvest is expected to total 29.2 million bushels, up 1.0 million from the October 1 forecast, 36 percent above last year and 27 percent above average. Unseasonably warm weather retarded coloring of Delicious apples and growers delayed harvest as long as possible. Harvest continues in the late areas of the Upper Yakima and Wenatchee Valleys and some harvest of Winesaps and Romes remains to be done in many areas. Overall quality of the crop is good. In Utah, a long frost-free season permitted growers to harvest all the apple crop. High temperatures during September and October reduced the coloring and quality of apples in Idaho where the harvest continued into early November. Color was also a problem in Colorado where about 10 percent of the crop remained for harvest after November 1.

Unseasonably warm weather in Oregon slowed coloring of red varieties in the Hood River area. However, fruit sized well and an above average crop is expected. Harvest was expected to be completed by November 10. The crop was extremely light this year in Western Oregon because of unfavorable weather at blossom time. Harvest of an 8.0 million bushel California crop was nearly complete by November 1. The Gravenstein crop was about one-fourth as large as last year but the Rome Beauty and Golden Delicious are turning out good. Warm and rainy weather has delayed harvest but increased the tonnage for late varieties. The total crop is still expected to be 27 percent below last year and 16 percent below average. Quality of the California crop is also below normal and a larger than usual percentage of the crop is expected to go to processors.

- OVER -

NOV 1863

enta, 98; Wisconsin, 961-New Hampshire,	) μεν Mexico βη: Leunsληλε pnzyejs): Τ	Jennessee, 10 Mew York, 1,0 Llows (1,000	es were as fo; 1 ecticut, 80; 1 entucky, 10; 1	Estimates of such quantitian (1) Massachusetts, 32; Conn (26; 1962-Wisconsin, 28; Karege includes productio
mic conditions.	nut of econor	seted on acco	tities unharve	quetion includes some quant
rein years, pro-	at production	zor and or re	cial crop rere	Letimates of the commer commers are some
152,840	152° 452	156,565	#EL7TET/E:	United States
076°Zn	37,825	35,415	1 <u>8</u> 27 <u>£</u> 21 <u>£</u> 3	Total Western States
	006'OT	TO' 300	915'6:	California
5,400	5,200	T,700	5,092	Oregon
56°63 7200 720	57°400 430	T6,900	375	Mashington Washington
00h	OF	625	£55 :	New Mexico
7,200	00E 'T	005 τ	080'τ ;	Colorado
7,250	000'T	ost't	391'1 :	Idaho
Oή	SZ	Oή	टम :	Montana
			/5/7. = -/6	Western States:
57,560		28,250	190 TE	Arkansas Total Central States
S00	522 400	570 270	Οη <b>ξ</b> :	Tennessee
5p2	375	590	StrE :	Кептиску
ολτ	780	540	530	Kenses
τ'520	7,250	00η T	8ST'T :	Massourt
300	560	ose	528	EWOI
562	088	ore	333	Minnesota
00ή τ	00ή τ	T'800	9ες τ :	Wisconsin
75,000	13,000	000'9T	12,780	Illinois Michigan
5°500 7°500	7,850 2,100	5°200 7°320	1,748 2,308	Indiana
2,100	3,700	3,500	. 09η'E	OPTO
001.0	002 0	003 C	. 0)1 0	Central States:
078,82	62,480	006'39	Z9T 65	Total Eastern States
2,600	2,700	5,300	2,070_	North Carolina
008'η	2,200	005'5	088,2	Mest Virginia
008,8	059'6	005°0T	091'01	Virginia
T'520	7,350	009 <b>'</b> T	315 315	Maryland Haryland
000,8 07S	097 082	008,6	οη9 <b>'</b> 8	Pennsylvania
2,600	2,800	008'5	5,880	Ием Летвеу
21,500	22,300	St, 100	16,920	New York
00 <b>1</b> T	7,220	OST'T	7°356	Connecticut
OST	T80	200	8LT :	Hhode Island
5,800	2,900	OST'E	2,824	Massachusetts
T,000	7,200	056	846	New Hampshire
7,370	1, 400 1, 200	05h'T	ητη'τ η69'τ	Maine and median
008,1	006'τ	2,000	ا ودارا	Eastern States:
рлерета	prepera	prayeja	prayeja	
T'000	000'T	000'T	000 T	
======================================		т96т	19-1561	
: Preliminary	2961		- Average	Area and State
	S not t	Produc	alvan garde armap cartes depart where the	an halan anna antan sana daga mena trada dana da d'aran sana aran sana
	7	MERCIAL CROP	APPLES, COM	

Arthur K. Homann Burton R. Miller Agricultural Statisticians Robert H. Mosts Agricultural Statistician In Charge

U. S. DEPARTMENT OF ACRICULTURE

U. S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P. O. BOX 429, SPRINGFIELD, ILLINOIS 62705

**OFFICIAL BUSINESS** 

Illinois Fruit Production Prospects

Toeuments Livision University of Illinois Library Urbana, Illinois A (S-Copies) ILLINOIS COOPERATIVE CROP REPORTING SERVICE

# FRUIT



October 21, 1963

PRODUCTION PROSPECTS - OCTOBER 1, 1963

#### ILLINOIS

Apple production in Illinois' commercial counties is estimated at 2.2 million bushels, up five percent from the 1962 crop but five percent less than the 1957-61 average. Production prospects brightened as the season progressed. Moisture supplies are generally short, but with timely rains during the main growing season coupled with good disease and insect control, a crop of good quality, adequate to good sized fruit was produced.

Illinois' peach production estimated at 140,000 bushels is the smallest crop since 1955. The October 1 estimate is one-fifth as large as 1962 and is one-sixth of the 1957-61 average. The extreme reduction in production was due to the severe winter followed by late spring freezing weather. Orchard run sales accounted for a larger than usual fraction of total sales. Reported prices were higher than those of a year earlier.

#### UNITED STATES

The Nation's apple crop is estimated at 121,885,000 bushels, down slightly from last month's estimate, 3 percent smaller than the 1962 crop, but about equal to the 5-year average. The Eastern States with a production of nearly 59 million bushels show a 6 percent decline from last year. Production in the Central States, at 20.9 million bushels, is 17 percent below the previous year's production. The expected production in the Western States is 42 million bushels, up 11 percent from last year.

Dry weather during September in the New England States slowed sizing of the crop and resulted in reduced prospects in Maine, New Hampshire, and Vermont. Harvest of the crop in New York was moving along well with Wealthy and McIntosh nearly complete. September moisture added size to later varieties in New Jersey. The crop had excellent color and harvest was near peak activity with Delicious and Stayman varieties moving in volume. Picking of Romes was just getting underway. Dry September weather in Maryland and West Virginia reduced prospects in those States. However, timely rains fell in Virginia, increasing the size of later varieties and improving prospects for the crop. Picking of Red Delicious was nearly completed by October 1 and Golden Delicious harvest was well underway. Picking of Red Yorks for fresh market will not begin until October 10, although harvest for processing began about mid-September.

Michigan's apple crop was being harvested at a rapid rate with McIntosh completed and Jonathans about 75 percent picked by October 1. Red Delicious were more than half harvested while Spy harvest was just getting underway but gaining momentum. Ohio apples are of good quality and have excellent color. Harvest of fall varieties was nearly completed and picking of winter varieties is expected to be most active during the first three weeks of October.

Prospects for Washington apples improved during the past month and the estimate is now 28,200,000 bushels. Some varieties are picking out heavier than had been anticipated. September weather was too warm for best coloring of the crop and Jonathans were practically all harvested by October 1. The last of the Red Delicious crop will not be harvested from the higher elevations until after November 1. Quality of the Washington crop is expected to be excellent. In the Sebastopol of California, the Gravenstein crop was extremely short. Jonathan and Red Delicious varieties were also short in that area but Golden Delicious and Rome Beauty crops are above average. In the Watsonville District, Red Delicious picked out less than expected and Newtowns were below earlier expectations because of small sizes. This season scab, russeting, and misshapen fruit have been prevalent in California.

The 1963 peach crop is estimated at 73.5 million bushels, 3 percent below 1962 but 2 percent above average. A 23 percent increase over last year in the 9 Southern peach States was not enough to offset lower production in other regions. The greatest percentage decline from last year occurred in the Middle Atlantic and North Central States, although production was also down in the North Atlantic and Western States. Production in California for 1963 was very near the record high crop harvested in 1962.

The California Clingstone peach crop for 1963 is now estimated at 30.5 million bushels or 733,000 tons-just under the record high of 735,000 tons harvested last year. The estimate excludes that portion of the crop eliminated under the "green drop" program of the Clingstone Peach Marketing Order. Even though the 1963 crop was later than normal, the harvest was virtually complete by mid-September or about as early as last year. There was a higher percentage of off-grade fruit this year than in 1962. There was no diversion of 1963 crop Clingstone peaches by canners under the Marketing Order. The California Freestone crop of 12.9 million bushels is the same as 1962 and 4 percent above average. Harvest was virtually complete with the exception of late Haloween variety peaches. Harvest of peaches in Upstate New York and all other areas of the Nation was drawing to a close by October 1.

Unit do em

\*

informa M	375	346	596	iarississiM	7UE	006	350
Kansas	230	081	071	smada <b>l</b> A	1,025	006	1,200
inossiM	8SI 'I	1, 250	051 '1	Lennessee	991	091	SZ
Iowa	528	760	300	Кептиску	236	S₹Z	SZ
Minnesota	333	380	562	Georgia	0Þ£ 'Þ	005 '₹/ <u>₹</u>	000 'S
Wisconsin	1, 536	001,1	1, 400	South Carolina	076'S	009 '9/8	005 '2
Michigan	12, 780	13,000	11,500	North Carolina	1, 350	1, 400	1,500
• • • • •	002 07	000 0,	001 77	West Virginia	014	004	0SÞ
ITTINOIS	2, 308	2, 100	2,200	Virginia	945,1	1, 500	000,1
0.0.1	000 0	00, 0	000	Maryland	49ħ	3/420	028
Indiana	8ħZ 'I	1,850	S80 'I	Delaware	6 <del>7</del>	St	5₽
Ohio	3,460	3, 700	2, 100	Kansas	138	56	09
North Carolina	070,5	2, 700	2, 600	Missouri	439	30	SSO
West Virginia	026 5	002 'S	008 1	Michigan	086,8		
Virginia Winda	10, 160	059 6	008 8	applicated	085.5	009 1	2,000
Maryland	914,1	1, 350		TTTUATO	er.o	000	O1 7
Delaware	312	1 350	1, 350	ITTINOIS	248	029	041
Pennsylvania	0 <del>1</del> ,640	007 <b>6</b>	270	#A **** ******			
New Jersey	079 8	007 6	005 '8	Indiana	424	100	10
	2,880	2,800	S, 600	Ohio	₽26	002	20
New York	19,920	22, 300	21,500	Pennsylvania	2,660	2,600	2,000
Connecticut	1, 326	1, 220	1, 350	New Jersey	2,240	2,300	000 'z
Rhode Island	841	081	011	New York	69	OSS	042
Massachusetts	₽28 'S	2,900	2,900	Connecticut	135	091	SFI
Vermont	846	1, 200	000 1	Phode Island	11	OI	13
New Hampshire	ग्रं क्राक्	001,1	1, 370	Massachusetts	201	0110	Sti
Maine	₱69 °I	006,1	008,1	New Hampshire	91	7₹	12
	-	q pursnouL	- sjaysn		IT -	and pursno	- stad
:	19-2561		£961 :	: ::	19-4561	1	1963
	Average	7961	Indicated		Ауетаде	7961	Indicated
State		Production	200	State		Production 2	
*	olddA	s, Commercial		: ::-		Peaches	
		By States	/;			Dodon	

3/ Includes excess cullage of harvested fruit. 2/For some States in certain years, production includes some quantities unharvested on account of economic conditions. 1/Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

> California Oregon

Washington

Colorado

Окјаноша

Louisiana

Arkansas

iqqississiM

Utah

Idaho

Lexas

121,885

28, 200 2, 400 8, 000

0St

084

OĐ

200

220

**S**92

1,250

United States 4/ 72, 130

828 98

077,1 88₽

1,634 352

742

144

**ZFI** 

989'1

4/U, S. totals for the 1957-61 average include production for States no longer estimated.

125, 425

21, 400 2, 200 10, 900

430

078

000 '1

22 22

00Þ

375

Agricultural Statisticians Arthur K. Homann Burton R. Miller

684 'SA

3/43,545

3/2,300

3/1,800

SZ

20

OP

220

1,020

184,87

43,462

1,350

0SÞ

200

054

110

350

091 091 1

Robert H. Moats Agricultural Statistician In Charge

United States 4/121, 734

23,080 2,092 9,516

312

223

4S

061

342

1, 162 1, 080

Oregon California

Washington

New Mexico

Colorado

Montana

Arkansas

Tennessee

Kentucky

ourpi

Utah

U. S. DEPARTMENT OF AGRICULTURE

b. O. BOX 429, SPRINGFIELD, ILLINOIS 62705 U. S. DEPARTMENT OF ACRICULTURE
STATISTICAL REPORTING SERVICE

**OFFICIAL BUSINESS** 

Production Prospects

(z-lqoJ-E) A Urbana, Illinota University of Illinois Library Documents Division


### FRUIT




December 19, 1963

1963 APPLE PRODUCTION

ILLINOIS: The commercial apple crop in 1963 totaled 2.2 million bushels. This is five percent more than the 1962 crop of 2.1 million bushels but five percent less than the 1957-61 average. In spite of moisture shortages during the season, Illinois apples are generally of adequate to good size with good coloring. Moderate hail damage occurred but good disease and insect control was reported.





### APPLE PRODUCTION BY VARIETIES

Illinois retained fourth position in the Nation in the production of Golden Delicious and Jonathan apples accounting for seven percent of the U.S. production in each variety. Combined production of Golden Delicious at 759,000 bushels and Jonathan at 550,000 bushels made up three-fifths of Illinois'total production. Fourteen percent of Illinois' production were Delicious.

Summer varieties made up one-tenth of Illinois' 1963 crop. Duchess totaled about 132,000 bushels and Transparent about 66,000 bushels of the 220,000 bushels of summer varieties produced. Fall varieties accounted for 30 percent of the crop with Jonathan representing 85 percent of this seasonal group. Three-fifths of Illinois apples were winter varieties. Golden Delicious makes up 57 percent and Delicious varieties 24 percent of Illinois' winter apple production.

- OVER -

1

UNITED STATES: Commercial apple production in 1963 totaled 122.7 million bushels, down 2.9 million bushels or 2 percent from last year but 1 percent above the 1957-61 average of 121.7 million bushels. A 5.6 million bushels. A 5.6 million bushels, in Central (15 percent) increase over 1962 in Western States was not enough to offset declines of 3.6 million bushels, in Central States and 4.8 million bushels, in Eastern States. Production of winter varieties amounted to 107.4 million bushels, virtually the same as last year and 4 percent above average. Production of fall varieties totaled 11.9 million bushels, 3 percent sharply the same as last year and 4 percent above average. Production of fall varieties totaled 11.9 million bushels, off sharply from last year and average. Both the summer and fall varieties, with the exception of Cravensteins, are grown primarily in Central and Eastern States where smaller apple crops were the rule in 1963. The Gravenstein crop, produced primarily in Central and Eastern States and average as last year.

All but 6 of the varietal classes estimated showed smaller production in 1963 than in 1962 with Gravenstein showing the sharpest decline. The six varieties which registered increases normally account for a large part of the total crop and, therefore, nearly offset the declines in other varieties. Production of Delicious apples, the leading variety, was a record high of 31,5 million bushels, 9 percent above 1962 and 19 percent above average. California, was only one-third as large as last year.

Commercial production of McIntosh apples, the second leading variety in 1963, totaled 16, 761,000 bushels, slightly above average but 3 percent below last year. Most of the decline was in Michigan where the crop was 21 percent below average, Both New York and New York snowing areas, had above average crops of McIntosh in 1963, with New England showing a decline from last year, compared with fourth position in 1962 and seventh or lower prior to 1953, to increase in importance, ranking third this year, compared with fourth position in 1962 and seventh or lower prior to 1958, Most of the increase in apple production in recent years can be attributed to the upward trend in Delicious, McIntosh and Colden Delicious,

Production of Rome Beauty variety apples amounted to 8,877,000 bushels, still above average but below that of the past two years. This variety which held third rank in production in 1962 was displaced by Colden Delicious and was followed closely by the Jonathan variety with 8,043,000 bushels produced in 1963. These five leading varieties accounted for 61 percent of the Nation's 1963 total output compared with 57 percent last year and the average of 55 percent.

Production in Washington totaled 29.2 million bushels, 7.8 million bushels or 36 percent above 1962 and 27 percent above average. The Washington crop amounted to 24 percent of the Nation's total compared with 17 percent in 1962 and 19 percent on the average. New York production was 21.0 million bushels and ranked second, as usual, followed by Michigan, Virginia, and California in that order. Despite production declines in four of these five States, they produced 65 percent of the National crop in 1963 compared with 62 percent in 1962 and average.

York Imperial Other Winter

Stayman

Winesap Yellow Newtown

Northern Spy R. I. Greening Rome Beauty

YY8.8	441.6	958 '8	55	25	15	Mome Beauty
2,803	3, 208	5,879				R. I. Greening
3,210	2, 342	5,889				Northern Spy
194 '91	17,276	049,81				McIntosh
10, 229	<b>484 '8</b>	₹28 '9	694	<b>PI</b> 2	018	Golden Delicious
31,485	668 '87	26, 497	319	SSS	182	Delicious
188,8	3,777	864,8				Cortland
193	260	386			ase two	Black Twig
926	890 '1	1,277	ĪΫ	45	<b>≯</b> €	Ben Davis & Gano
046'1	2,879	3,008				Baldwin
						Winter
11,883	12,281	13,018	6₹9	66S	908	Total Fall
206'1	ESZ T	1,804	かか	3.1	SZ	Other Fall
101,101	1, 297	1, 536	33	32	LL	Меадтһу
8,043	120,8	8, 333	099	₹09	949	Jonathan
₽£8	1,210	1, 345	22	32	27	Grimes Golden
						Fall
3,370	£16'S	Þ46 Þ	220	222	238	Total Summer
2,263	2,623	2, 400	220	SSS	238	Other Summer
1, 107	3, 290	2,574				Gravenstein
						Summer
- sləds	nq pursn	очт -	- spaysr	iq pursn	очт -	
	:	:19-7891:		710 ex	19-7861:	
1963	: 5961	ageravA:	8961	1962	: Average:	Season and varieties
LEZ	ED 2LYJ	TINU :		SIONIT	П :	
SHOSITE	Kith com	Hes, 1963 v	by varie	duction	crop 1/ Pro	Apples, commercial

Total Winter 1, 263 1, 249 1, 331 103, 741 107, 381 107, 412

Total All Varieties 2, 308 2, 100 2, 200 121, 734 125, 575 122, 665

[Vestimates of commercial crop refer to the total production of apples in the commercial areas of each State,

\_ --

45

45

25

33

SS

\_\_\_

82

12

Arthur K. Homann Burton R. Miller Agricultural Statisticians

6, 183

9E0 'b

994 '6 289 '9 988 '8

399 661	323 30;	VCZ +C+	
43,385	37,825	37,837	Total Western
SE6	1,025	406	Other States 3/
8,200	006,01	915'6	California
2,600	2, 200	2,092	Oregon
29,200	21,400	23,080	Washington
1,200	1, 300	1,080	Colorado
1,250	000 '1	1, 162	odebi
21,640	25,270	24,735	Total Central
1,390	1,820	Stl'I	Other States 2/
1,250	1,250	1, 158	Missouri
1, 400	1, 400	1,535	Wisconsin
12,000	13,000	12,780	Michigan
2,200	2, 100	80£ 'Z	ITTINOIS
1, 300	2,000	1,748	Indiana
001,S	004 'E	3,460	ohio
019'49	62, 480	291,62	Total Eastern
2,600	2, 700	2,070	North Carolina
009 't	2, 200	2,380	West Virginia
008,8	09'6	10, 160	Virginia
1,520	1,630	827,1 Sist	Maryland-Delan
000 '8	00ħ <b>'</b> 6	049,8	Pennsylvania
2,600	2,800	2,880	New Jersey
21,000	22, 300	026,61	New York
8,520	008 '8	₽8£,8	New England
- sī	ausnq purs	moul -	
£961	1961	: 98s19vA :	State and area
			Apples, commen

production of apples in the commercial areas of production of apples in the commercial areas of gansas, Kentucky, Tennessee, and Arkansas, with the 1961 crop season, 3/ Montana, New Mexico, and Utah, Estimates of commercial crop refer to total

Robert H. Moats Agricultural Statistician In Charge

U. S. DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

281,6

138,8

8, 877 5, 524 7, 807

86, 9 86, 195

2, 342 6, 866 8, 144 9, 144 2, 342 2, 342 3, 208

P. O. BOX 429, SPRINGFIELD, ILLINOIS 62705 U. S. DEPARTMENT OF ACRICULTURE
STATISTICAL REPORTING SERVICE

OLLICIVT BUSINESS

1963 Apple Production

(selgod-2) V Urbana, Illinois University of Illinois Library Documents Division

TL66F

RELINOIS COOPERATIVE CROP REPORTING SERVICE

### FRUIT



April 7, 1964

Special Freeze Damage Report

Freezing temperatures near the end of March, including record lows the morning of the 30th, resulted in varying bud damage to both apples and peaches. Damage was selective by varieties, with Elberta peaches and Lodi apples being most often mentioned. As so often is the case in this kind of situation, there is no clear-cut consensus as to the ultimate effect on production. There does seem to be agreement that any potential loss in production prospects has been confined mostly to about the three southernmost tiers of counties. However, even in this area, some competent observers feel that trees still carry an adequate load of undamaged buds.

### Southeastern States $\frac{1}{2}$ :

9338.1

Cold weather moving into the southeastern part of the United States the night of March 29 caused extensive damage to the peach crop. Damage was most severe in North Carolina, South Carolina, Georgia and Alabama. In 1963 the peach crop in these 4 States was valued at approximately 39 million dollars. In Alabama and North Carolina, the first bloom and early fruit on strawberries were killed and it appears that late bloom in North Carolina will be sharply curtailed. Except for apples and blueberries in North Carolina, there was little damage to other crops. The full extent of the loss in these States cannot be determined at this early date, but preliminary appraisals indicate the following:

### North Carolina:

It appears that there was practically a complete loss of peaches, pears, and blueberries in North Carolina. Apples suffered heavy bloom damage, particularly Red Delicious and Stayman. All of the early bloom and fruit on strawberries were killed and later bloom was severely damaged.

### South Carolina:

Although it is too early to accurately determine the full extent of loss, a preliminary appraisal indicates that the Piedmont may have sustained a complete loss of peaches. This area usually produces nearly two-thirds of the State's peach crop. In the Ridge area, possibly three-fourths of the crop was lost. Reports range from a complete loss to half a crop. About one-fifth of the State's peaches are produced in that area. Freeze damage was less severe in other parts of South Carolina. There was no significant damage to other fruit and nut crops in the State.

### Georgia:

North of a line from Columbus to Macon, it appears there was almost a complete loss of peaches. The major portion of the peaches are produced south of this line where freeze damage was reported irregular with severe damage in some localities. In the Fort Valley area, peaches were 10 or more days past full bloom at the time of the freeze. Peaches in the extreme southern counties appear to have escaped serious damage.

### Alabama:

Freezing temperatures damaged peaches, plums, and pears in Alabama with the loss now appearing greater than was thought at first. Most of the damage occurred from the middle of Chilton county northward where there appears to be a complete loss of peaches. This area accounts for nearly three-fourths of the State's peach trees. Some peaches are left south of there. In Blount county peaches were in full bloom and the crop is considered lost. In Chilton county, peaches had reached full bloom about March 20-24. Early peaches such as the Cardinal show less damage than Elbertas and Red Havens which appear to be hardest hit.

1/Report for Southeastern States released at Washington 4/1/64

THE LIBRARY OF THE

Documents Division University of Illinois Library Urbana, Illinois A (3-Copies)

N° 2° DEPARTMENT OF AGRICULTURE

P. O. BOX 429, SPRINGFIELD, ILLINOIS 62705 STATISTICAL REPORTING SERVICE U. S. DEPARTMENT OF AGRICULTURE 9.338.1 Ill66f

### ILINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4514

### FRUIT

NW NE
W C E
WSW ESE
SW SE

July 16, 1964

### ILLINOIS PRODUCTION PROSPECTS

Apple Production Highest Since 1951

Apple production in Illinois commercial counties is estimated at 2.6 million bushels—18 percent above the 1963 crop of 2.2 million bushels and 17 percent above the 1958-62 average. If realized, this would be the largest commercial crop since 1951, when 3.8 million bushels were produced. Weather so far this season has been favorable for good insect and disease control and soil moisture appears to be adequate for proper sizing.

### Peach Prospects Good

The Illinois peach crop is estimated at 775,000 bushels. Last year's crop was a near failure with 100,000 bushels while the five-year average is 838,000 bushels.

### UNITED STATES

APPLES: The U. S. commercial apple crop is estimated at 144.6 million bushels up 15 percent from last year and 18 percent above the 1958-62 average of 123 million bushels. If realized, this would be the largest commercial apple crop since 1937. All Eastern States other than New Hampshire, Vermont, Connecticut, Delaware, and North Carolina expect more apples than last year. All of the Central States, except Iowa expect a crop larger than last year. Production prospects in the Western States vary sharply and point to a net decrease of 8 percent from last year but 18 percent above average. Of the five major apple States which normally account for about 62 percent of the total crop, (Washington, New York, Michigan, Virginia and California) only Washington prospects are less than last year.

Winterkill of fruit buds was light and late frosts were no problem this season, except in North Carolina. There, prospects are quite variable depending upon location of the orchard and the variety. Rainfall during June was quite light and scattered in most of the Eastern States. Pollinating and growing conditions have been mostly favorable throughout the Central States. Poor pollinating weather plus freezes after mid-April caused considerable variation in the Washington apple crop. Weather conditions across the country during June were generally favorable for disease and insect control. Apples have sized well throughout the Nation despite the dry weather in the East. Production of apples in the Eastern States is estimated at 69.0 million bushels, up 21 percent from last year and 13 percent above average.

An apple crop of 32.6 million bushels is forecast for the Central States. This is up 49 percent from last year and 29 percent above average. Production in Michigan is forecast at a record high of 18.5 million bushels, 54 percent more than last year and 39 percent above average. A frost free spring with adequate moisture got the crop off to a good start and all areas have a larger crop than last year. There is a uniform set on all varieties in all areas, Harvest of Lodi and Transparent apples was expected to begin the week of July 6 in the southwest area. The crop in Ohio is unusually clean and more than the usual amount of thinning sprays have been applied. Sufficient rainfall has been received and sizing has been good where adequately thinned. Harvest of summer varieties is expected to start during the second week of July. Indiana growers are expecting a big apple crop as there was a heavy bloom and good set coupled with adequate soil moisture and effective insect and disease control. The fruit has been sizing well, but some additional thinning, after the June drop has been necessary.

In the eight Western producing States a crop of 43.0 million bushels is forecast, down 8 percent from last year but 18 percent above average. California, Colorado, and New Mexico expect larger crops than last year but this is more than offset by the smaller production in the other five Western States. The Washington crop is forecast at 25.1 million bushels, 21 percent below last year's big crop but still 17 percent above average.

There is a good set for all varieties of apples in California where a record large commercial crop of 11.5 million bushels is expected. This is 37 percent larger than last year's relatively short crop and 16 percent above average. Rains in early June improved the crop and heavy thinning has been required in most districts.

PEACHES: The Nation's 1964 peach crop is 70,947,000 bushels, down 4 percent from 1963 and 5 percent below average. Larger crops in the North Atlantic, North Central, and Western regions are not expected to offset the sharp reduction caused by a late spring freeze in the Carolinas, Georgia, and Alabama. The current estimate is down 3 percent from the June 1 forecast due primarily to elimination of part of California's Clingstone peach crop through a "green drop" program put into effect under the provisions of the State Marketing Order for Clingstone peaches. U. S. production, excluding the California Clingstone crop, is estimated at 38, 278, 000 bushels, up 202, 000 bushels from June 1, but 11 percent below 1963 and 21 percent below average.

The California Clingstone peach crop, primarily for canning, is now estimated at 32,669,000 bushels (784,000 tons), 7 percent above last year and 25 percent above average. The California Freestone peach crop estimate is 12,709,000 bushels, unchanged from last month, 1 percent below last year but 1 percent above average. Early varieties now being marketed are of good quality.

The 9 Southern States estimate is 5, 485,000 bushels, down 71 percent from last year and only one-third as large as average. The crop is turning out somewhat larger than expected in Georgia, with harvest now well advanced. Quality of the crop has been good. The Middle Atlantic States peach estimate is 8,040,000 bushels, 37 percent above last year and 3 percent above average.

The North Central States have a prospective crop of 6,225,000 bushels, over two and one-half times as large as the freeze damaged 1963 crop and 9 percent above average. There was a heavy set of fruit in Michigan but most thinning operations have been completed. Peaches are developing well under favorable conditions and harvest of early varieties is expected about July 20. In Ohio, Indiana, and Illinois, good crops are in prospect although the residual effects to bearing age trees from the 1963 freezes are evident in these States. Harvest of early varieties in southern Indiana began in June-volume movement is expected during the second week of July. Southern Ohio expects to begin harvesting early varieties by mid-July. Missouri and Kansas also expect larger crops than last year.

72	12	15	oringshire		006,1	008,1	487 .1.	• •	Maine
- s	and bushel	snoul -			els -	usnq pues			
Indicated	: 6961	1958-62		**	indicated	£961	2958-62 1958-62		
	oduction 2/	rq	State	11		roduction 2/	d		State
	Беасћеѕ		:	::	/I dor	Ommercial C	: Apples, C		

∠₹6°0∠	687 ,87	918'47\4	Vaited States	144, 650	152,505	4/122,997	United States
8∠£ <b>'</b> S₹	024 '84	989 '88	California	11,500	001/8	006 6	California
430	330	8S¥	Oregon	2, 100	2, 700	1,952	Oregon
078,1	3/1/320	2,070	Washington	25, 100	906,18	21, 400	Mashington
380	130	302	Utah	09₺	250	310	Utah
004,1	3/400	1,624	Colorado	008	0S <del>1</del>	239	New Mexico
280	200	233	Idaho	1, 700	1,250	1, 138	Colorado
009	OSZ	<del>1</del> 09	Texas	058 1	0St_1	050,1	odsbl
SII	220	941	Oklahoma	38	35/8	36	Montana
091	160	ISS	Louisiana	S02	200	225	Arkansas
1,200	044'1	049'1	Arkansas	00₺	180	326	Tennessee
260	320	867	iqqizsizsiM	390	245	372	Кептиску
200	1,050	1,120	smsds <b>l</b> A	270	07.1	802	Kansas
200	SZ	171	Lennessee	0S† 'I	1,250	1,192	irnossiM
300	SZ	522	Кептиску	300	300	520	Iowa
008,1	3\2,400	048,40	Georgia	450	562	343	Minnesota
006	008 '4	9, 260	South Carolina	009 1	1,400	1,518	Wisconsin
520	1,500	1, 330	North Carolina	18,500	12,000	13, 300	Michigan
064	05₺	0.プイ	West Virginia			,	
1,000	000'1	1,510	Virginia	2,600	2,200	2, 228	ITTINOIS
200	370	€74	Maryland			,	
0\$	S₹	8₺	Delaware	2, 400	1,500	1,802	snaibnl
170	09	126	Kansas	4, 100	2,100	3,540	0110
088	520	60₺	imossiM	2,100	5,600	2,280	North Carolina
3,500	2,000	3,070	Michigan	000 9	009 '₺	2°, 420	West Virginia
				009,01	000 6	10, 470	rinigniV
SLL	100	838	ITTINOIS	1,650	1,200	1, 452	Maryland
				081	067	462	Delaware
530	OI	18€	Indiana	11,000	000 '8	8,920	Pennsylvania
004	20	888	oidO	2,700	2,400	2, 780	New Jersey
3,000	2,000	2,720	Pennsylvania	56,000	20,400	21, 180	New York
2, 700	2,000	2, 320	New Jersey	1,350	1,350	1, 258	Connecticut
055	040	739	New York	061	120	071	Rhode Island
S61	Sti	091	Connecticut	3,050	2,800	2, 800	Massachusetts
12	£1 .	13	Rhode Island	096	000,1	890 1	Vermont
SZI	Sp1	iei	Massachusetts	1,330	1,370	1, 426	Mew Hampshire
ZZ	îs	15	New Hampshire	006 1	008,1	487 ,1.	Maine

\(\begin{align\*}\)\Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State. \(\begin{align\*}\)\Estimates in certain years, production includes some quantities unharvested on account of economic conditions.

 $\frac{3}{2}$  Includes excess cullage of harvested fruit,

 $\frac{4}{4}$  The 1958-62 average includes production for States no longer estimated.

Arthur K. Homann Burton R. Miller Agricultural Statisticians Robert H. Moats Agricultural Statistician In Charge

U. S. DEPARTMENT OF AGRICULTURE

U. S. DOX 429, SPRINGFIELD, ILLINOIS 62705 P. O. DOX 429, SPRINGFIELD, ILLINOIS 62705

**OFFICIAL BUSINESS** 



Illinois Fruit Production Prospects

Documents Division University of Illinois Library Urbana, Illinois A (3-Copies) 9338.1 Il66f cop.2

COP 2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 — Phone: Area Code 217; 525-4514

### FRUIT

NW NE
W C E
WSW ESE
SW SE

August 14, 1964

ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1964

Apple Production Up From Last Year

Apple production in Illinois' commercial counties is estimated to be 2,600,000 bushels--18 percent above last year and 17 percent above the 1958-62 average. Most of the Wealthy crop has been harvested with Jonathan expected to be harvested in late August and mid-September. Grimes Golden, Golden Delicious, and Delicious varieties are not expected to be harvested until mid-September and early October.

Peach Crop Prospects Up From Five-Year Average

The Illinois peach crop is estimated at 850,000 bushels, eight times larger than the 1963 crop and 1 percent above the 1958-62 average. Elberta harvest was expected to begin about August 5, with the peak expected about mid-August.

### UNITED STATES

APPLES: The August 1 forecast of commercial apple production in 1964 is 147.1 million bushels, 17 percent above last year and 20 percent above average. Prospects generally held steady or increased during July in all major regions. Prospects are unchanged from July in New York, Pennsylvania, Virginia, Michigan, and California, five of the six largest producing States. In Washington, the forecast is up 1.7 million bushels from last month to 26.8 million, still 16 percent below 1963 but 25 percent above average. The August 1 forecasts by regions are as follows: Eastern, 69.4 million bushels, up 22 percent from the relatively short 1963 crop and 13 percent above average; Central, 32.9 million bushels, up 50 percent from 1963 and 29 percent above average; Western, 44.8 million bushels, down 4 percent from last year but 23 percent above average. Increased plantings coming into production in many areas and favorable growing conditions in all regions are the reasons for the high production outlook.

Prospects in New England States and in New Jersey continue good and about average size crops are expected. In New York and Pennsylvania, record high crops are in prospect. The 26.0 million bushel forecast for New York is 27 percent above last year, 23 percent above average and exceeds the previous record of 24.1 million produced in 1961 by 8 percent. Harvest started about mid-July in the Lake Ontario area and about July 10 in the Hudson Valley. Rainfall has been short of needs in the Hudson and Champlain Valleys where some growers are irrigating. More rain is needed for sizing of the crop. Growing conditions have been favorable in Pennsylvania and a record large crop of 11.0 million bushels is expected. The set of York apples was light but, as are other varieties, the crop is sizing well and a good crop is expected. Crop prospects remain unchanged in Virginia despite moisture shortages in some areas during July. Rains in early August were sufficient to sustain prospects in the important northern producing counties.

In North Carolina, a crop of 2,600,000 bushels is now expected. This is equal to the 1963 crop and near the 1962 record of 2,700,000 bushels despite some spring freeze losses. Apples are sizing better than expected and orchards at lower elevations have an excellent set of fruit. The Michigan forecast is unchanged from last month—a record high 18.5 million bushel crop is expected, 54 percent above last year and 39 percent above average. An above average apple crop also is expected in all other Central States except Arkansas. The Ohio crop is nearly twice as large as in 1963, and in Indiana, a crop 60 percent above last year is in prospect—33 percent above average and near the 1937 record high of 2.6 million bushels. Harvest of Indiana's Lodi and Transparent varieties is complete and Duchess and William Reds are starting to move. Dry and hot weather in Kansas reduced prospects but a good crop is still expected. Harvest of early varieties was complete by August 1. The Washington crop is forecast at 26.8 million bushels. This is 5.1 million below last year's large crop but 25 percent above average. In California a record large crop of 11.5 million bushels is in prospect. This is 37 percent above last year and 16 percent above average.

PEACHES: Production of peaches in the United States is now estimated at 70.9 million bushels, 4 percent below 1963 and 5 percent less than the 1958-62 average. Excluding the California Clingstone crop which is used primarily for canning, the U. S. crop would total 38.3 million bushels, 11 percent less than last year and 22 percent below the 5-year average.

The California crop of Clingstone peaches is estimated at 32.7 million bushels, 7 percent more than last year and about a fourth larger than average. The crop of California Freestone peaches is expected to be 12.7 million bushels, or 1 percent less than in 1963 but 1 percent more than average. Peach production in the nine Southern peach States exceeded early season expectations by about 3 percent but was still a short crop. Production is estimated at 5.4 million bushels, off 71 percent from 1963 and only one-third as large as average for the region. The current year's crop is the smallest since 1955 when very few peaches were harvested in the South. In South Carolina, production is estimated at 900,000 bushels which is only about 12 percent of the record high of 7.8 million bushels produced in 1963. Because of the extremely short crop, a larger than usual proportion of the crop is being sold locally. The Georgia peach crop is expected to be only one-third as large as last year. Much of the peach crop in that State was harvested by July 1. Harvest of Elbertas in Arkansas is nearing completion in the Nashville area and is underway in the Clarksville and Crowley Ridge areas. In the other Southern States, harvest was about completed by August 1.

Prospects for peaches in Virginia did not change during July, and a crop of 1.0 million bushels is still expected. In the other Eastern and the Central States, prospects generally held up during July and production is expected to be heavier than in 1963 in most of these States. Among the more important peach producing States, production is expected to be larger than average in New Jersey, Pennsylvania, and Michigan.

Peach prospects in the Western States (other than California) continued better than a year ago. The crops appeared in good condition in Idaho, but prospects declined in July in Colorado due to lack of proper sizing in some profiteds. Harvest is about to begin in the Dixie area of southern Utah. In Washington, peaches were slowed by the cool meather that occurred during July, but quality is excellent and there have been no insect or disease problems.

- OVER -

300	52·	222	Кептиску	300		300	096	EWOI
T'800	2° ₹00	048 ₽	Georgia	430	,	262	343	Minnesota
006	008,7	6, 260	South Catolina	009	ı'I	1,400	1,518	Wisconsin
520	1,500	1,330	North Carolina		181	12,000	13,300	Michigan
094	09 <del>1</del>	0 <del>1</del> / <sub>L</sub>	West Virginia					
1,000	1,000	1,510	Virginia		S* (	2, 200	2, 228	ILLINOIS
084	370	£14	Maryland					
09	97	8¥	Delaware		, * Z	I'200	1,802	snsibnī
071	09	126	sesue			2,100	3,540	Ohio
220	250	60₹	inossiN			5,600	2,280	North Carolina
009'8	2,000	3,070	Michigan			009 °t	2° ₹50	West Virginia
002 0	000 0	020 0			10'0	000 6	074,01	sinigriV
820	100	888	Trinois			1,200	1,452	Maryland
0.36	001	000	01014111	007		290	₹63	Delaware
230	01	384	ansibn.		11'	000 '8	036'8	Pennsylvania
007	02	888	oldC			2, 400	2, 780	New Jersey
3,100	2,000	2, 720	einsylvania		97	20° 400	081,12	New York
2, 700	2,000	2, 320	Vew Jersey			1,350	1,258	Connecticut
913	070	6£L	16w York			120	071	Rhode Island
185	StI	091	Connecticut		i 'e	2,800	2,800	Massachusetts
12	13	13	Shode Island			1,000	1,068	Vermont
911		131	Massachusetts		1, 5	078,1	1,426	New Hampshire
62	142 13	12	dew Hampshire		5 <b>'</b> I	1,800	1, 784	Maine
00	10	10	aridadmell wel	030	) t	1000	102 1	
- siəu	snq puesnou	J		_	spaysn	iq puesnoų.	L -	
				** 500	T 1		79-8261	
†96T	1963	1958-62	**	# \$96 # parea		8961	9g 519 V A	
Indicated		Average	-:: State	:: bəteo		Production 2/	ODGION	State
	Production 2/		_ **			Commercial C	· eardd v	
	Peaches		**		1 401	) [cionomino)	, solaa y	

 $\frac{1}{2}$  For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

California

Washington

Colorado

Oklahoma

Louisiana

Arkansas

Alabama

Tennessee

Кепшску

iqqississiM

Oregon

Utah

Texas

060 'L\*I

11,500

008 '93

08₺

096

32

502

001

084

5₫0

300

1,600

1,700

 $3\sqrt{1he}$  1958-62 average includes production for States no longer estimated.

152 202

31, 900 8, 400 8, 400

220

09₺

007

ORI

5₹2

OLI

300

1,250

1,250

Burton R. Miller Agricultural Statisticians Ralph Gann rton R. Miller

987 , ET

43,420

1,350

T30

 $00 \rlap{/}{p}$ 

200

094

250

320 1,470 160

1,050

62. 5,400

666 °0L

875,378

078,I

1,300

380

300

099

115

091

250

300

300

1,100

Robert H. Moats Agricultural Statistician In Charge

6,900 1,952

21,400

310

933

225

326

372

261,1 802

250

1,050

N°2°DEPARTMENT OF AGRICULTURE

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinols 62705

**OFFICIAL BUSINESS** 

United States 3/122, 997

California

norgnines W New Mexico Utah

Colorado

Montana

Arkansas

Теппеѕѕее

Kentucky

Kansas

Missouri

Idaho

Oregon

Tree Plantings - August 1, 1964 Illinois Production Prospects and

(3-Copies) Urbana, Illinois University of Illinois Library Documents Division

3/74,816

989 '88

2,070 458

308 1'624

233

₽09

971

125

1,670

1,120

\$25 \$26 \$26

# 7.338.1 ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 - Phone: At

### RU



September 17, 1964

ILLINOIS PRODUCTION PROSPECTS - SEPTEMBER 1, 1964

Apple Prospects Continue Above Last Year

Apple production in Illinois' commercial counties is estimated at 2,500,000 bushels, fourteen percent above last year and twelve percent above the 1958-62 average. Sizing and quality of fruit has varied due to moisture shortages through most of the Southern half of the State. Harvest of Jonathan apples is expected to be virtually completed in the Jackson-Union County area by mid-September, with harvest expected to continue for another week in the Calhoun-Pike County area. Red and Golden Delicious harvest is under way in most areas with Stayman and Winesap starting in late September.

Peach Prospects Continue To Be Good

Illinois peach production is estimated at 825,000 bushels. This is two percent below the 1958-62 average, although eight times as large as last year's near failure. Harvest was virtually completed by the end of August.

### UNITED STATES

APPLES: Prospective production of apples declined during the past month in the Eastern States, more than offsetting improved prospects in the Central and Western States. The U. S. crop now is forecast at 145.9 million bushels, 16 percent above last year's crop and 19 percent above average. The production in the Eastern States, although down from last month, is expected to be 67.3 million bushels, 18 percent more than last year and 10 percent above average. In the Central States the crop is estimated at 33.4 million bushels, 53 percent above the 21.8 million produced last year and 32 percent above average. A crop of 45.2 million bushels is expected in the Western States. This is 3 percent less than last year's crop of 46.7 million but 24 percent above average.

The dry weather that has plagued most Eastern States this season continued during August, limiting sizing of the fruit and reducing prospects in many States. Cool weather during most of the month helped apples to color well and minimized the effect of the dry weather. August temperatures were abnormally cool for the first three weeks in New York and substantial rainfall in all fruit areas, except the Hudson Valley, helped overcome dry conditions that had prevailed over much of the State. However, apples, particularly in the Hudson Valley, still need additional rain before harvest. In the Lake Ontario area production is expected to be above last year with Golden Delicious, Northern Spy, and R. I. Greenings showing the greatest increases. Size is somewhat smaller than growers had hoped for but color is generally excellent. Sizes are running small in the Hudson Valley but all varieties are expected to outproduce last year's small crop. Rain is needed to size later varieties. Earlier varieties are ready for harvest. Harvest of late summer varieties is in full swing in the Lake Ontario area and Wealthy harvest is getting underway. McIntosh harvest began about Labor Day in the Hudson Valley and will start the middle of September in the Lake Ontario area.

Dry weather continued in New Jersey during August limiting the sizing of apples. Harvest of McIntosh got underway in late August and limited picking of Red Delicious started during the first week of September. Rains could help the later varieties. Ample rains fell in northwestern and western Pennsylvania during August but dry weather over the balance of the State is limiting the size of the fruit.

Rains the last two days of August relieved the dry conditions in some parts of Virginia, but did not reach into the major apple producing areas of northern Virginia, West Virginia, and Maryland. As a result, prospects are down from a month earlier in all three States. Picking of Red Delicious is underway in all areas of Virginia with fair volume expected by the middle of the month. Jonathan and Grimes Golden harvest is expected to start about September 14, along with Golden Delicious in the southern areas. Picking of Golden Delicious in the Shenandoah Valley and northern Virginia is expected to begin about September 21. Harvesting of late summer varieties is nearing completion in West Virginia, but much of the fruit was small sized due to the dry weather. Harvest of Red Delicious is expected to begin about September 15 and be in full swing about two weeks later. Picking of fall and winter varieties in Maryland started earlier than last year with Red Delicious harvest expected to get underway September 8 in the Hancock area.

Ohio apple prospects improved from last month as a result of rains during late August. The main harvest activity of fall varieties is expected during the second and third weeks of September. For winter varieties, the main harvest will start the last few days of September and continue through the first three weeks of October, about three days later than average. Michigan is expecting a record crop of 19 million bushels and weather conditions during August were nearly ideal for development. Harvest of the Wealthy variety is nearly completed. McIntosh harvest was in full swing in the Southwest during the first week of September and expected to be Statewide by the 15th. Jonathan and Red Delicious harvest will be active by mid-to-late September. Dry weather has limited size of the fruit in most other Central States, except Kansas where August rains in the Northeast have improved prospects. Northeast have improved prospects.

Production of peaches in the United States is estimated at 74.3 million bushels, up 5 percent from the August 1 forecast. This year's crop is expected to be about 1 percent above 1963 but 1 percent below the 1958-62 average. Excluding the Clingstone crop in California, used primarily for canning, U. S. production is expected to total 38.4 million bushels, down 11 percent from last year and 21 percent below average.

The Clingstone crop in California is estimated at 35.8 million bushels, the largest of record, exceeding last year's crop by 17 percent and 38 percent above average. This estimate excludes peaches eliminated by the green drop program under provisions of the State Marketing Order. Favorable growing weather throughout the summer resulted in large size fruit desirable for canning. Harvest was active through August with about two-thirds of the estimated production delivered to canners by the end of the month.

Production of California Freestone peaches is expected to total 12.9 million bushels--1 percent above the 1963 crop and 2 percent more than average. Harvest of this crop is practically complete, with a large portion used by processors.

In the nine Southern States, production is down 71 percent from 1963 and only one-third as large as average for the region. This year's crop is the smallest since 1955. Harvest is virtually complete in the Southern States with a larger than usual proportion of the crop sold locally. In Virginia, an extremely dry August resulted in production being below earlier expectations in the upper Shenandoah Valley. However, this was offset by a heavier crop in the Piedmont and Southwest. Harvest of the Virginia crop was practically complete by the end of August. In the North Central States, prospects continued generally forwards with hornest well advanced by the end of August. ally favorable with harvest well advanced ty the end of August.

_;	əlqqA		nercial Crouction 2/	/ī do	** -			Peaches Production	72
i _i	Average 1958-62	<u>i</u> _	£961	Indicated 1964	** .	State	Average 1958-62	£961 :	i Indicated
		Thousa	usna pur	- sIsi			.a	pursnoy	- slahels -
	1,784	ŀ	008,	028'1	New	orineqmeH w	12	12	ZZ
91 idsamet	1,426		370	1,350		assachusetts	151	S#1	165
out Jampshire	890'1	4.	000	926 620		tode Island	13	13	12
chusetts	2,800	6.	008	3,000		nmecticut	091	Sti	281
purisi :	071	600	120	081		w York	739	01/2	SZS
cticut	1,258	.1	920	026,1		w Jersey	2, 320	2,000	2,600
Cork	21,180	20,	001	52,500		Binsylvania	2, 720	2,000	2,900
ersey	2,780		007	2,800	40		888	02	008
ginsvly	026,8		000	10,500	_	sas it	<b>₽8</b> £	OI	064
are	₽6Z,	,	067	500					
and	1,452	<b>'</b> I	, 200	1,500	ITI	TINOIS	858	100	825
Bit	074,01		000	000,01					
Virginia	5,420		009	00S 'S	IM	chigan	3,070	2,000	3,600
Carolina	2,280	5,	009	2,600		imossi	60₺	022	022
	3,540	<b>'</b> 2	001 '	4,200	Ka	sesur	126	20	071
រន	1,802	<b>'</b> I	009 (	2,400	De	Jaware	87	St	St
						aryland	473	370	084
SIC	2,228	۲,	002 "	2,500	ιţΛ	sinigr	1,510	1,000	1,000
				000 07		est Virginia	044	054	054
gen	13, 300		000 "	000,61	-	orth Carolina	1, 330	005 'I	520
uţsu	812'1	'ī	001	1,650		uth Carolina	6, 260	008 'Z	006
e so ce	543		567	430		sigio	048 4	00⊅ 'S	008,1
	520	*	300	300		ευταςκλ	SSZ	52	300
pan	192	٠ <sub>T</sub>	052,	009'1		ansesse	121	SZ	220
S	802		071	260		abama	1, 120	050,1	300
ску	372		245	084		ississippi	862	320	520
9988	928		180	20¢		kansas	079,1	074,1	1, 100
282	225		200	302 S02		sasisin	SZI	092	112
ខយា	36	1	35	05∳'I \$£	-	ganoma	₹09 9₹1	750 250	022
Орг	050,1		1°520 1°420	009'1		oye sexa	233	200	300
ado Mexico	881 <b>,</b> 1 539	6-	0S <del>*</del>	0\$6		olorado	1,624	007	1,300
0077071	310		250	430		qe:	302	130	380
naton	21,400	3.1	006	26,800		ashington	2,070	1,350	2,000

3/ The 1958-62 average includes production for States no longer estimated. 2/For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

078,841

26,800 2,000 11,900

125,505

31,900 2,700 8,400

United States

California

Washington

Oregon

Ralph W. Gann Burton R. Miller Agricultural Statisticians

684,87

43,420

026,1

3/74,816

989 '88

2, 070 458

Robert H. Moats Agricultural Statistician In Charge

0°400 1°625 1°400

2EP 22 1964 THE LIBRARY OF THE

U. S. DEPARTMENT OF AGRICULTURE SIONITH BU ALISEBAININ

74, 283

₱\$4 '8₽

2,000

Illinois Fruit Production Prospects

**OFFICIAL BUSINESS** 

United States 3/122,997

Oregon California

Washington

U. S. DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE

P. O. BOX 429, SPRINGFIELD, ILLINOIS 62705

(SelgoD-E) A Urbana, Illinois University of Illinois Library Documents Division

Illinois cooperative crop reporting SERVICE

110001

P.O. Bex 427, Springfield, Illinois 62705 - Phone: Area Code 217, 525-4514

### FRUIT



October 15, 1964

PRODUCTION PROSPECTS - OCTOBER 1, 1964

#### ILLINOIS

Apple production in Illinois' commercial counties is estimated at 2,500,000 bushels — 14 percent above last year and 12 percent larger than the 1958-62 average. Sizing and quality of the fruit has varied due to the moisture shortage in the southern half of the State. However, fall and winter varieties, aided by late August and September rains, are of good quality and size. Disease and insect damage was generally very light throughout the season.

Peach production is estimated at 825,000 bushels. The October 1 estimate is more than eight times larger than the small crop of last year, although two percent below the 1958-62 average.

### UNITED STATES

The October 1 forecast of apple production in the United States, at 141.2 million bushels, is down 3 percent from the September 1 forecast, but 13 percent above last year.

Production prospects declined during September in Eastern and Western States but remained relatively unchanged in Central States. Estimated production in the Eastern States, at 63.7 million bushels, is up 12 percent from last year. In the Central States the crop is estimated at 33.5 million bushels, an increase of 53 percent from 1963. A 44 million bushel crop is expected in the Western States, 6 percent below last year's crop.

Dry weather in the Eastern States during August and most of September caused small sizes, reducing production prospects in many of these States. In New England, color is very good and external damage light. Harvest of McIntosh is practically complete and picking of late varieties is active. In New York, the crop is turning out lighter than expected, mainly because of small sizes. In the Lake Ontario area, weather has been favorable for harvest and by the end of September picking of McIntosh was 75 percent complete. In the Hudson Valley, harvest is progressing nicely with McIntosh nearly complete and picking of Cortland well advanced. In Pennsylvania, rain near the end of September was too late to benefit early varieties. However, later varieties -- Stayman, Rome, and York -- are expected to size-up as a result of the rain. Harvest of McIntosh, Cortland, and Jonathan is underway. A few growers have started picking Delicious. In New Jersey, harvest of early varieties was active the last week of September. Sizes are small.

In Virginia, harvest moved along at a normal pace until the week of September 27 when rain temporarily brought activity to a standstill. In the southern part of the State, a few Red Delicious remain to be picked, harvest of Golden Delicious has started, and spot picking of Staymans is underway. In the Shanandoah Valley and the northern area harvest of Red Delicious is over one-half complete and Golden Delicious is nearing the half way point. There is some cracking of Staymans due to late growth following recent rains. In West Virginia and North Carolina, harvest was active the last half of September with sizes generally small. In Maryland and Delaware, harvest is well advanced on Red and Golden Delicious, and a few Yorks and Staymans had been picked by October 1.

Harvest of the Michigan apple crop continued at a fast pace during September. McIntosh harvest was complete at the end of the month and over one-third of the Jonathan and Red Delicious crops had been picked. High winds caused many apples to drop. Quality and size of fruit is good and movement has been heavy. In Ohio, Indiana, Illinois, Minnesota, and Wisconsin fruit is running heavy to small sizes. Late September rain is expected to aid sizing of late varieties. The Kansas crop is well sized, with excellent quality and color except in the south central area where hail damage has been heavy.

The 1964 peach crop is estimated at 74.1 million bushels, slightly more than last year but 1 percent below average. The small crop in the 9 Southern peach States was more than offset by increased production in most other areas. Production was more than double the 1963 crop in the North Central States, up 29 percent in the North Atlantic States, and 17 percent above in the Western States. The 1964 peach crop was about one-third of the 1963 crop in the South Atlantic States and down 27 percent in the South Central States. Production of all peaches excluding California Clingstones, is now set at 37.8 million bushels, down 12 percent from last year and 22 percent below average.

The California Clingstone peach crop for 1964 is estimated at a record high of 36.3 million bushels or 870,000 tons, 18 percent above the previous record of 735,000 tons produced in 1962. This production is 19 percent larger than last year and 39 percent above average. The estimate excludes that portion of the crop eliminated under the "green drop" program of the State Clingstone Peach Marketing Order. The large Clingstone production resulted from a favorable season which allowed all peaches to reach a large size, as well as the absence of insects and diseases and a small increase in acreage. The California Freestone crop of 12.9 million bushels is about the same as last year and 2 percent above average. Earlier maturing varieties were generally of small size but the favorable weather conditions helped late varieties reach good size. Harvest of peaches in California was completed and was drawing to a close in other areas of the Nation by October 1.

-OVER-

OCT 19 1964

HMINERSITY OF ILLIMORS

- sjaysna pursnoyj - sladsud bussuodT Indicated 1964 Average 1958-62 Average 1958-62 1961 1963 £961 Indicated State State Production 2/ Production 2/ Apple and Peach Production, By States

\* Apples, Commercial Crop I/

Peduction 3 Реасћея

		•					
141 '67	024 4E4	989 '88	California 4/	006'11	00ħ '8	006'6	California
097	330	8Sħ	Oregon	006'I	2,700	1,952	Oregon
2, 150	1, 350	2,070	Mashington M	52° 400	31,900	21,400	Mashington
380	130	302	Utah	430	250	310	Utah
1,300		1,624	Colorado	1, 200	0St	239	New Mexico
280	200	233	oqepi	007,1	1, 250	851,1	Colorado
088	OSZ	₹09	Texas	1, 450	0St 'I	1,050	Idaho
SII	052	911	Oklahoma	30	32	36	Montana
091	091	125	Louisiana	502	200	SSS	Arkansas
001,1	024 1	076,1	Arkansas	400	081	326	Tennessee
520	320	867	iqqississiM	084	245	372	Кептиску
300	050'1	1, 120	Alabama	270	071	802	Kansas
220	SZ F	141	Tennessee	009 '1	1,250	1, 192	Missouri
300	SZ	SSS	Кептиску	330	300	220	IOWa
1,800	00₹ 'S	048,4	Georgia	09₹	562	343	Minnesota
008	008 'Z	6,260	South Carolina	059 '1	1,400	1,518	Wisconsin
520	008 1	1, 330	North Carolina	000,61	12,000	13,300	Michigan
0SZ	005 t	740	West Virginia	000 01	000 41	000 0,	* * * * * * * * * * * * * * * * * * * *
000'1	000,1	012'1	Virginia Weet Wireinia	2, 500	2,200	822,2	ITTINOIS
084	000 1	674	Maryland	003 6	000 0	000 0	310.11.11.
08 <i>v</i> Sħ	S <del>V</del>	8ħ	Delaware	S, 400	1,500	1,802	Indiana
271 271	0S	126	Kansas	4, 200	2, 100	0₹9 £	оіно
220	220 20	607	inossiM	2,600	2,600	2,280	North Carolina
000 '8	2,000	3,070	Michigan	005 'S .	009 6	2,420	West Virginia
000 E	2 000	020 8	monide it	000 '01	000'6	10, 470	Virginia
SZ8	100	000	ITTINOIS	1, 350	1,200	1, 452	Maryland
208	1001	858	SIONITII	200	290	767	Delaware
O.C.L.	OT	*0C	Indiana	000,01	000,8	026,8	Pennsylvania
061	02	888 48£	oidO	2,800	2,400	2, 780	Ием Јетзеу
006,2 008	2,000	2,720	Pennsylvania	23,000	20, 400	081,15	New York
006 67		2, 320	New Jersey	1,250	1,350	882,1	Connecticut
5, 500	2,000		New York	180	120	021	Rhode Island
230	0 <b>₹</b> S	739	Connecticut	2,900	2,800	008,2	Massachusetts
071	Sti	091		0S6	000,1	890,1	Vermont
12	13	13	Massachusetts Rhode Island	1, 230	1,370	1,426	New Hampshire
551	145	151			008,1	\$84 'I	Maine
52	15	15	New Hampshire	026,1	008	107 1	
						** *	

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States 3/ 74,816

2/ Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit.

141,215

125,505

 $\frac{3}{2}$  The 1958-62 average includes production for States no longer estimated.

4/ Mainly for canning. Production in tons: Average 1958-62, 625,000; 1962, 735,000; 1963, 734,000; 1964, 870,000.

Ralph W. Gann Burton R. Miller Agricultural Statisticians Robert H. Moats

Agricultural Statistician in Charge

United States 3/122,997

POSTAGE AND FEES PAID

U.S. DEPARTMENT OF AGRICULTURE

74,093

73, 789

U. S. DEPARTMENT OF ACRICULTURE
P. O. Box 429, Springfield, Illinois 62705

**OFFICIAL BUSINESS** 

Illinois Fruit Production Prospects

(S-Copies) Urbana, Illinois University of Illinois Library Documents Division 9 338.1 Flact

LEINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4514

## FRUIT

NW NE
W C E
WSW ESE

November 13, 1964

PRODUCTION PROSPECTS - NOVEMBER 1, 1964

### ILLINOIS

A total of 2.5 million bushels of apples is estimated to have been produced this season in Illinois' commercial counties. This is fourteen percent more than the 1963 crop of 2.2 million, and twelve percent above the 1958-62 average. Moisture shortages limited sizing of this year's heavy set of fruit and dropping was prevalent among later varieties. Cool weather in early October aided coloring of the fruit. Diseases and insects have caused only limited damage and have been excellently controlled in most orchards.

### UNITED STATES

The 1964 apple crop is estimated at 138.2 million bushels, 10 percent more than last year and 12 percent above the 1958-62 average. Small sizes and a heavier than usual fall drop has resulted in a shorter crop than was in prospect earlier in the season. The heavy set of fruit in most major commercial areas, followed by an unusually dry summer and fall, reduced sizes. Frost around the first of October caused a heavy drop in several of the Eastern States. Weather has been favorable for harvest in all commercial areas.

In the Eastern States, 62.9 million bushels are expected to be harvested, up 6.0 million bushels from last year. Harvest is practically completed in the North Atlantic States. A few Romes remain to be picked in New York. Splitting of Stayman apples in New Jersey, and a heavy drop because of changing weather has resulted in an unusually large diversion to cider production. The Pennsylvania crop ran heavy to small sizes and a larger than usual part of the crop is being processed. In Maryland, late varieties sized nicely following September rain. Picking will continue into November. In Virginia, frost and freezing temperatures on October 11 and 12 defoliated trees and stopped growth of fruit, resulting in a heavy drop, particularly for Staymans and Yorks. Open, mild weather prevailed the last half of October and harvest was active. Picking is about complete in West Virginia. Harvest will continue into November in North Carolina.

In the Central States, production is expected to total 32.9 million bushels compared with last year's crop of 21.8 million bushels. Michigan's crop of 18.5 million bushels accounts for over half of the increase. Harvest of the Michigan crop was nearly complete by the end of October. In the northwest area picking will continue into November. In Ohio and Illinois, fruit has been running large to small sizes. Freezing temperatures and dry weather caused late varieties to have a heavy drop of fruit.

In the Western States, production is estimated at 42.4 million bushels, 9 percent below last year's crop, but 17 percent above the 1958-62 average. A shorter crop than last year is expected in all Western States except California, Colorado and New Mexico. In Washington, cool weather and smaller fruit than last year are the major factors contributing to the reduction and have prevented the crop holding up to early season expectations. Fruit is running heavy in the desirable commercial range with few extra large or extremely small sizes. Color and quality are excellent. In Oregon, rainy weather and a shortage of labor slowed harvest. Frost damage during spring bloom caused production to be below last year. Harvest of the California apple crop is still active with Rome and Newtowns comprising most of the volume. Recent rains are expected to increase sizes. In Colorado, picking was nearly 80 percent complete at the end of October. In Montana, Idaho, and Utah, harvest is nearing completion. Quality and color of fruit in these States are generally good but sizes are running somewhat smaller than usual.

- OVER -

NOV 17 1964

UNIVERSITY OF ILLINOIS

C	UUL C	Oila c	, 10
			Central States:
795	- Test 780	: 67,302	Total Eastern States
2	2,700	: 5,280_	North Carolina
· tt	2,200	15,420	West Virginia
6	0996	OLT OT :	Virginia
T	058'T	7,452 :	Maryland
	280	162 :	Delaware
9'6	004'6	8,920	Pennsylvania
5,1	2,800	: 2,780	New Jersey
SO'i	22,300	: 51,180	New York
T	7,220	: I,258	Connecticut
	T80	OLT :	Rhode Island
5,5	5,900	5,800	Massachusetts
σ'τ	7,200	890'T :	Vermont
i't	00t T	924 T:	New Hampahire
3"T	006'T	487,1	Maine
		•	Eastern States:
Isud	prayera	: prayela	
00'I	000'T	000'T	and their case that the even made their sens and their sens the case their sens the
.96T	7967	: 29-8561:	anno contra tra tra
		: Average :	Area and State
TS noi	Product		ورود و المراد و المراد و المراد و المراد و المراد و المراد و المراد و المراد و المراد و المراد و المراد و المراد
		· ·	

Minnesota 562 380 343 730 000 τ 000 ετ BIS'T T'920 5'200 5'300 1,400 12,000 Misconsin 13,300 Mtchigan 5,100 5,200 2,228 : Illinois 3,540 005'T Indiana 2,000 5,100 3,700 4,200 oryo 2,910 5,600 5,300 009 009 008,9 087'T 200 290 500 000'OT 000 22,500 0017 004 1,250 320

326 J80 007 Kentucky SLE 372 545 005 Kansas T80 208 OLT . 530 T'520 T'520 7,192 Missouri 009'T 560 520 300 330

OST'T 050'T 007'T 000'T Igano Montana 36 OE. Western States: 32,905 ST'8#0 25,270 25,371 Total Central States Arkansas 325 225 500 Tennessee 007

271,861 Les,360 271,861 205,360 Total Western States 36,325 37,825 15,000 -0078 TO' 500 0066 California 2,700 5,200 21,400 008'T 7'625 Oregon 23,800 ST' #00 006'TE Washington Utah 087 250 DET 370 1,700 1,700 OLS New Mexico 057 653 1,250 J'300 1,138 Colorado

2/ Includes quantities unharvested on account of economic conditions, and excess commercial apple areas of each State. 

3/ The 1958-62 average includes production for States no longer estimated. cullage of harvested fruit.

Agricultural Statisticians Ralph W. Gann Burton R. Miller

OST

008

000 370

008

STay

180 2,850

036 T'T80

056'T

prepels

000'T 796T Preliminary

U, S, DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P, O, Box 429, Springfield, Illinols 62705 Agricultural Statistician In Charge Robert H. Moats

**OFFICIAL BUSINESS** 

U.S. DEPARTMENT OF ACRICULTURE

(esigoD-E) A Urbana, Illinois University of Illinois Library Documents Division

Illinois Fruit Production Prospects

9338.1 Il66 f

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4514


### FRUIT




December 24, 1964

### 1964 APPLE PRODUCTION

ILLINOIS: The commercial apple crop in 1964 totaled 2.5 million bushels. This is fourteen percent more than the 1963 crop of 2.2 million bushels and 12 percent above the 1958-62 average. Dropping was fairly common among later varieties due to moisture shortage. Apples generally lacked in size but had good coloring. Diseases and insects have caused only limited damage and have been excellently controlled in most orchards.





### APPLE PRODUCTION BY VARIETIES

Illinois, ranking second in the Nation for Jonathan production and third for Golden Delicious, accounted for 7 percent of the Jonathans and 8 percent of the Goldens produced during 1964. Combined production of Golden Delicious at 900,000 and Jonathan at 675,000 bushels made up three-fifths of Illinois' total production. Fifteen percent of Illinois' production was Delicious.

Summer varieties made up seven percent of Illinois' 1964 crop. Duchess totaled 100,000 and Transparent about 50,000 of the 175,000 bushels of summer varieties produced. Fall varieties accounted for 30 percent of the crop with Jonathan representing 90 percent of this seasonal group. Three-fifths of Illinois apples were winter varieties. Golden Delicious made up 57 percent and Delicious varieties 24 percent of Illinois' winter apple production.

pared with 7 percent for both last year and average. UNITED STATES: The 1964 commercial apple crop totaled 140,3 million bushels. This is 12 percent above the 1963 crop almost one-fourth of the total production. Other leading varieties and percent, The foregoing varieties accounting for Colden Delicious, 8 percent; Rome Beauty, 8 percent; and Jonathan, 7 percent. The foregoing varieties account for 60 percent of the 1964 crop. Production of Winesap apples continued to decline, accounting for 5 percent of the production this year compared with 7 percent for both last year and average.

Eighty-six percent of this year's crop was winter varietles, 10 percent fall varietles and 4 percent summer varietles. Winter varietles are those harvested during late fall months, a large part of which are placed in storage for use during the winter and spring months. Delicious, Melntosh, Colden Delicious, and Rome Beauty were the leading winter varietles in 1964; Jonathan was the major fall variety and Gravenstein was the leading summer apple.

Apple production in the Eastern States accounted for 62,9 million bushels or 45 percent of this year's total crop, Western States 44,5 million bushels or 32 percent, and Central States 44,5 million bushels or 32 percent, and Central States and Central States. All Eastern States except New England and North Carolina harvested more bushels of apples in 1964 than in 1963 even though drought conditions prevailed in much of the area and limited sking of the apples. In Western States production was down 5,9 million bushels from last year, although that was partially offset by an increase of 3,6 million bushels in California.

States accounted for 56 percent of the National crop. Washington was the leading State in 1964 with 26,0 million bushels followed by New York with 22,5 million bushels. These four Michigan was third with a crop which totaled 18,5 million bushels, and California fourth with 12,0 million bushels. These four

Total Winter 1,271 1,358 1,575 105,051 110,303 120,08 fall All Varieties 2,228 2,200 2,500 122,997 125,505 140,34 Estimates of commercial crop refer to total production of apples in the Total Winter Total All Varieties Lestimates of 4, 201 5, 593 110, 303 120, 088 110, 303 120, 088 4,922 York Imperial Other Winter 4, 157 6, 238 4, 201 101 001 04 820 4 004 9 Winesap Yellow Newtown 3/ ---\_\_\_ \$86 € 968 '8 5, 762 8, 733 989'Z 8,609 8,512 09 99 09 Stayman 56 15 10,923 049 8 Rome Beauty 3, 165 2, 787 8, 989 001 99 99 26,538 2,7,471 17,256 3,038 8,038 3, 713 3, 713 3, 736 н. г. Greening \_\_ ---Northern Spy £6₺ '91 McIntosh 34,070 \$25,11 3, 395 10, 457 50, 457 Golden Delicious 006 St/ 594 363 Delicious 330 202 818,8 Cortland Black Twig (Paragon) 691 161 334 1,268 Ben Davis & Cano **Z88** 09 99 36 676 3,028 Baldwin Winter 1,314 8,170 1,785 1,785 1,785 1,785 1,620 868,11 Total Fall 054 999 404 24 Other Fall 88 52 871,01 808,1 Wealthy 15 45 Jonathan SZ9 285 285 691 '1 Grimes Golden 048 52 81 27 Fall 2,995 3,304 2, 192 2, 466 2, 726 SZI 941 Total Summer 122 3, 233 941 Other Summer Gravenstein Summer Thousand bushels -Thousand bushels -:Average: 1963 :1958-62; Season and varieties essenting is 1963 : 53-8821; ₱961 ONLLED STATES ITTINOIS Apples, commercial crop 1/Production by varieties, 1964 with comparisons

commercial areas of each State, 2/Golden Delicious included with Delicious prior to 1959 in Oregon and included with "other winter varieties" prior to 1959 in New York and prior to 1960 in Colorado, 3/Albemarle Pippin,

Robert H. Moats Agricultural Statistician In Charge

I/Estimates of commercial crop refer to total production of apples in the commercial areas of each State, 2/ Minnesota, Iowa, Nebraska, Kansas, Kentucky, Tennessee, and Arkansas. Estimates for Nebraska discontinued beginning with the 1961 crop season, 3/ Montana, New Mexico, and Utah.

122,997

36, 325

006,9 1,952 1,952

881,1

1,050

167,1

815'1

1,802

5, 420 2, 280 5, 180

2, 780 8, 920 1, 746 10, 470

21,180

: So-8261:

0<del>1</del>S

13, 300

\$88

125, 505

SOL '97

1, 250 31, 900 31, 900 31, 900 31, 900

21,840

1,390

1, 400

1,500

2, 600

009 't

000 '6

8, 470 20, 400 2, 400 8, 000

1963

Thousand bushels

100

1,005

United States

Total Western

Other States 3/

Oregon

Colorado

imossiM

MISCOUSIN

Michigan

SIONITII

ensibul

oidO

Idaho

Washington

Total Central

Other States 2/

North Carolina Total Eastern

Virginia West Virginia

New Jersey

New England

State and area

Apples, commercial crop 1/

New York

Pennsylvania Pennsylvania

140, 345

095 PP

26,000 1,800 12,000

1, 700 1, 400 1, 400

1,600

059'1

2, 500 2, 500 18, 500

5, 300 2, 600 5, 910 4, 200

1,76 9,800 908,6

8, 310 22, 500 2, 700 10, 000

796I

099 1

Ralph W. Gann Burton R. Miller Agricultural Statisticians

3381 # NAC THE LIBRARY OF THE

U.S. DEPARTMENT OF AGRICULTURE POSTA CENTRAL SINGLES OF ALL WILLS

P. O. Box 429, Springfleld, Illinois 62705 U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE

**OFFICIAL BUSINESS** 

1964 Apple Production

(seigoD-2) ¥ Urbana, Illinota University of Illinois Library Documents Division

9 338.1 Il66f

### cup. 2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 — Phone: Area Code 217; 525-4514



July 2, 1965

ILLINOIS APPLE AND PEACH SURVEY - 1964 PRELIMINARY SUMMARY

APPLES: In 1964, there were 594,000 apple trees in Illinois orchards with 100 or more apple trees. Tree numbers had declined 3 percent from the 612,700 apple trees in 1962. The total number of standard trees dropped 10 percent from 541,900 in 1962 to 485, 100 in 1964. Dwarf and semi-dwarf tree numbers jumped from 70,800 trees in 1962 to 108,900 in 1964, an increase of 54 percent. Nearly all apple trees removed during the two years were of standard size. Almost two out of three apple trees planted in the same period were dwarfs or semi-dwarfs.

By districts, tree numbers increased one percent in the Southwest, two percent in the West, and 29 percent in the Northwest. Decreases occurred in all other districts, with tree numbers down 7 percent in the important West Southwest District. In orchards with 5,000 or more apple trees, tree numbers were increased two percent from 1962 to 1964 while orchards with 2,500 to 4,999 trees increased tree numbers six percent. Orchards in the four smaller size groups had three to 15 percent fewer apple trees than in 1962. There were more dwarf and semi-dwarf apple trees in 1964 than in 1962 in every size group classification.

PEACHES: In 1964, there were 331,600 peach trees in orchards of 100 or more peach trees. This was 23 percent less than the 428,700 peach trees in 1962. Tree numbers were down 18 percent in the Southwest and 20 percent in the West Southwest, the two main peach producing districts. Substantial declines occurred in all important peach producing districts.

In orchards with 5,000 or more peach trees, tree numbers declined 11 percent, compared with about a 30 percent decline in orchards with 1,000 to 2,499 trees and in orchards with 2,500 to 4,999 trees. In 1964, there were 262,100 peach trees of bearing age (planted in 1960 and earlier) and 69,500 trees not yet or just coming into bearing.

· · · · · · · · · · · · · · · · · · ·	B BY DISTRICT AND T  Total number of	f apple trees	: 1964 total	: Trees	set :	Trees removed
and	•		: as percent	: sinc	ce :	since
type	: 1962	: 1964	: of 1962	: 196	52 :	1962
	- Nu	mber -	Percent -		- Numb	
Northwest						
Standard	20, 400	22,500	110	5	600	7 500
Dwarf	4,900	10,200	208			3,500
Total	25, 300	32,700	129		400	100
Northeast		,	143	11,0	000	3,600
Standard	24,000	18,400	77	4	400	
Dwarf	3,500	4,300	123		400	7,000
Total	27, 500	22,700	82		400	2,600
West	•	22,700	02	4, 8	800	9,600
Standard	31,800	30,000	94		100	
Dwarf	2,600	5,100			500	2,300
Total	34, 400	35, 100	196		500	100
Central	5 1, 100	33, 100	102	3, 1	100	2,400
Standard	7, 700	6,200	¥1 € 00			
Dwarf	4, 300		80		200	1,700
Total	12,000	4,500	104		200	***
East	12,000	10,700	89	4	Ю0	1,700
Standard	4, 700	4 500	<b>E</b>			<b>,</b>
Dwarf	200	1,500	<b>2</b> 32	2	200	3,400
Total		200	100		date unio	,
W. Southwest	4, 900	1,700	35	2	00	3,400
Standard	190 600	450	<b>1</b>			,
Dwarf	189,600	163,700	<b>3</b> 86	2,2	00	28,100
Total	26, 100	37,900	145	12, 4	.00	600
E. Southeast	215, 700	201,600	93	14,6		28,700
Standard	40.000			<b>'</b>		20,700
Dwarf	19, 200	15, 700	82	4	00	3,900
	1,700	4,300	253	2, 7		100
Total	20,900	20,000	96	3, 1		4,000
outhwest				٠, ٠		4,000
Standard	215, 800	204,800	95	12,6	00	22 600
Dwarf	25,500	39,800	156	14, 7		23,600
Total	241, 300	244,600	101	27, 30		400
outhe ast		The state of the s		27,5	00	24,000
Standard	28, 700	22,300	. 78	21	00	6 700
Dwarf	2,000	2,600	130		00	6,700
Total	30, 700	24,900	81			C TOO
LLINOIS	•	,	01	90	00	6,700
Standard	541,900	485, 100	90	22 4	20	00.000
Dwarf	70,800	108,900	154	23, 40		80,200
Total	612, 700	594,000	97	42,00		3,900
	, , , , ,	05 1,000	31	65, 40	JU	84, 100

- OVER -

Preparation of this report has been made possible by funds of the Illinois Department of Agriculture matched with funds from the Agricultural Marketing Service, USDA under provisions of the Agricultural Marketing Act of 1946. A more detailed publication will be forthcoming. Sincere appreciation is extended to all orchardists who cooperated in this survey.

Robert H. Moats Agricultural Statistician In Charge Alexander A. Manz Burton R. Miller Agricultural Statisticians

009 5		3 900		V O		000 20			000 80		•	250-499	
008 , E 001 009 , E		007 006 1, 300	,	18 162 88		12,900			000 '91 008 '91		р	100-249 Standard Dwarf Total	
- 19	quin	1 -		- Percent -			- 19dn	ınN -					
2961	;	1961	:	2961 30	:	₱96I		:	2961			ni səəri	
zince	:	apuis	:	as percent	:		trees	reao I			: lo 19dmun	based on	
Trees remove	:	Trees set	:	Into 4961	:							Size of	
(0220)			777 4 44 4	are for orchards	maner	TOCT CIVIL	DOCT	- (1)13/11	I. OIVE	O 77710	VII CES DI	CICKLITTI	

005, 46 008, 7 008, 7 008, 7 008, 7 008, 7 008, 7 008, 46 008, 46 008, 46 008, 46		1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000		62 811 08 07 08 28 07 77		2, 300 1, 500 1, 500 1, 200 1,		4, 300 4, 300 6, 23 6, 000 7, 200 1,		West Central W. Southwest Southwest Southeast Outheast Other Districts 3/
	əquir			- Percent -			- TadmuM -			
Trees set in 1961 and later 2/	:	Trees set 1900 in 1900 Landier 1/4 railres bas	:	1964 total	:		Total tree	1962		District
	(sə	more peach tre	10 0	Of driw stra 10	rol 9	1964 (Data a	I GNA S961	,TSIRTRICT,	S BK 1	ITINOIS BEVCHE
001,48		00 <b>₺</b> 'S9		۷6		000 '769		612, 700		ТотаТ
006,8		42,000		₽SI		006,801		008 '04		Dwarf
002,08		23, 400		06		001,884		006,148		equotg este IIA busbusts
21,600		56, 600		102		231,000		226,000		Total
3,200		22, 700		145		62,600		43, 100		Inswarf
004,81		3,900		76		168, 400		182,900		5,000 and over Standard
16, 100		23,000		901		124,000		117, 100		Total
007		13, 100		182		27, 600		14,900		Dwarf
15, 700		006 6		<b>†</b> 6		001 '96		102,200		2, 500-4, 999 Standard
26,000		9° 300		۷8 .		135, 700		122, 400		Total
0		4, 100		Sti		13,200		001,6		Dwarf
26,000		2, 200		<b>≱</b> 8		122, 500		146, 300		1, 000-2, 499 Standard
10,800		3, 500		68		005 '09		008 '29		Total
100		004		127		2,800		2,200		Irawd
007,01		2,800		88		00Z <b>'</b> ZS		009 '59		Standard
						,				666-00\$
00 <b>∠ '</b> S		00∠ '₹		<b>L</b> 6		28, 600		59,600		Total
001		008		200		1,400		200		Standard Dwarf
2,600		3,900		<b>≯</b> 6		.002,72		28, 900		66 <del>7</del> -052
3,900		1, 300		S8		14, 200		16,800		Total
100		009	1	162		1, 300		008		Dwarf
008,8		002		18		12,900		000,81		100-249 Standard
-	mper	n <sub>N</sub> -		- Percent -		-	- Number			
2961	:	1962	:	2961 10	:	₱96I	3	1962	:	Sold ni soort
since	:	since	:	as percent		Si	Total tree		: 10	based on number of
Trees removed	:	Trees set	:	Into 4 4081						Size of orchard

2,500 4,800 15,600 14,300 10,300	009 '8E 006 'SZ 008 '6E 009 '6I 002 '6	04 89 78 04 S6	48, 900 90, 200 52, 400 24, 400 12, 200	21, 800 34, 700 67, 000 111, 800 69, 700	5, 200-24, 999 1, 000-2, 499 200-999 1, 200-4, 999 2, 500-4, 999
- 19dı	un <sub>N</sub> -	- Percent -	- 19	quinN -	
Trees set in 1961 and later 2/	: tes ses T : 0001 mi : \1 in 1960 in	1964 total : 1967 total : 2011 to	•	t letoT : 5061	size of orchard:  lassed on number of:  2081 in 1962
(saert de	sear arom to 001 dif	w spredono rot are c	4601 A201 GMA 5301	CILL OF OPCHADD	IITINOIS DEVCHES BA
005 '69 009	795, 100 800	100 77	1, 200	1, 200 428, 700	Other Districts 3/
27,800	16, 300	09	35, 100	006,82 000,282	Southeast
008'11	22, 200 55, 900	0Z 08	93, 700 33, 700	008 ,e7 008 ,e7	W. Southeast E. Southeast
008 1	000 t	53 311	2, 300 1, 500	006,4 005,1	West Central
- 19	dmuN -	- Percent -	- 1	гәүшпү -	
	: \1 reilier 1/				

Northeast, and East.	1964, 3/ Northwest,	mi variased ed ot v	most visom	saarT \S	4961 ni ave vn	inead to vitsom som TVI
69° 200 10° 300 10° 300 12° 600 4° 800 5° 200	001 '292 008 '82 006 '52 009 '61 000 '61 000 '6	22 68 02 89 78 02 56	5, 200 6, 400 7, 400 7, 400 7, 400 7, 400 1, 600 1,	) <b>1</b> 6 6 2	12,800 34,700 67,000 131,800 69,700 112,700	100-249 25, 200-499 1, 000-2, 499 5, 000 and over All size groups
- 19dn	ınN -	- Percent -		mper -	n <sub>N</sub> -	
and later 2/	and earlier 1/ :	: 5961 to	÷ †90	i :	1961	trees in 1962
1961 ui	: , 0001 ni	as percent	:	al trees	20.1	to redmin no besed
Trees set	Trees set :	: Istot 40el	:			Size of orchard:
ch trees)	th 100 or more pea	are for orchards wi	AND 1964 (Data	1962 C	SISE OF ORCHAR	ITTINOIS DEVCHES BY S

U, S, DEPARTMENT OF ACRICULTURE
P, O. Box 429, Springfield, Illinots 62705

POSTAGE AND FEES PAID

U.S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Urbana, III. 61933 University of Ill. Library Documents Division (seigod E) A

7338.1

Tl66f

IEPINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 — Phone: Area Code 217; 525-4514

WSW ESE

July 16, 1965

### ILLINOIS PRODUCTION PROSPECTS

#### Apple Production Good

Apple production in Illinois commercial counties is expected to be 2.4 million bushels—four percent below the 2.5 million bushels produced last year, but seven percent above the 1959-63 average of 2.24 million bushels. A good fruit set was generally reported. Growing conditions so far have been favorable. Picking of Transparent apples which has been underway for some time in the Southwest is nearing the end.

#### Peach Crop Small

The 1965 Illinois peach crop is estimated at 230,000 bushels—down nearly three-fourths from 825,000 bushels in 1964 and one-third of the 644,000 bushel average. Peach harvest is limited largely to Union and Jackson Counties. Failure or near failure caused by frozen buds is indicated elsewhere.

### JUL 20 1013

### UNITED STATES

PARTIES AND PARTIESTS

APPLES: An apple crop of 131.5 million bushels is forecast for 1965, down 6 percent from last year but 7 percent above the 1959-63 average of 122.6 million bushels. All of the Eastern States except New Jersey, Pennsylvania, Maryland, and West Virginia expect larger crops than last year. Production is expected to be down in all Central States except Iowa, Missouri, and Arkansas. In the Western States only Colorado and Oregon expect to have crops as large or larger than last year. Of the five major apple States which normally account for about 62 percent of the total crop (Washington, New York, Michigan, Virginia, and California), only in New York and Virginia are prospects above last year.

In the Eastern and Central States winter kill of fruit buds was light and late frosts were no problem. Weather during bloom was favorable in the Eastern States and generally trees have a good set. As of July 1 dry weather from Virginia north and east continued to be a problem. Bloom and set were variable in the Central States. Freezes in March and May caused a variable set in Washington. In Oregon, December and March freezes damaged fruit buds in the Milton-Freewater area but other areas have good prospects. In Utah and New Mexico freezing temperatures during May caused considerable damage. Production of apples in the Eastern States is estimated at 65.4 million bushels, up 2 percent from last year and 8 percent above average.

The forecast for the Central States is 27.9 million bushels, down 10 percent from last year but 12 percent above average. Production in Michigan is expected to be 15.5 million bushels, one million less than last year but well above average. There is a uniform set in most areas and moisture supplies are adequate. Prospects for Delicious apples are down from last year. Summer apples are expected to be in good supply after mid-July. In Ohio limited rainfall has restricted sizing but permitted good control of scab and insects, except for locusts in the Southeast. Harvest of summer varieties started the second week of July in southern Ohio.

In the eight western apple States a crop of 38.2 million bushels is forecast, down 14 percent from last year but 3 percent larger than average. The crop in Oregon is expected to be larger than last year and no change is expected for Colorado. The other States have fewer apples. The Washington crop is forecast at 24.7 million bushels, down 3 percent from last year but 11 percent above average. In the Yakima Valley, winesaps were hard hit by the December freeze and the Red Delicious crop is also light in many orchards. Golden Delicious have a heavy set and many growers are thinning. Prospects are good in the Wenatchee area where freeze damage was not severe. Sets of Red and Golden Delicious are good but Winesap production will be down. California production is forecast at 7.5 million bushels, 40 percent less than last year and 23 percent below average.

PEACHES: The Nation's 1965 peach crop is expected to total 82.4 million bushels, up 11 percent from last year and 9 percent above average. Most of the increase is in the Carolinas, Georgia, and Alabama, where the annual increase is expected to be 11.6 million bushels, more than offsetting smaller crops expected in many other States. Washington's crop is a near failure because of winter and spring freezes.

California's Clingstone peach crop, used primarily for canning, is estimated at 36.7 million bushels, up 1 percent from last year and 31 percent above average. Production of Freestone peaches in California is forecast at 13.5 million bushels compared with 13.7 million bushels in 1964. Harvest of early variety Freestones was underway during June.

The July 1 forecast for the 9 Southern States at 17.2 million bushels although down 2 percent from last month, is more than triple last year's freeze damaged crop. In Georgia, moisture shortage in May resulted in losses of early varieties because of small size. Rain from June 10-17 caused further losses, reducing quality of the fruit, and delaying harvest. Growers couldn't spray effectively and brown rot was prevalent in many areas. Weather was favorable for harvest the last half of June. There was heavy movement of Keystone, Redhaven, Southland, Loring, and Sunhigh varieties at the end of June. In South Carolina, rains during June slowed harvest and caused over-lapping of varieties. By July 1 Redhavens and Beauty Gems moved in volume and Keystones began to ripen, but a gap is expected between Keystones and Southlands. Prospects for Elbertas and later varieties remain good. North Carolina's crop was making satisfactory progress.

In Arkansas, harvest of early varieties was about complete and picking of mid-season varieties was underway. Soil moisture was adequate and size and quality, above average. Weather conditions in Oklahoma have been favorable for peaches.

In Michigan fruit development has been good to date, but more moisture is needed. Thinning continued in many orchards. In Indiana, picking started in late June in the southern part of the State. Fruit was of good size but additional moisture will be needed to continue development. Ohio's orchards will furnish production starting about mid-July in southern areas and the last week of the month in other areas. Locusts caused considerable damage in southeastern Ohio.

			0.010	211101112	20211	oor fm=	00110		PHHAITTEA
	₽SZ '0₽	126,64	S\$8 '0\$	California	005 '2	12, 400	984 6		California
	OQF	094	<b>₽</b> £₽,	Oregon	2,200	1,920	2,086		Oregon
	/₺	008,1	1,920	Mashington	24, 700	52, 500	22,280		Washington
	06	380	520	Utah	310	430	348		Utah
	1,200	1, 200	1, 328	Colorado	200	1,200	184		New Mexico
	520	280	761	odebl	1,600	1,600	1,130		Colorado
	081	220	209	Техая	1,350	OSÞ 'I	060'1		Idaho
	525	091	ヤヤエ	Oklahoma	50	30	5.5		Montana
	\$8	200	011	Louisiana	210	205	215		Arkansas
	050'1	1, 100	1, 554	Arkansas	370	00 <del>1</del>	316		Tennessee
	520	520	290	iqqississiM	380	200	336		Kentucky
	1, 200	300	061,1	Alabama	230	290	506		Kansas
	230	220	₱S1	Tennessee	009'1	009 '1	1,248		imossiM
	220	320	502	Кеппску	330	300	₽ZZ		BWOI
	008 '₽	008,1	0Þ6'Þ	Georgia	300	430	332		Minnesota
	005 'L	1, 100	Ot/ '9	South Carolina	1,400	1,650	1,542		Wisconsin
	009 1	520	1, 360	North Carolina	12,500	16, 500	091,81		Michigan
	725	OSZ	299	West Virginia					
	1, 150	1,000	1, 350	Virginia	S, 400	2, 500	2,240		ITTINOIS
	084	08₽	6₹₹	Maryland					
	SO	SÞ	St	Delaware	004 T	2, 300	1, 726		ana ibul
	041	SZI	601	Kansas	3,500	4, 200	3,260		Ohio
	00¥	099	<b>₽</b> \£	hwossiM	3,800	S, 400	2,360		North Carolina
	2,900	2,900	2, 770	Michigan	000'S	00Z 'S	092 'S		West Virginia
					10, 300	008 6	060,01		Virginia
	230	828	₹₹9	ITTINOI2	1,480	1, 560	1, 422		Maryland
					520	240	962		Delaware
	SZO	450	276	Indiana	10,000	11,500	076'8		Pennsylvania
	200	008	849	Ohio	2, 700	2,800	2, 760		New Jersey
	2,900	2,800	2, 530	Pennsylvania	23,000	21, 500	098 '07		Mew York
	2, 400	2, 500	2, 220	New Jersey	1,350	1, 280	1, 312		Connecticut
	340	250	<b>∠</b> ₹9	New York	200	180	172		Rhode Island
	130	170	123	Connecticut	3,000	2,800	2,820		Massachusetts
	9	SI	12	Rhode Island	046	920	1,036		Vermont
	0⊅	122	151	Massachusetts	1,250	081,1	1,380	9	New Hampshire
	V	SZ	20	Mew Hampshire	2,100	0\$6'I	818,1		Maine
-	- s1:	eysny purs	noul -		- sį ə ų	snq puesno			
	S96I	. 796I	1 69-6561	: ::	\$961	₹96T	£9-6561	8	
	Indicated	; ,,,,,	: 9gs19vA	- State :-	: Indicated		: 9gs19vA		State
		/Z uomonpo	14	_ 8 <u>8 8 _ </u>		/Z norron		3	
****		Беасрез		: ::	/I q	mmercial Cro	Apples, Cor	:	

2/ For some States in certain years, production includes some quantities unharvested on account of economic conditions. 1/Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

3/131,500

 $\frac{3}{4}$  The 1959-63 average includes production for States no longer estimated,

139, 215

4/ The 1965 crop will be a mear failure because of winter and spring freezes. Although a few peaches will be produced, the production is too small to warrant a quantitative forecast.

Alexander A. Manz Burton R. Miller Agricultural Statisticians

844,448

85,449

025, 37\<u>£</u>

Robert H. Moats Agricultural Statistician In Charge

122,641

United States

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705 U. S. DEPARTMENT OF ACRICULTURE

Illinois Fruit Production Prospects

OFFICIAL BUSINESS

Urbana, Ill. 20819 University of Ill. Library Documents Division (Selgo) E) A

9338.1) Il66f cop.2

### 11LINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4514

## FRUIT

NW NE
W C E
WSW ESE

THE LIBRARY OF THE

AUG 23 1965

UNIVERSTY OF ILLINOIS

August 19, 1965

ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1965

#### APPLES

Apple production in Illinois' commercial counties is espected to be 2.4 million bushels—four percent below the 2.5 million bushels produced last year, but seven percent above the 1959-63 average of 2.24 million bushels. Fruit of good size and quality was generally reported. Limited Jonathan harvest will begin in a few days.

#### PEACHES

The Illinois peach crop, estimated at 230,000 bushels, is down nearly three-fourths from the 825,000 produced last year and two-thirds from the five-year average of 644,000 bushels. Harvest is largely limited to Union and Jackson counties. Failure or near failure caused by frozen buds is indicated elsewhere. Elberta harvest has begun.

#### UNITED STATES

APPLES: The Nation's commercial apple crop is forecast at 130.6 million bushels, 6 percent below last year but 6 percent above average. During July prospects declined in Eastern and Western States but held about steady in the Central States. The August 1 forecast, regionally, is: Eastern 65.0 million bushels, up 2 percent from last year and 7 percent above average; Central, 28.0 million bushels, down 9 percent from last year but 12 percent above average; Western, 37.6 million bushels, 15 percent below last year but 1 percent above average.

In New England, New Jersey and Pennsylvania, prospects continue good despite drought conditions but rain is needed to maintain present prospects. Many New Jersey orchards are being irrigated. Harvest of early varieties in New England and Pennsylvania started the last half of July. In New York, cool temperatures and below normal rainfall slowed development of fruit. In the Lake Ontario and Hudson Valley areas, apples on good soil are sizing normally, but orchards on the poor soils have weakened trees and dead or dying limbs. Harvest of early varieties is underway and picking of early McIntosh and Milton is expected to start about August 10.

In Virginia, most of the crop is in good condition and insect-free. Size of fruit is near normal but growth is slow where moisture is becoming critical. Harvest of summer varieties was underway during July. In Maryland, growth has been retarded because of moisture shortage and fruit is not expected to recover this loss. West Virginia's apples are sizing comparable to last year but the set is considerably lighter. Orchards on shallow soil are showing the adverse effects of the last three years of dry weather. In North Carolina, July weather was nearly ideal for fruit development and trees have a heavy set of fruit.

Picking of Ohio's summer apples was underway the last half of July and the quality is generally good to excellent. Shortage of moisture has slowed sizing, especially in central Ohio. In Indiana harvest of Transparents and Lodi is complete and harvest of Williams, Red, Wealthy, and Duchess is underway. Fruit generally is of good size. In Illinois, fruit is sizing nicely and damage from insects and diseases is light. Michigan's crop is progressing well. Cool weather has been favorable and fruit is coloring nicely. Picking of early summer varieties is nearly complete in southwestern Michigan and is underway in westcentral areas.

PEACHES: Production of peaches in the United States is now estimated at 82.4 million bushels, 11 percent above 1964 and 9 percent more than the 1959-63 average. Excluding California Clingstones used primarily for canning, the U.S. crop would total 45.6 million bushels, 20 percent more than last year but 4 percent below average.

The California crop of Clingstone peaches is estimated at 36.7 million bushels, up 1 percent from last year and 31 percent above average. California Freestone peaches are expected to total 13.5 million bushels, slightly less than last year but 5 percent above average.

Peach production in the nine Southern States is estimated at 17.2 million bushels, more than triple last year's freeze damaged crop and 2 percent above average. The crop is turning out slightly below earlier expectations. In South Carolina, production is estimated at 7.5 million bushels. Harvest is past the peak. Elbertas and other late varieties are now being shipped. Most of the Georgia crop was harvested by August 1. Production is expected to total 4.8 million bushels, but much of the fruit that matured in late June and early July was not picked because of market conditions. Harvest of Elbertas in North Carolina got underway the last week of July and will continue until at least mid-August. In most other Southern States harvest was nearly completed by August 1.

Prospects for peaches in New Jersey were unchanged despite continued dry weather. Insect damage is minimal. The crop in Pennsylvania is expected to be the same as last year. Harvest of Redhaven, Sunhaven, and Jerseyland varieties was underway by August 1. In Michigan early varieties were being harvested by August 1 in the Southwest. Size has been good on these varieties but moisture will be needed to increase the size of the mid and late varieties. In Virginia, the early varieties sized well and reached expected volume for most growers. Production of mid-season varieties is expected to be down from earlier prospects in the northern areas. Harvest of late varieties was expected to begin about August 10 in the southern areas and near August 20 in the northern areas.

005 2	1 100	UVL	South Carolina	UUV	059 1	CP5 1	Wisconsin
1,600	520	1, 360	North Carolina	12,500	16,500	13, 160	Michigan
004	J20	299	West Virginia				
1,100	1,000	1,350	Virginia	2, 400	2, 500	2, 240	ITTINOIS
084	084	6 <b>†</b> †	Maryland				
50	SÞ	St	Delaware	1,850	2, 300	1, 726	Indiana
591	175	601	Ransas	3, 400	₫, 200	3, 260	ohio
00ħ	220	374	imossiM	4, 200	2, 400	2, 360	North Carolina
2,900	2,900	2,770	Michigan	006 °F	004 'S	2, 260	West Virginia
			* * * * * * * * * * * * * * * * * * * *	10, 300	008 '6	060 '01	Virginia
230	825	<b>₽</b> ₽9	ITTINOIS	057 '1	095 '1	1, 422	Maryland
000		***	01011111	220	240	967	Delaware
520	420	942	Indiana	10,000	11, 500	01/6 '8	Pennsylvania
008	008	849	оічо	2,600	2,800	2, 760	New Jersey
008 '2	2,800	052,5	Pennsylvania	22, 500	21, 500	20, 860	New York
2, 400	2,500	2, 220	New Jersey	1, 300	1, 280	\$15,1	Connecticut
340	250	Z₹9	New York	180	081	271	Rhode Island
125	071	123	Connecticut	2,950	2,800	028,2	Massachusetts
9	21	51	Rhode Island	096	026	1,036	Vermont
0Þ			Massachusetts  Phodo Island	1, 300	081 ,1	1, 380	Mew Hampshire
₽ P	SSI	151			081 1		
V	SZ	20	New Hampshire	2, 100	026,1	818,1	Maine
 - 219	Thousand bush	1		- s	ladsud bassu	odT -	
S961	: :	£9-6561	: ::	5961		: 69-6961	9
 Indicated	1961	Average		Indicated	1961	Average	8
	Production 2/		State		Production 2/		State
	Беаспея		: 1:	/T do	Commercial Cre	'sərdd w	* *
	1 14			/ /		V	

2/ For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

130, 590

2, 500 2, 500

310

1, 700 1, 700

SO

210

300

**430** 

300 009,1

320

15, 500 1, 400 240

24,000

United States

Oregon California

Colorado

Oktahoma

Louisiana

Arkansas

iqqississiM

Alabama

Tennessee

Kentucky

South Carolina

Georgia

Utah

odabi

Техаѕ

Washington

3/ Near failure.

4/ The 1959-63 average includes production for States no longer estimated.

139,215

1,920 1,920 12,400

430

1, 200

009,1

0£

202

001

00S

009 '1

300

1,650

Bernard R. McCullough Burton R. Miller Agricultural Statisticians

844,47

126'67

008,1 004

1,200

986

280

220

091

300

220

320

001,1 008,1

1, 100

4/75, 320

S18'01

026,1

1, 328

461

**60**S

144 140

1,554

1,130

PSI

502

0\$6'\$ 0\$2'9 098'T

Robert H. Moats Agricultural Statistician In Charge

4/122,641

22, 280 2, 086 9, 786

348

181,130

060 1

215

316

338

274

1, 542 332

1, 248 206

United States

Oregon California

Washington Colorado New Mexico Utah

odebi

Montana

Arkansas

Jennessee

Kentucky

SESUEM

imossiM

Minnesota

Wisconsin

N°2° DEBYKLMENT OF AGRICULTURE

85,359

₽SZ '0S

091

06

520

084

\$22 82

050'1

1,200

210

008 'v 008 'Z

1,200

STATISTICAL REPORTING SERVICE P. O. Box 429, Springlield, Illinois 62705 U. S. DEPARTMENT OF AGRICULTURE



**OFFICIAL BUSINESS** 

Illinois Production Prospects

Trbana, III. 61803 University of Ill. Library Documents Division (selgod E)

9338.1 Illef cop.2

### ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P.O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217: 525-4514

### FRUIT

NW NE
W C E
WSW ESE
SW SE

September 23, 1965

### ILLINOIS PRODUCTION PROSPECTS - SEPTEMBER 1, 1965

Apple Production Above Last Year

Apple production in Illinois'commercial counties is estimated at 2,600,000 bushels, four percent above last year and sixteen percent above the 1959-63 average. Size and quality of fruit is generally good due to adequate moisture in most areas. Jonathans and Golden Delicious are being picked in volume in most areas. Quality of Golden Delicious is excellent with good color.

#### **Peach Production Low**

Illinois' peach production is estimated at 240,000 bushels, compared with 825,000 bushels produced last year and the 1959-63 average of 644,000 bushels. Harvest of this year's crop was largely limited to Union and Jackson counties. Frozen buds caused near failure elsewhere. Harvest was near completion by the end of August.

#### UNITED STATES

APPLES: The U. S. apple crop is now forecast at 133.2 million bushels, up 2 percent from last month. This is 4 percent smaller than the 1964 crop, but 9 percent larger than average. Production in the Eastern States is expected to be 67 million bushels, 5 percent more than last year and 11 percent above average. In the Central States, the crop is estimated at 28.2 million bushels, 9 percent less than last year, but 13 percent more than average. A crop of 38 million bushels is expected in the Western States, 15 percent below last year's crop, but 2 percent above average.

Timely August rains over much of the drought stricken areas of the Eastern Seaboard improved apple prospects in many States. A better than average crop is expected in New England. Harvest of McIntosh is expected to start about September 12. Rains in New York improved prospects. Picking of early McIntosh was active in the Lake Ontario area and harvest of winter varieties will begin around September 18. In the Hudson Valley, picking of early varieties is nearly completed and the harvest of McIntosh and other winter varieties was expected to get underway about September 10. Harvest of McIntosh in the Champlain Valley will start about September 17. Fruit size is small in New Jersey because of the continued shortage of moisture and inadequate thinning. Picking of summer varieties in Pennsylvania was active throughout August and quality was good. Harvest of later varieties began the last of the month and was expected to be in volume early in September. Cool nights and warm days have aided coloring.

Michigan growers did some color picking of McIntosh in late August but the main harvest was not expected until the first week of September. Harvest of Jonathan and Delicious is expected to get underway the last of September. Picking of fall varieties in Ohio began the last week of August and winter varieties will begin about mid-September. In Indiana, Jonathan and Red Delicious are being picked and movement of McIntosh was expected around September 10. An excellent crop of well sized fruit is expected in northern Missouri. Adequate moisture and relatively mild temperatures have benefited the crop. Conditions have been less favorable in the southern area. Volume harvest was underway by August 23.

PEACHES: The Nation's peach crop is forecast at 74.5 million bushels, down 10 percent from the August 1 forecast, largely because of reduced prospects for California clingstone peaches. The current forecast indicates a crop the same size as last year's, but 1 percent below average. Excluding the California clingstone crop, which is used primarily for canning, U. S. production is expected to total 45.1 million bushels, up 18 percent from 1964, but 5 percent under average.

The clingstone crop in California is estimated at 29.4 million bushels, down 7.3 million bushels from the August 1 forecast, and 19 percent under the 1964 crop, but 5 percent above average. California's freestone crop is forecast at 13.1 million bushels, down 3 percent from the August 1 estimate, 4 percent below last year, but 2 percent above average. Harvest was nearing completion at the end of August. Prospects in other Western States total less than half that harvested last year, largely because of Washington's freeze-out. Oregon's crop is expected to equal that of last year with harvest nearing completion. Utah's crop of 90,000 bushels is less than one-fourth of last year's output. Harvest started at the end of August with most of the production being sold locally. Harvest of Idaho's crop is nearly complete. In Colorado, a hail storm west of Palisade caused considerable damage to Elbertas which were about ready for harvest. Picking of Redhaven and earlier varieties is practically complete.

In the North Atlantic States, harvest was generally active at the end of August. Production in that region is expected to be 8 percent below last year, primarily because of lighter crops in New England and New York. In Maryland, Delaware, and the Virginias harvest was almost complete at the end of August. In Michigan, harvest of early varieties is underway in the west-central area and mid-season varieties are moving from the southwest fruit area. Harvest is past the peak in eastern Michigan. In Ohio and Indiana, harvest was nearly complete by September 1. In the 9 Southern States, the crop was more than three times as large as the freeze-damaged 1964 output.

- OVER -

THE LIBRARY OF THE SEP 2 1 1985
UNIVERSITY OF ILLINOIS

Mid-September APPLE PRICES QUOTED AT ST. LOUIS, WHOLESALE MARKET FOR LESS THAN CARLOT QUANTITIES (EXCL.CRATE CHARGES)

Illinois Jonathans, US #1 bubaskets 2 1/2" min.
10-4 lb, film bags 2 1/4"
Wed Delictous US #1 2 1/2" min.
10-4 lb, film bags 2 1/4"
Unclassifieds, bubaskets

Colden Delictous US #1, bubaskets mostly

10-4 lb, film bags 2 1/4"

...

Bubaskets 2 1/2" 3.25 1.50 3.00 3.25 2.75–3.25 9,60-3,50 3°52 3.25 1.50 3,00-3,50 3,00-3,50 \$2.50 2.50 1.25-1.50 \$2.25 2.60 5961 ₹961

Thousand bushels Thousand bushels E9-6561 \$961 9961 1: £9-6561 1961 Indicated Average Indicated Average 11 Production 2/ Production 21 State :: Реасћея Apples, Commercial Crop 1/

1, 328 1,600 1, 150 1,200 181,130 Colorado SZE New Mexico 1, 700 Texas 097 082 **461** Colorado 1, 400 0S+ 'I 060 '1 009 099 209 oyepi 091 Oklahoma 225 144 SO30 Montana 33 Arkansas Louisiana Arkansas SII 200 011 210 SIZ 1, 554 1,050 1, 100 300 00₺ 316 Lennessee 061,1 092 Кептиску Капзаs 285 520 iqqississiM 430 200 336 050'1 842 t Alabama 300 290 009 '1 009 '1 200 200 imossiM 1 ennessee 220 124 202 Кептиску 13, 160 1, 542 262 274 472 320 330 300 EWO! 046,4 047,8 06,1 15,500 1,300 240 240 001,1 008 '\$ 009 '\$ 1' 000 16, 500 1, 650 084,1 Georgia Minnesota West Virginia North Carolina South Carolina Wisconsin 520 Michigan 99 004 OSL 1, 350 000'I 000 1 Virginia 2,600 2,500 2, 240 ITTINOIS 0S# 08₽ Maryland 644 1,850 3,500 4,200 5,100 008, 1 008, 8 009, 5 0000, 5 000, 5 000, 5 000, 5 000, 5 000, 5 000, 5 000, 5 000, 5 0 5, 260 2, 360 3, 260 1, 726 Delaware SO St 97 Ensibal 591 SZI 601 Kansas OHO Michigan Missouri 374 North Carolina Virginia West Virginia 2,900 2,900 2, 770 10, 300 10,090 090,01 1,400 560 828 119 ITTINOI2 Maryland 1, 280 2, 500 2, 800 2, 800 11, 500 240 967 Delaware 520 1, 350 23, 500 2, 600 10, 500 1, 312 20, 860 2, 760 8, 940 8, 940 052 02b 576 Engibal Pennsylvania Mew Jersey New York Mew York 200 008 849 OPTO 2, 530 2, 400 2, 800 2, 500 Pennsylvania Commecticut New York New Jersey 1, 380 1, 036 2, 820 271 220 Massachusetts Rhode Island 340 4₹9 200 081 1, 380 1, 020 3, 050 3, 050 2,800 152 123 021 Massachusetts Rhode Island Z Z 081,1 Vermont New Hampshire IEI 122 2, 100 096'1 New Hampshire

 $\frac{3}{4}$  The 1965 crop will be a near failure. 2/ For some States in certain years production includes some quantities unharvested on account of economic conditions. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

133, 155

2, 200 8, 000

310

24,000

Alexander A. Manz Bernard R. McCullough Burton R. Miller Agricultural Statisticians

877 448

126,94

09₽ 008,1

380

4/75, 320

S#8 '0#

1, 920

United States

California

Washington

Oregon

Utah

Robert H. Moats Agricultural Statistician In Charge

4/122,641

25, 286 2, 086 9, 786

348

United States

California

Washington

Utah

4/ The 1959-63 average includes production for States no longer estimated.

212,981

1, 920 1, 920 12, 400

430

N°2°DEPARTMENT OF ACRICULTURE

157 421

42,500

091

06

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinols 62705

**OLLICIAL BUSINESS** 

Illinois Fruit Production Prospects

Urbana, III. 50819 University of Ill. Library Documents Division (3 Copies)

9.338.1

# 

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 21, 1965

### ILLINOIS PRODUCTION PROSPECTS - OCTOBER 1, 1965

Apple Production Above Last Year

Apple production in Illinois' commercial counties is estimated at 2,600,000 bushels, 4 percent above last year and 16 percent above the 1959-63 average. Fall and winter varieties are of good size and quality. Insect and disease damage was generally light throughout the season.

### Peach Production Low

Illinois' peach production is estimated at 260,000 bushels, compared with 825,000 bushels produced last year and the five-year average of 644,000 bushels.

### UNITED STATES

APPLES: Improved prospects in a number of States increased the 1965 forecast for apples to 134.0 million bushels, still 4 percent below last year's crop but 9 percent above the 1959-63 average. Expected production in the Eastern States is 67.3 million bushels, about 5 percent larger than in 1964 and 11 percent above average. The 28.8 million bushels forecast for the Central States is 7 percent less than last year but 16 percent above the average. In the West the 38.0 million bushel forecast is 15 percent smaller than the crop produced in 1964 but 2 percent greater than the average.

September weather in the North Atlantic States was generally favorable for fruit growth and harvesting, although high temperatures inhibited coloring and sped fruit drop. By October 1 picking of McIntosh had been virtually completed in the New England States, New York, and New Jersey, and harvest of later varieties was well along. In New York, Cortland, Delicious, and Greenings were being picked the first week in October and Golden Delicious were expected to begin moving the week of October 10. In New Jersey Delicious harvest started the last week in September, and picking of Staymans began the first week in October. In Pennsylvania, volume harvest of McIntosh, Cortland, and Jonathan began the second week of September, and some Delicious were being picked the first week in October. In New York and Pennsylvania sizing of late varieties has been good, but in New England and New Jersey fruit sizes are still below average.

In the South Atlantic States, apples sized well. High temperatures the last half of September caused poor coloring and delayed harvest. The delay resulted in increased sizing. In Virginia, harvest of Red Delicious was expected to end the second week in October and Golden Delicious will be picked by mid-month. Harvest of Yorks began the last week in September, and Staymans and Winesaps were expected to start the first week in October. Volume harvest of Delicious began in West Virginia in mid-September. In North Carolina, Red Delicious harvest was completed by October 1, two weeks later than usual, and Golden Delicious harvest was at the 60 percent mark. In Maryland, growers expected to be through with Delicious and to begin active harvest of Staymans, Romes, and Yorks around October 10.

Apples in the Central States benefited from August and September rains. Quality and size is good in most States. In Michigan, harvest of all major varieties reached substantial volume in September. Ohio growers will continue picking through October. In Illinois, harvest is well along. Picking in Indiana was well ahead of usual in mid-September but has since been delayed by rain. Most Western apples benefited from the cool September weather. Color and finish in Colorado, Idaho, Washington, and Oregon are exceptionally good this year. In Colorado, cool, wet weather delayed harvest. In Idaho Jonathans are nearly through, and Red Delicious harvest is progressing rapidly. A few Golden Delicious have been picked. In Washington, harvest was in full swing by October 1 and will end in late October. In Oregon, picking is over at Milton-Freewater but continues active in Hood River Valley. Harvest of late apples in California is well along but many growers are delaying harvest to improve size and quality.

PEACHES: The 1965 peach crop is estimated at 74.4 million bushels, slightly less than last year's crop and 1 percent below average. Production is below last year in the North Atlantic, North Central, and Western States but above a year earlier in the South Atlantic and South Central States. The crop in the 9 Southern States was three times as large as last year's freeze-damaged crop. Excluding California Clingstones, U. S. production is now estimated at 44.0 million bushels, up 15 percent from last year but 7 percent below average.

The California Clingstone crop is estimated at 30.4 million bushels, (730,000 tons) down 16 percent from last year but 9 percent above average. This is sharply below the early season forecast of a record crop. The estimate excludes that portion of the crop eliminated under the "green drop" program of the State Clingstone Peach Marketing Order. The smaller Clingstone crop was the result of August rains that caused the rapid spread of brown rot. The California Freestone crop of 12.1 million bushels is 12 percent less than last year and 6 percent below average. There was a larger than normal amount of split-pit and sizes were smaller than expected. The mid-August rains caused some losses to Freestones also. Harvest of peaches was drawing to a close in all late producing areas of the Nation by October 1.

- OVER -

THE LIBRARY OF THE OCT 22 1965 UNIVERSTY OF ILLINOIS

/S	008,1	1,920	Washington	24,000	25, 500	22, 280	notpuidzeW
06	380	520	Utah	310	05₽	348	Пеаћ
1,150	1, 200	1, 328	Colorado	590	1, 200	184	New Mexico
520	280	461	Idaho	1,700	009 1	1, 130	Colorado
009	220	209	Texas	1,400	0St 'I	060 '1	Idaho
225	091	ÞÞI	Окјароша	SO	30	33	Montana,
SII	200	140	Ponisiana	210	<b>S</b> 02	SIS	Arkansas
050,1	001,1	1,554	Arkansas	300	004	316	Lennessee
582	520	062	iqqississiM	430	200	336	Кептиску
050,1	300	081,1	Alabama	290	062	500	Kansas
220	220	₹SI	Tennessee	009,1	009 1	1,248	Missouri
	320	205	Кептиску	370	300	274	Iowa
4,800		076 'F	Georgia	240 240	430	332	Minnesota
008 7	008 1	076 7 072 '9	South Carolina	1, 300	1,650	242 'I	Wisconsin
005 '2	1, 100		North Carolina	000,01	16, 500	13, 160	Michigan
1,500	520	1, 360		000 91	002 91	031 51	
002	052	799	West Virginia			0.7 m fm	ITELIACIS
000 '1	000 1	1,350	Virginia	2,600	5,500	2,240	ITTINOIS
430	08₽	644	Maryland		000 (0	0016	PHETOTOTA
20	St	St	Delaware	1,850	2, 300	1,726	Indiana
091	SZI	601	Kansas	3,600	4,200	3,260	olido
001	088	<b>₽</b> Ζξ	inossiM	4,200	2, 400	2, 360	North Carolina
3,000	2,900	2, 770	Michigan	2,100	004 <u></u> S	5, 260	West Virginia
				10, 500	008 ,6	060,01	Virginia
260	825	<b>*</b> ***9	SIONITI	1,450	1, 560	1,422	Maryland
				082	`240	967	Delaware
520	450	276	Indiana	10,500	11, 500	01/6'8	Pennsylvania
200	008	849	Ohio	2,600	2,800	2, 760	New Jersey
2,800	2,800	2, 530	Pennsylvania	23, 500	21, 500	20,860	New York
2, 400	5,500	2, 220	New Jetzey	1,350	1, 280	1,312	Connecticut
390	250	<b>∠</b> ₹9	New York	200	081	172	Phode Island
125	041	123	Connecticut	3,050	2,800	2,820	Massachusetts
7	SI	12	Phode Island	006	920	1,036	Vermont
04	SSI	131	Massachusetts	1, 430	081,1	1, 380	New Hampshire
₹	SZ	20	Ием Натрыте	2,200	0\$6'1	818,1	Maine
•	30	00				-,-,	
- s	gand bushel	snoul -		- s I	isand bushe	uodT -	
S96I	:	: 69-6561	: ::	\$961	: 1067		;
Indicated	: \$961	Average :	: :::::::::::::::::::::::::::::::::::::	Indicated	: \$961	Average:	State -
	oduction 2/	orq.	State ::		roduction 2/	d	_;
	eaches	1	::	T	mmercial Crop	vbbres' co	:

\(\overline{\Sigma}\) Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

United States

California 4/

Oregon Washington 134,040

24,000 2,300 8,000

139,215

1,920 1,920 12,400

3/ The 1959-63 average includes production for States no longer estimated.

4/ Mainly for canning. Production in tons: Average 1959-63, 671,000; 1963, 734,000; 1964, 870,000; 1965, 730,000.

5/ The 1965 crop will be a near failure.

United States

Oregon California

Washington

3/122,641

9, 786 2, 086 2, 086 9, 786

Bernard R. McCullough Burton R. Miller Agricultural Statisticians

844 448

126'67 008,1 034

74, 434

45, 503

0440

3/75, 320

S#8 '0#

1,920

Robert H. Moats Agricultural Statistician In Charge

N°2° DEPARTMENT OF ACRICULTURE

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinois 62705

**OFFICIAL BUSINESS** 

Illinois Fruit Production Prospects

Urbana, III. 61803 University of Ill. Library Documents Division (S Copies) A

9.338.1 )) Il 66 f Rop.2

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

## FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

November 15, 1965

FRUIT PRODUCTION PROSPECTS, NOVEMBER 1, 1965

### **ILLINOIS**

Illinois apple production for the 1965 season is estimated at 2,500,000 bushels, the same as last year's production and 12 percent above the 1959-63 average. Size and quality of fall apples is generally good. Although hail reduced quality in some orchards during the season, most of the major producing areas were unaffected. Diseases and insects caused only limited damage to this year's crop.

### UNITED STATES

The 1965 apple crop is estimated at 136.4 million bushels, 2 percent below last year's crop but 11 percent above average. Most of the 2 percent increase from last month is in Washington and California. A larger crop than last year is forecast for the Eastern States but smaller crops are estimated for the Central and Western States.

In the Eastern States, the forecast is 67.8 million bushels, up 6 percent from last year and 12 percent above average. Harvest is practically complete in the North Atlantic States. A few Romes remain to be picked in New Jersey. Cool, wet weather has slowed harvest in western New York. Pennsylvania's harvest is running about ten days behind normal, but picking is expected to be completed by mid-November. In Maryland, picking of York, Rome, and Stayman continued into November. Virginia's harvest is well advanced. Picking of late maturing varieties will continue into November in the Shenandoah Valley and northern Piedmont. Harvest moved rapidly in West Virginia and was nearing completion by the end of October.

In the Central States, production is expected to total 28.8 million bushels, down 7 percent from last year but 16 percent above average. Harvest was practically complete in all Central States by the end of October.

Western States production is up 1.9 million bushels from October 1 to an estimated 39.9 million bushels, 10 percent below last year but 7 percent above average. Washington's crop is placed at 25 million bushels. In the Wenatchee area, the crop was excellent, but in the Yakima Valley many fruits were misshapen and frost marked and the crop was reduced as a result of winter and spring freezes. Apples are being moved from northcentral Washington to the Yakima Valley for storage because of the tight storage situation in the Wenatchee area. California's harvest is making satisfactory progress with a heavy volume of the fruit going to drying. In Oregon, only a few apples remained for harvest at the end of October. The harvested Idaho crop was exceptionally good quality and color. In Colorado, size and color improved during October. Harvest is running about two weeks behind schedule with picking expected to continue until mid-November.

Robert H. Moats Agricultural Statistician In Charge Burton R. McCullough Burton R. Miller Agricultural Statisticians

	46 00 ft	000 [	057	r84 .	Optival wall
0	09 <b>'</b> τ <b>≤ε'τ</b>	009'T	7,250	1,130	Colorado
		οςη τ	OST'T	060'T :	odabl
0	C	90	35	\$3	Montana
		م سا سرجر بدرود			Western States:
	五多至	378,08	ST'840	SH, 882	Total Central States
	SI	305	500	: ऽग्र	Arkanasa
	35	00tj	T80	918 :	Tennessee
	St	005	542	336	<b>Кеп</b> тиску
	85	590	OLT	\$005	assak
0	09 <b>'</b> T	009 <b>'</b> T	7,250	३ प्रेडिंग	truoseiM
	78	300	300	trs :	swol
	62	0Et:	562	332	Minnesota
	T'30	059'τ	00ή T	उग्डार :	Misconsin
	00 <b>'</b> 9T	005'9T	72,000	13,160	Michigan
	S,50	2,500	2,200	\$,240	alonilli
0:	58 <b>'</b> T	5,300	005'T	1,726	Indlana
0	09 <b>'</b> E	4,200	S' 700	3,260	орцо
		*		. "	Central States:
0	Z8 79	οτ8 έ9	09τ '25	925,09 :	Total Eastern States
0	F 50	5,400	2,600	5,360	Morth Carolina
0	ot's	00L'S	009 't	2,260	West Virginia
0	ος 'οτ	008,6	9,200	060'OT :	Virginia
0	Sty T	095'T	7,200	उट्टम'र ः	Maryland
	SS	570	590	\$ 596	Delaware
	00'TT	005'TT	000,8	046'8:	Pennsylvania
	5,60	2,800	5,400	3,760	New Jersey
	53,50	ST'200	20° 700	\$60,860	New York
	15.37	1,280	05Ε'τ	312'1 :	Connecticut
	os .	08T	OST	: 172	Rhode Island
	Sτ <b>'</b> ε	2,800	2,800	s,820	Massachusetts
	06	026	000'T	9E0'T :	Vermont
	λε <b>'</b> τ	1,180	ολε 'τ	085,1	New Hampahire
	5,20	056'τ	008,1	818'1	Maine
				:	Eastern States:
	prayela	prepels	prayela	: prayela	The table of table of tabl
	_000'T	_ 000'I	000'T	_ 000'I	
Addings coming factorial	\$96T :			E9-636T -:	affect dents define plants plant plants before games there games there against against again against
A.	: Preliminar	496T	E96T	Sarieva :	Area and State
more own diffe		Cetton 2	Logn		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
after time and			ercial Crop	real Cour	ddy
			The state of the s	control to the control of the contro	The state of the s
1,60	1,50				Golden Delictous, bubaskets, orchard run
2*82 5*82	2.25		· · · · · · · · · · · · · · · · · · ·		Golden Delicious, US #1, bubaskets, 2 1/1 Golden Delicious, US #1, carton of 10-4 1
2,60	2,50	• • • • • • •	• • • • • • • • •	nim "4/1 S .	Jonathan, US #1, carton of 10-4 lb, bags,
\$3.10	\$2.75	• • • • • • •		Im "S\1 S , 2 gs.	Red Delicious, US #1 carton of 10-4 lb. b
S961	†961				,

375 057 TRIT

Oregon 2,706 1,920 2,200

California California : 2,786 8,400 1,920 9,000

Total Western States : 37,234 46,705 1,920 39,855

United States : 37,22,641 125,705 1,39,215 136,445

Letimates of the commercial crop refer to the total production of apples in the commercial apples of the states of the commercial crop refer to the total production of apples in the commercial apple areas of each state. 2,086 52,000 25,500 37,900 22,280 Washington 1,200 370 . **2**SO 348 utah New Mexico

.betamttee includes production for States no longer estimated. cullage of harvested fruit. 2/ Includes quantities unharvested on account of economic conditions, and excess

U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinols 62705

commercial apple areas of each State.

OFFICIAL BUSINESS



Fruit Production Prospects

Urbana, III. -61803 University of III. Library Documents Division (Selgod E) A

POSTAGE AND FEES PAID

\*\*Department of agriculture\*\*

9 338.1 I l blof Coppy 2

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

JAH 3 1640

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT





ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

December 30, 1965

### 1965 APPLE PRODUCTION

apple crop totaled 2.5 million bushels, the same as last year's production and 12 percent above the 1959-63 average. Size and quality of the crop was generally good. Although hail reduced quality in some orchards during the season, most of the major producing areas were unaffected. Diseases and insects caused only limited damage to the 1965 crop.





### APPLE PRODUCTION BY VARIETIES

Illinois ranked second in Jonathan production, with nine percent of the Nation's Jonathan crop. Combined production of Jonathans, Delicious and Golden Delicious accounted for 80 percent of Illinois' total apple crop.

Summer varieties represented seven percent of Illinois' total crop. Duchess totaled 100,000 bushels and Transparent about 50,000 of the 175,000 bushel summer apple production. Nearly four-tenths of Illinois' apples were fall varieties. Jonathans represented 94 percent of the output of fall varieties. Production of Delicious and Golden Delicious represented 80 percent of the Illinois winter variety production.

UNITED STATES: The Nation's 1965 commercial apple crop totaled 135.7 million bushels. This is 3 percent below the 1964 left unharvested because of shortage of labor, low prices, or other economic reasons. Approximately 2 percent of the 1965 crop was left unharvested compared with 1.2 percent for the 1964 crop.

In the Eastern States, the 1965 apple crop totaled 67.8 million bushels, up 6 percent from 1964. Production for the Central States during 1965 totaled 28.8 million bushels, 12 percent below 1964. The Western States 1965 apple crop amounted to 39.1 million bushels, 12 percent below 1964.

Washington was the leading State in 1965 with 24.0 million bushels followed by New York with 23.5 million bushels. Michigan ranked third with a 16.0 million bushels. Pennsylvania and Virginia ranked fourth and fifth with 11.0 and 10.5 million bushels, respectively. These five States accounted for 63 percent of the Nation's 1965 total production.

Red Delicious was the leading variety accounting for one-fourth of the total production. Other leading varieties and Jonathan, 7 percent, These five varieties accounted for 62 percent of the National crop.

Eighty-seven percent of this year's crop was winter varieties, compared with 86 percent in 1964, Fall varieties accounted for 10 percent in 1964, A short crop of Gravensteins in California caused the drop in production of summer apples, 4 percent in 1964,

K	κ ν	*	ь,			
135,720	139,215	122,641	2, 500	2,500	2,240	Total All Varieties
586'411	119,203	961,201	1, 338	S45 1	1,303	Total Winter
SOI'S	2,535	£64 t	SZ	100	S6	Other Winter
6, 522	18p'L	684,8	-			York Imperial
b11'b	970 °7	₱\$0 °₱		400 000	1000 0000	Yellow Newtown 3/
217,2	685 'L	781,8	38	09	₽S	Winesap
Z\$8 °Z	121,7	₹09 °9	ZI	12	30	Stayman
294 '01	11,061	187,8	113	100	19	Rome Beauty
3,42	165'8	2,877				R. I. Greening
3,510	9€₺ '€	2,912				Northern Spy
18, 335	644 '41	17, 102		sen file	ode step	McIntosh
12, 142	11,222	2/8,252	008	006	772	Golden Delicious
33, 332	886,88	127,451	275	363	246	Delicious
761 '1	3,622	809 'E				Cortland
123	081	672	time day		(u	Black Twig (Parago
59L	298	1, 158	SZ	09	91⁄2	Ben Davis & Cano
2,033	2,084	2,655		AH 100		Baldwin
	, 55 0					Vinter
14, 293	13,858	12,583	486	OSZ	203	Total Fall
1,939	1,686	1, 755	SZ	38	SZ	Other Fall
1,217	1,248	1, 376	12	12	09	Wealthy
320 '01	894 6	262 '8	SZ6	SZ9	96S	Jonathan
550 'I	1,156	1, 160	SZ	SZ	SS	Grimes Golden
						Ils
3,492	<b>₹\$1</b> 9	£98'†	SZI	S41	234	Total Summer
2,382	2,820	2,444	SZI	SZI	234	Other Summer
1,110	3, 334	2,419				Gravenstein
						nmmer
s[əq	snq pursn			q puesno		
S961	1 1901	: Average:	5961	<b>≯961</b>	. 1959–63	eason and varieties
The second lives the se	ED SIMI	TINO :	C	ITTIMOL		spples, commercial
.E2	rare Cra	TIMI				

1/ Estimates of commercial crop refer to total production of apples in the commercial areas of each State. 2/ Golden Delicious included with "other winter varieties" prior to 1960 in Colorado. 3/ Albemarle Pippin.

135, 720	139,215	122, 641	United States									
081,88	44° 230	37, 234	Total Western									
086	099 'I	798	Other States 3/									
000 6	12, 400	987, 6	California									
24,000	1, 920 1, 920 12, 400	22, 280 2, 086	Oregon									
24, 000	25, 500	22, 280	Washington									
1,600	1,600	1,130	Colorado									
1,350	OSt'I	060 'I	Idaho									
28, 770	SZ8 '0E	24, 882	Total Central									
1,920	2, 125	904 'I	Other States 2/									
1,600	1,600	1,248	inossiM									
1,300	1,650	1,542	Wisconsin									
16,000	005 '91	13, 160	Michigan									
2,500	2,500	2,240	ITTINOIS									
1,850	2, 300	1, 726	sasibal									
3,600	₫, 200	3,260	Ohio									
67,820	63,810	925, 526	Total Eastern									
4,200	2, 400	2, 360	North Carolina									
2,100	004 'S	2, 260	West Virginia									
10,500	008 6	060 01	Virginia									
1,450	1, 560	I, 422	Maryland									
280	240	5962	Delaware									
11,000	11,500	076'8	Pennsylvania									
2,600	2,800	2, 760	New Jersey									
23, 500	51, 500	20, 860	New York									
061 6	8, 310	862,8	New England									
- sjəysnq pæsnoyL -												
COGT	; FOCT	: 69-6561:	State and area									
S96I	· \$961	: Average :	2012 has 04042									
	Apples, commercial crop 1/											

1/ Estimates of commercial crop refer to total production of apples in the commercial areas of each State.

2/ Minnesota, Iowa, Nebraska, Kansas, Kentucky, Tennessee, and Arkansas. Estimates for Nebraska discontinued beginning with the 1961 crop season.

3/ Montana, New Mexico, and Utah.

Bernard R. McCullough Burton R. Miller Agricultural Statisticians Robert H. Moats Agricultural Statistician In Charge

N° 2° DEPARTMENT OF ACRICULTURE

V. S. DEPARTMENT OF ACRICULTURE

V. O. Box 429, Springfield, Illinois 62705

**OFFICIAL BUSINESS** 



1965 Apple Production

A (3 Copies)
Documents Division
University of Ill. Library
Urbana, Ill. 61803

338.1 Il 66f cop2

### ILLINOIS COOPERATIVE CROP REPORTING SERVICE

323 56 4869

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

## FRUIT



LLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 18, 1966

#### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Apple production in Illinois commercial counties is expected to be two million bushels—20 percent below last year and 12 percent less than the 1960-64 average. The freezing temperatures on May 9 and 10 did light-to-severe damage to Illinois apples depending on the area. However, with good growing conditions during late May and most of June, apple development was excellent and losses were minimized. The past several weeks have been extremely hot and dry with almost all areas in need of rain. Harvest of Lodi and Transparents began in late June in the South and early July in central areas.

PEACHES: The 1966 Illinois peach crop is estimated at 710,000 bushels--up sharply from last year's short crop of 270,000 bushels and 11 percent above the 1960-64 average of 639,000 bushels. Early peach varieties should be ready to harvest this week.

### UNITED STATES

APPLES: The first forecast for the Nation's 1966 apple crop is 126.7 million bushels, 7 percent less than last year's crop, but slightly above the 5-year average. All Eastern States except Vermont and New York expect smaller crops than last year. In the Central States prospects are for lighter crops in all States except Wisconsin and Minnesota. Larger crops in Washington and California offset smaller crops expected in most other Western States.

In the Eastern States, production is forecast at 54.3 million bushels, 19 percent less than last year and 10 percent below average. In New England, warm weather and adequate moisture during June favored fruit development. Fruit droppage was generally moderate. In New York, growing conditions were favorable during June and fruit is sizing well. The crop is expected to equal last season's. With little or no rainfall the last two weeks of June, surface moisture was becoming short by July 1.

In the Central States, production is expected to be 13 percent less than last year and 4 percent below average. Prospects are for smaller crops in all States except Minnesota and Wisconsin. Freezing temperatures on May 9 and 10 resulted in substantial damage in Ohio and Indiana. In Ohio, Red Delicious appear to have suffered heaviest damage. Harvest of summer varieties will start around mid-July.

In the Western States, production is forecast at 47.4 million bushels, up 18 percent from last year. Washington and California account for most of the increase. New Mexico and Montana expect larger crops. In Washington, the Yakima Valley and North Central counties, expect good crops. June weather was ideal for apples and fruit size indicates a large crop. In the Yakima Valley heaviest producing varieties are Red and Golden Delicious. Trees and fruit look good to excellent. In the Wenatchee area, late April cold spells damaged Red and Standard Delicious but Goldens, Winesaps, and Jonathans came through in good shape. In California, trees set a heavy crop and fruit size is small on trees that have not been thinned. Only about one-fourth of the orchards have been properly thinned. Harvest of Gravensteins is expected to start about mid-July.

PEACHES: The Nation's 1966 peach crop is expected to total 75.9 million bushels, up 3 percent from last year and slightly larger than average. Most of the increase is due to a larger Clingstone crop in California. Many of the North Atlantic, North Central and Rocky Mountain States have smaller crops due to spring frosts and freezes.

California's Clingstone peach crop, used primarily for canning, is estimated at 36.3 million bushels (870,000 tons), up 19 percent from last year's rain damaged crop and 20 percent above average. Growing conditions were reasonably good during June although the hot weather forced maturity ahead of normal. Harvest of the extra early varieties was expected to get underway about July 10. Production of Freestone peaches in California is expected to total 12.5 million bushels, 3 percent above last year, but 3 percent below average.

The July 1 forecast for the 9 Southern States at 16.4 million bushels is 2 percent less than last year. Weather conditions in Georgia during June were generally favorable. Picking of Southland, Loring, Halehaven, Burbank Elberta, and Sullivan Elberta will continue through most of July. In South Carolina, harvest is gaining momentum and quality is reported to be unusually good. Most varieties are maturing about the same time as last year. Sunhaven, Dixiegem, Jerseyland, Redhaven, Keystone, and Ranger were moving in volume on July 1, while Triogem, Southland, Sunhigh, Richhaven, and Loring were reaching maturity. Blakes and regular Elbertas will move later this month. Harvest is in full swing in North Carolina. June weather was favorable for peaches to reach full maturity with very little loss from rotting or droppage.

Michigan's prospects are down sharply from last year due to the late spring freezes. The crop is very spotty with some blocks needing thinning and other blocks having no fruit. Moisture supplies are adequate in Indiana and harvest was expected to get underway the first week of July. Most of Ohio's peaches will be in the northern areas as the May 10 freeze heavily damaged the crop in the rest of the State. Harvest in the North will begin about the last of July.

In Washington, a good crop is in prospect. The set was excellent and there was little frost damage. Warm weather is needed for growth and finish. Crop prospects are good in Oregon, especially in the Willamette Valley and at Hood River. The Colorado crop is down sharply from last year due to spring freezes. The Utah crop was damaged by spring freezes and the crop is very spotty.

UNIVERSITY OF IL LIBRARY

URBANA IL 61801

ezei mated.

United States:

Clingstone 3/

California,

Total

Freestone

California,

Washington

Colorado

Октаноша

Louisiana

Arkansas

Alabama

iqqississiM

Tennessee

Kentucky

Maryland

Delaware

Kansas

Missouri

Michigan

SIONITI

Pennsylvania

Connecticut

Rhode Island

Massachusetts

New Hampshire:

State

New Jeizey

New York

ene ibal

OPTO

::

11

::

South Carolina

North Carolina

Virginia West Virginia

Georgia

Oregon

Utah

Idaho

Техая

12,000

005 '62

300

300

006

100

30

120

OPI

320

150

200

270

200

009

2, 500 2, 500

2, 100

2, 900 2, 900 54, 310

000 9

2, 300 2, 300 8, 000

1, 300

2, 750

076

0\$6'1

9961

Indicated

081

0\$6

270

008,1

24, 930

100 years Livestock Roports

Production Prospects

OFFICIAL BUSINESS

estimated.

California

Washington

New Mexico

Western States:

Colorado

Montana

Total

Arkansas

1 ennessee

Kentucky

Kansas

Iowa iwossiM

Minnesota

Wisconsin

Michigan

ITTINOIS

Total Central States:

Maryland

Delaware

Pennsylvania

Connecticut New York

Rhode Island

Massachusetts

Area and State

New Hampshire:

Vermont

onisM Eastern States:

New Jersey

Virginia West Virginia North Carolina

snsibal

0140

оцерј

Oregon

Utah

Cregon 2,004 California 10,178 Total 38,699 United States :3/125,115

N° 2° DEPARTMENT OF ACRICULTURE

P. O. Box 429, Springfleld, Illinols 62705 STATISTICAL REPORTING SERVICE DEPARTMENT OF AGRICULTURE

Robert H. Moats Agricultural Statistician In Charge

average includes production for States no longer each State, 2/ Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit, 3/ U, S, total for the 1960-64

23,040

362

929

30

336

374

SIZ

274

128

056 '1

2, 280 13, 760 1, 544

018,1

\$ 200 \$ 200

2, 620 9, 140 272

1,270 031,15

991

2, 780

1,814 1,020 1,020

19-0961

Average

1, 290

222 222

1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State. 2/ Includes quantities unharvested on

2, 330 40, 110 136, 050

25,000

310

059

SO

210

320

OSE

082

055

320

067

2, 50.

3,800

4, 200 4, 200

000 's

005,01

10, 700

1,370

3, 150

2, 200 1, 370 900

Thousand bushels

\$961

Production 2/

Apples, Commercial Crop 1/

300

009 1

001

006,85

John D. Witzig Burton R. Miller Agricultural Statisticians

₹98 82

614 OE

12,084 43,445

370

50

06

250

099

SZS

020 1

050 1

99

285

SSO

200

008

004

430

20

160

00%

008

140

008

200

390

125

9

SI IS

sladsud bassuodl

Production 1/

ьевсрея

1, 500

1, 100

1, 150

676,87

36, 253

12, 501

200

120

320

150

002

182

096

592

029

051

200

008

000 1

009'1

520

089

240

20

088

100

014

110

006

200

OST

021

591

9961

Indicated

SI

1, 700

too small to warrant quantitative estimate. 3/Mainly for canning. Production in tons: Average 1960-64, 723,000; 1964, 870,000; 1965, 730,000; 1966, 870,000. 4/U. 5, total for the 1960-64 average includes production for States no longer

1/ Includes quantities unharvested on account of economic conditions and excess cullage of harvested fruit. 2/ Production too small to warrant quantitative estimate. 3/ Mainly for

902 °SZ/₹

30 144

12,876 45,062

456

242

461

**P8S** 

125

120

982

086

₽9I

380

089 1,270

874

124

PIP

280

059 7

2, 260

603

PSI.

12

132

19-0961

Average

12

087 ,2

1, 408

948'1

zoz 'ı

12
ILLINOIS COOPERATIVE CROP REPORTING SERVICE
P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



INOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

ILLINOIS PRODUCTION PROSPECTS - AUGUST 1, 1966

#### APPLES

Apple production in Illinois' commercial counties is expected to be 1.95 million bushels--22 percent below the 2.5 million bushels produced last year and 14 percent below the 1960-64 average of 2.28 million bushels. Apples this year will be smaller in size because of the hot, dry weather. Harvest of Jonathans is expected to start the last week in August--Golden Delicious and Delicious in mid-September.

#### PEACHES

The Illinois peach crop, estimated at 660,000 bushels, is 390,000 bushels above last year's small crop and 3 percent above the 1960-64 average. Harvest of the main Illinois peach crop is underway in many areas with the active period coming during the last half of August.

### UNITED STATES

APPLES: The United States commercial apple crop is forecast at 127.7 million bushels, 6 percent below last year, but 2 percent above average. Prospects increased during July in the Western States but declined in all other areas. Production in Eastern States is forecast at 53.1 million bushels, 21 percent less than last year and 12 percent below average. In New England, July weather conditions were generally favorable for fruit growth, despite some localized hail damage. In New York, apples are developing normally in most areas, except that drought conditions limited sizing in some localities. In the Hudson Valley a few apples were being picked by August 1 and in western New York light harvest of early varieties was expected to start the first part of August. New Jersey apples, delayed by cold weather early in the season, are running 7 to 10 days later than normal. In Pennsylvania, picking of Transparent and Lodi varieties began the week of July 11 and is nearly completed. Harvest of Summer Rambo is about to start. Drought conditions continue in the major producing areas. Dry weather is retarding apples in Maryland, Delaware, Virginia, and North Carolina, where fruit is not sizing properly. In Virginia, harvest of summer varieties (Lodi, Yellow Transparent, etc.) ended in late July and picking of Rambo started the first week of August.

In the Central States, apple production is indicated at 24.1 million bushels, 17 percent below last year and 7 percent less than average. Harvest of summer varieties is expected to continue throughout August for most areas of Ohio. Heat and dry weather in July reduced production prospects in Michigan and Illinois. Less than one-fifth of Michigan's apple crop is in extremely dry areas. Transparents started the movement of early varieties on the Benton Harbor market late in July. In Minnesota, rainfall has been adequate and foliage and coloring of fruit looks good in the main producing area at La Crescent. In Kentucky, apple prospects declined in July due to some extremely dry, hot weather. Tennessee apple prospects have improved considerably since July 1. Mid-season Arkansas apples did not size properly due to dry, hot weather in July. Showers in late July and early August should help to improve the Jonathan crop.

The 1966 apple crop in the West is estimated at 50.5 million bushels, 26 percent more than in 1965 and 31 percent above average. Washington has a bumper crop of 32.0 million bushels, 28 percent more than last year and 39 percent above average. July weather was ideal for growth in most areas. Red Delicious have grown well and their quality is good. Tydeman Reds already have good color and harvest will start soon in the Yakima Valley. Winesap production is expected below last year. The set was heavy but the fruit appears small. The apple crop in the Hood River area of Oregon is developing nicely. In California, harvest of Gravenstein apples is moving rapidly. The set of Delicious and Golden Delicious is relatively lighter than for Gravenstein. Quality of all varieties is good.

PEACHES: The August 1 forecast of the Nation's peach crop is 73.1 million bushels, 4 percent less than the July 1 estimate, 1 percent below last year and 3 percent below average. Most of the month's decline is in California and in the Carolinas, where fruit sizes are below earlier expectations.

California's Clingstone peach crop, used primarily for canning, is estimated at 34.6 million bushels (830,000 tons), 5 percent under last month's forecast, but 14 percent larger than the 1965 crop. "Grade out" of fruit delivered to date has been quite heavy due to small sizes, split pit, and uneven maturity. Not only did Clingstone fail to size as expected but rain on July 30, followed by humid conditions, caused some loss from brown rot. The Freestone peach crop in California is forecast at 11.9 million bushels (285,000 tons), 5 percent below last month's estimate, and 2 percent less than last year. Production is running heavy to small sizes. Harvest of Elbertas for canning was expected to be practically complete by August 10.

In the 9 Southern States, production is expected to total 15.8 million bushels, 3 percent less than the July 1 forecast. In the Carolinas, dry weather has resulted in some small fruit, but quality has been good. Harvest in these States was about 75 percent complete by August 1. In Georgia, Louisiana, and Mississippi, harvest was nearly completed at the end of July. In Alabama, Arkansas, Oklahoma, and Texas, harvest of Elbertas is underway and movement is expected to continue into August.

In the New England States and New York peaches are making normal development. Dry weather in Connecticut and some localities in New York is expected to limit fruit size. Picking of New York's early varieties started in late July. In Pennsylvania, the crop is a week to 10 days later than normal. Harvest of Sun Haven and Red Haven varieties is underway. Sizes of those varieties are about average and quality is good. Later varieties are making satisfactory progress. In Ohio, Indiana, Illinois, and Michigan, harvest of early varieties is underway. Size of fruit in those States is generally small as a result of hot, dry weather during July.

In Maryland and Delaware, peaches are progressing well but rain is needed for continued development. In Virginia, July weather was extremely dry. Rains July 28-30 were in time to help increase sizes of Elbertas and other late varieties. In West Virginia, picking of early varieties started the last week of July. Extended dry weather has resulted in small sizes and without additional rain later varieties also will be small.

	Реасћеѕ		::	\1 qor	s, Commercial C		
	roduction 2/	d	: : :		Production 2/		1. 73
Indicated		Average:	- State	Ladicated	: 5961	. Average :	State
9961	\$961	\$ \$9-096I	: ::	9961	COCT	· 19-0961	
- s1:	ousna pursn	our -		- S1	jaysnq pursno	YL -	
36	76	10	oridoment wold	050	006 6	P18,1.	anteM
SZ	\ <u>£</u> 3 <u>T</u>	12	New Hampshire	026'1	2, 200		Maine Mannehire
SZI		135	Massachusetts	071,1	075 ,1	1, 290	New Hampshire
SI	9	12	Rhode Island	0₽8	006	1,020	Vermont
071	125	₽SI	Connecticut	2,600	3,150	2, 780	Massachusetts
0St	390	603	Ием Хотк	07.1	200	991	Rhode Island
1, 200	2, 500	2, 260	New Jersey	1, 240	075,1	1, 270	Connecticut
006 1	2,800	2,540	Pennsylvania	23,000	23, 000	091,15	New York
200	009	869	Ohio	2, 200	2, 700	2, 620	New Jersey
120	140	280	Indiana	000 '8	10, 700	0p1 '6	Pennsylvania
				270	300	272	Delaware
099	270	689	ITTINOIS	096	1° 420	1, 402	Maryland
				009 'S	10, 500	048 '6	Virginia
1, 100	2,800	2,650	Michigan	2,600	000 'S	071'S	West Virginia
350	00₹	ヤリヤ	imossiM	2, 500	4, 200	2, 500	North Carolina
SI	160	124	Kansas	006 1	9,800	3, 440	Ohio
07	20	ŤΫ	Delaware	1,000	1,850	018'1	Indiana
240	430	8448	Maryland				
079	1, 100	1,270	Virginia	026 1.	2, 500	2, 280	SIONITII
280	004	089	West Virginia				
1,500	1, 500	061,1	North Carolina	12,000	16,000	13, 760	Michigan
009 '9	7, 200	08Z 'S	South Carolina	1,600	1, 300	1,544	Wisconsin
008 '7	008 '7	4, 380	Georgia	200	290	321	Minnesota
210	200	SSS	Кептиску	270	320	274	Iowa
091	220	<b>†91</b>	Tennessee	1, 100	1, 550	1, 350	· imossiM
029	050 1	086	Alabama	120	082	218	Kansas
265	582	585	iqqississiM	300	0SÞ	374	Кептиску
096	1,050	804,1	Arkansas	061	350	336	Tennessee
185	\$9	120	Louisiana	120	210	222	Arkansas
200	225	122	Oklahoma	30	50	90	Montana
002	095	₹8S	Техая	1, 300	00₺ '፲	1,110	Idaho
120	250	<b>7</b> 61	odsbl	1, 100	1,600	1, 290	Colorado
320	1,150	1,202	Colorado	1,000	09	625	New Mexico
051	06	Z∳Z ,	Utah	SYS	310	362	Utah
002 1	OC.	9/0	aotra idae M	32 000	000 50	070 86	Machinaton

\(\overline{\Sigma}\) Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

127,675

32, 500 2, 300 12, 500

United States

Oregon California

Mashington

 $\frac{3}{2}$  Production too small to warrant quantitative estimate.

\$11'SZ1/\$

23, 040 2, 064 10, 178

United States

California,

Washington

Oregon

 $\frac{4}{3}$  U. S. total for the 1960-64 average includes production for States no longer estimated.

136,050

25, 800 2, 330 8, 800

John D. Witzig Burton R. Miller Agricultural Statisticians

₹98 '82

₹5° 203

370 SO

902 °SZ/₹

43,020

95¢ 450

73,052

797 '97

005 007,1

Robert H. Moats Agricultural Statistician In Charge

N°2°DEPARTMENT OF AGRICULTURE

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinois 62705



**OLLICIAL BUSINESS** 

100 years Livestock Reports Illinois Production Prospects

UNIVERSITY OF IL LIBRARY

DOCUMENTS DIVISION

A 3 COPIES

TOST9 TI VNVEUN

ILLINOIS GOOPERATIVE CROP REPORTING SERVICE
P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



LINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 14, 1966

PRODUCTION PROSPECTS - OCTOBER 1, 1966

### ILLINOIS

Apple production in Illinois' commercial counties is estimated at 2, 150,000 bushels, 14 percent below last year and 6 percent below the 1960-64 average. Ample rainfall, cool nights and warm days are combining to produce an excellent crop of apples in Illinois. Harvest is underway in all areas of the State. Jonathan harvest is virtually completed in all areas of Southern, Southwestern, and Central Illinois. Delicious and Golden harvest is advancing rapidly and is nearing completion in all southern areas.

PEACHES: Illinois peach production is estimated at 700,000 bushels, compared with 270,000 last year and the 1960-64 average of 639,000. Harvest was completed by mid-September.

### UNITED STATES

APPLES: The October forecast for apples is up slightly from last month and now totals 128.2 million bushels, 6 percent less than last year's crop but 3 percent more than the 1960-64 average. Expected production in the Eastern States is 53.6 million bushels, 20 percent less than last year and 11 percent below average. The 25.4 million bushels forecast for the Central States is 12 percent below 1965 and 2 percent below average. In the West the 49.2 million bushel forecast is 23 percent larger than the 1965 crop and 27 percent above average.

September weather in the North Atlantic States was generally favorable as rains and cool weather improved sizes and color. Harvest is later than usual in the New England States with McIntosh still active on October 1 and later varieties just getting underway. In the Hudson Valley of New York, the McIntosh crop was nearly ready for harvest when rains came, but sizing of late varieties is expected to be helped. McIntosh harvest was more than one-half completed by October 1, later than normal. Some Cortland and Delicious also were being harvested. Color is good to excellent on all varieties. Harvest had been delayed in the Champlain Valley but is now on schedule. In the Lake Ontario region harvest of processing apples was in full swing the third week of September, and sizes were generally satisfactory. In New Jersey apples were coloring well but sizing small. Rains came too late to add size to any but the late varieties. The rains delayed harvest in Pennsylvania and caused some dropping and cracking, especially to Staymans. On October 1, the Jonathan and Grimes Golden harvest was nearly complete and Red and Golden Delicious were being picked. Harvest of Yorks and Staymans was expected to begin the week of October 10.

In most South Atlantic States harvest was delayed by the September rains which caused some cracking. However, the rains will add size to the later varieties. In southern Virginia, harvest of Red and Golden Delicious was winding up in late September, but harvest of Red Delicious was active in the Piedmont, Northern, and Valley areas. Some Staymans and Romes were harvested the last of September in the southern areas but in the Piedmont and Northern areas harvest was not expected to begin until the second week of October. Picking of Yorks for processing in the important northern areas was not expected to begin until about October 10. In North Carolina most of the Red Delicious had been harvested by October 1 and about 50 percent of the Golden Delicious. In West Virginia, Red and Golden Delicious and Jonathan were the principal varieties being harvested on October 1. Maryland harvest was delayed by the rains but picked up volume the first week of October when Red and Golden Delicious were being harvested. Harvest of Staymans, Romes, and Yorks is expected to get underway about October 10 and continue active the rest of the month.

In the Central States harvest was well underway by the end of September. In Michigan, the fruit had colored well and harvest was active on October 1. Ohio growers started harvesting winter varieties during the last 10 days of September and will continue through October. Many growers report small sizes this year. In Illinois, harvest of an excellent crop is well along. Harvest was underway in Northern Missouri and nearing completion in the southern area by October 1.

The U.S. peach crop is estimated at 72.8 million bushels, about 1 percent less than last year and 3 percent below average. Smaller crops in the Atlantic and Central States were almost offset with larger crops in the Western States—mainly California, Washington, and Oregon. Excluding California's Clingstone peaches, primarily for canning, U.S. production is expected to total 37.8 million bushels, down 13 percent from last year and 16 percent below average. Harvest of the Nation's 1966 peach crop was virtually complete by October 1.

California's Clingstone peach crop is estimated at 35.0 million bushels, 15 percent more than last year and 16 percent above average. Harvest for canning is complete. Early maturity of nearly all varieties resulted in smaller fruit sizes than expected early in the season. The Freestone peach crop in California is estimated at 11.3 million bushels, 7 percent less than last year and 13 percent below average. Harvest is complete, except for a few late varieties.

	- 219 25 150 170 170	12   2   12   2   2   2   2   2   2   2		New Hampshire Massachusetts Rhode Island Connecticut		Rh AA	- 21942nd 1,950 1,230 840 2,500		002,2 075,1 009 001,8		1,814 1,020 1,020 2,780	stras	Maine New Ham Vermont Vermont Massachus		
	Indicated 1966	:	S96I	;	Average 1960-64	:		8 n 0 n	Indicated 1966	b •	S961	:	Average 1960-64	3	. 11/14/
		121	oduction	<sup>1</sup> d		:	State	***		/2 no	Producti			2	Pirit
-			eaches	d		:		::	/ī d	ford Laid	Commer	'sə	IqqA		

a assauua I 220 ¥91 170 2,780 5,780 5,780 1,190 Kentucky 320 274 220 500 300 009 '7 158 1,544 1, 500 7, 200 4, 800 Georgia 0000 300 (1) South Carolina 000 '91 000 '91 13, 760 Michigan West Virginia North Carolina 230 007. 089 1, 100 1,270 sinigriV 5,150 5, 500 2,280 ITTINOIS 099 874 Maryland 200 430 1,000 1,900 1,900 1,900 1,850 4,200 5,000 2, 500 2, 500 3, 440 1, 810 Engibul фŧ DELAWare 20 oido Kansas 07 190 154 North Carolina inossiM PIP 004 2,650 West Virginia 2,800 000,1 Michigan 1, 450 002, 01 000 5 048 6 Sinigniv Delaware Maryland 1, 402 000 1 ITTINOIS 07.2 689 007 1,270 2,620 2,620 9,140 272 240 300 160 1,170 000,25 000,8 000,8 10, 700 Pennsylvania EUEIDUI 130 OFI 580 23, 000 Connecticut New York New Jersey oidO 002 009 869 1, 400 1, 400 2, 540 2, 540 Pennsylvania 2, 500 075 t New Jersey New York Knode Istand

1,202 1, 150 Colorado 029 **625** 300 011,1 009 'T Colorado oyepi 100 520 461 005 1 Idaho Lexas 004 099 **789** Montana Oklahoma SO 30 30 ISS SSS 225 1,408 041 SSS Arkansas Louisiana 510 SZI 9 Tennessee 000 1 1,050 ATKansas 081 350 339 iqqississiM Kentucky OSF 374 1,050 592 982 320 1,350 Alabama 001,1 1,550 Kansas 086 009 MISSOULI Minnesota MISCOUSIM

130'020 United States 3/125,115 158,250 72, 757 13,864 3/75,206 United States 31,000 2,300 12,000 California 4/ 25, 330 2, 330 8, 800 2, 064 10, 178 Oregon California Z1Z '97 45, 503 43,020 1,846 426 Oregon 370 009 Washington 009 1 23,040 Washington SO 1,300 1,300 1,300 1,300 New Mexico Utah 362 Utah 310 242 OST 06

Z/Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit, 1/ Estimates of the commercial crop refer to the total production of apples in the commercial apple areas of each State.

3/ The 1960-64 average includes production for States no longer estimated.

4/ Mainly for canning. Production in tons: Average 1960-64, 723,000; 1964, 870,000; 1965, 730,000; 1966, 839,000.

S/Production too small to warrant quantitative estimate.

Robert H. Moats Agricultural Statistician In Charge

Burton R. Miller Agricultural Statisticians

John D. Witzig

U.S. DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

P. O. Box 429, Springfield, Illinois 62705

**OFFICIAL BUSINESS** 

DEPARTMENT OF AGRICULTURE

Illinois Fruit Production Prospects

100 years Crop and Livestock Reports

UNIVERSITY OF IL LIBRARY DOCUMENTS DIVISION S COBIEZ

Cop 2 Water 27 1986 ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898




ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

December 22, 1966


### 1966 APPLE PRODUCTION

ILLINOIS: The 1966 commercial apple crop in Illinois totaled 2.0 million bushels, 18 percent below last year's production and 10 percent below the 1960-64 average. The apple size in most areas was average to slightly below average. Freezing temperatures in early May reduced yield in most central and northern orchards, but most of the major producing areas were unaffected. However, the hot, dry weather in June and July did help to limit the size of this year's apple crop.

T1669



Winter Varieties.



## APPLE PRODUCTION BY VARIETIES

Illinois ranked second in Jonathan production, with seven percent of the Nation's Jonathan crop. Combined production of Jonathans, Delicious and Golden Delicious accounted for 79 percent of Illinois' total apple crop.

Summer varieties represented about seven percent of Illinois' total crop. Duchess totaled 40,000 bushels and Transparent about 80,000 of the 133,000 bushel summer apple production. Nearly onethird of Illinois' apples were fall varieties. Jonathans represented 93 percent of the output of fall varieties. Production of Delicious and Golden Delicious represented 80 percent of the Illinois winter variety production.

UNITED STATES: Commercial apple production in the United States during 1966 totaled 129,7 million bushels, 5 percent more than average. These estimates include quantities of mature apples left unharvested because of low prices, shortage of labor, or other economic reasons. About 2,1 percent of the 1966 crop was left unharvested compared with 2,3 percent for the 1965 crop.

In the Eastern States the 1966 apple crop totaled SS.2 million bushels, S2 percent below 1965 and 14 percent less than average. A late spring 1966 totaled with summer drought, resulted in a short crop in most of the Eastern States, Production in the Least year is largely attributed to damage resulting from the mid-May freeze in Ohio, Indiana, and Illinois. The Western States 1966 apple crop amounted to SI.9 million bushels, up 29 percent from 1965 and 34 percent above average. The Western States 1966 apple crop amounted to SI.9 million bushels, up 29 percent from 1965 and 34 percent above average. Production was above both ast year and average in all Western States except Idaho, Colorado, and Utah.

Washington was the leading State in 1966 with 33 million bushels, accounting for one-fourth of the Nation's production. New York ranked second with 23 million bushels and Michigan third with 16 million bushels. California's 12,5 million bushel crop placed that State in fourth position, jumping shead of both Virginia and Pennsylvania which ranked fourth and fifth, respectively in 1965.

Red Delicious continues to be the leading variety, accounting for 27 percent of the 1966 production. Other leading varieties and percent; sand varieties and Winesap, 5 percent. Those six varieties accounted for 69 percent of the National crop.

Eighty-seven percent of this year's crop was winter varieties made up 4 percent of the 1966 production compared with 3 percent in 1965, in 1965.

089,651	136,050	125,115	2,050	2,500	2,280	Total All Varieties				
112,486	5,022	107, 526	1,230	1,338	69E I	Total Winter	129,680	136,050	125, 115	United States
5,204	5,022	4,843	26	SZ	96	Other Winter				
188,4	184,0	065 '9				York Imperial	016 IS	40, 110	669 '88	Total Western
3,920	911.4	040 4		-	940 mm	Yellow Newtown 2	0pp 'I	086	1,017	Other States 3/
6,729	698 'S	098 '2	Ib	38	09	qasəniW	12, 500	008 '8	841 '01	California
SOI 't	508 '4	987 '9	OI	SI	82	Stayman	2, 500	2, 330	2, 064	Oregon
109 6	10,607	6,292	82	113	IZ	Rome Beauty	000,88	25,000	23,040	Washington
969 '£	069 '8	3,092		one con		R. I. Greening	1, 300	000 1	1, 290	Colorado
3,237	6ÞÞ 'E	3,002	the com	ton out	200 OO	Northern Spy	1, 200	004,1	1, 110	oyepi
564 '91	961,81	780,71	tion con			McIntosh	000	001	011 1	- 4-61
12,924	12, 137	651,6	738	008	164	Golden Delicious	06S 'SZ	28,900	746 'SZ	Total Central
35,211	181,48	28, 745	246	SZZ	277	_ Delicious	065 I	006'1	884 'I	Other States 2/
3,923	3,907	₹25 E	dan 100	***	-	Cortland	1, 150	1, 550	055 ,1	imossiM
56	123	240	an apr		(	Black Twig (Paragon	009 '1	1, 300	1, 544	Wisconsin
828	£16	640'1	SI	SZ	91⁄2	Ben Davis & Cano	000 '91	000,01	097,81	Michigan
906'1	208,2	5, 459		con dept		Baldwin	2, 050	2, 500	082 ,5	lllinois
						Winter	1,000	1,850	018,1	Indiana
							2, 200	008 'E	044,8	oidO
12,060	13,984	12,573	489	486	104	Total Fall	000 0	2 800	3 440	9110
1,359	1,729	607,1	21	SZ	82	Other Fall	25, 150	0t0 '49	ÞÞÞ '09	Total Eastern
SII I	1, 144	1,320	01	12	bb -	Wealthy .	2, 700	4, 200	2, 500	North Carolina
661 6	10,053	617 '8	989	928	909	Jonathan	2, 600	000 'S	005 € 01 'S	West Virginia
78E -	1,058	1, 126	SO	52	SS	Crimes Colden	002 %	000 5	048 6	Virginia
						Fall	056 056	003 01	1, 402	Maryland
-							200	300	272	Delaware
481,8	3, 288	2,015	133	SZI	210	Total Summer	000 '8	10, 700	041,6	Pennsylvania
968 1	204,5	2,461	133	SZI	210	Other Summer	2, 200	2, 700	2,620	New Jersey
3,238	988	5, 554	Med spin	con plea	era con	Gravenstein	23,000	23, 200	21,160	Ием Тотк
						Summer	000 22	061 '6	045,8	New England
- slan	snq puesn	odT -	- spaysn	q pursno	qL -		000 4	OO! O	0/6 8	Landand mold
9961	. S96I	:19-0961:	9961	COST	19-0961	•	- sta	usnq puesno	uı -	
3301	: 3901	: Average:	3901	5961	Average	Season and varieties	*	*	†9-096I :	
	ED 2.LV.L.			ITTINOIS		•	9961	5961	Average	State and area
snoshb	with comp	ties, 1966	n by varie	roduction	4: /I don	Apples, commercial o				Apples, commen
									7 7 6 4	

1/ Extimates of commercial crop refer to total production of apples in the commercial areas of each State. 2/ Albemarle Pippin,

Robert H. Moats

I/ Estimates of commercial crop refer to total production of apples in the commercial areas of each State.

Z/ Minnessee, and Arkansas. Estimates for Nebraska discontinued beginning with the 1961 crop season.

3/ Montana, New Mexico, and Utab.

John D. Witzig Burton R. Miller Agricultural Statisticians Agricultural Statistician in Charge

3/ Montana, New Mexico, and Utah.

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springifeld, Illinois 62705

1966 Apple Production

**OFFICIAL BUSINESS** 

100 years Livestock Reports

DOCUMENTS DIVISION

3 COPIES

COPIES

2338.1 Ill66f

## ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS BEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 13, 1967

JUL 17 1967

#### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Apple production in Illinois is expected to be 98.9 million pounds (2, 150,000 bushels)--5 percent above last year, but 4 percent below the 1961-65 average. Growing conditions have been very favorable; there is a sufficient moisture supply and disease and insect control measures have worked very well. Cold weather damage is spotty and the June drop may be a little heavier than ordinary, but most fruit is of excellent quality. Harvest of Lodi and Transparent began in late June in the South and early July for Central areas.

PEACHES: The 1967 Illinois peach crop is estimated at 27.5 million pounds (550,000 bushels)—down 4 percent from last year, but 18 percent above the 1961-65 average. Harvest of early varieties began in late June in the southern area as warm weather promoted crop development. Harvest in other areas started in early July and will peak in the last half of the month.

#### UNITED STATES

APPLES: The first forecast for the Nation's 1967 apple crop is 5,634 million pounds, 2 percent less than last year's crop and 5 percent below the 1961-65 average. All Eastern States except Rhode Island expect larger crops than last year. In the Central States prospects are down in most of the North Central area. Smaller crops are expected in four of the Western States.

In the Eastern States, production is forecast at 2,484 million pounds, 14 percent above the 1966 crop, but 10 percent below average. In New England, warm weather and adequate moisture favored fruit development, and droppage was generally moderate. Conditions in New York favored fruit growing and fruit is sizing well. June drop was heavy for Delicious and Golden Delicious. Greenings have a light bloom and set. A good crop of McIntosh, Rome Beauty, and Cortland is in prospect. In New Jersey, trees have a good set of fruit, moisture supplies are good, and the fruit is sizing well. Pennsylvania's prospects are spotty because of poor weather for pollination and a generally heavy June drop. However, quality and size of fruit are expected to be good. In Maryland and Delaware the set varies by orchard and varieties. Moisture supplies are good.

In the Central States, production is expected to total 1,022 million pounds, down 7 percent from last year and 14 percent below average. The condition of Ohio's crop varies: Light crops are in prospect for Red Delicious, Stayman, and Winesap; medium crops for Jonathan and Cortland; and good crops for Golden Delicious, Rome Beauty, and Wealthy. In Illinois, moisture supplies are good and growing conditions favorable. Most of the fruit is of excellent quality. Harvest of Lodi and Transparent began in late June in Southern Illinois and in early July in the central areas. The severe winter and cold spring damaged Michigan's crop, and it was further reduced by an extremely heavy June drop. The expected crop is 15 percent below last year and average. In Wisconsin, frosts during early bloom, and cold weather throughout pollination, reduced the crop. Prospects in Missouri are for a below-average crop--southern areas have a good crop but in the northern half, freezing temperatures and cold weather in late April curtailed prospective production.

In the Western States, production is forecast at 2,128 million pounds, 14 percent less than last year's crop, but 8 percent above average. Washington's crop is expected to be down from last year but well above average. The weather during June was good, and fruit sized well. Red Delicious set well. Although the drop continued longer than usual, prospects are for a good quality crop. The April freeze caused droppage, but remaining fruit was unmarked. Golden Delicious bloom and set was lighter than last year in most orchards. Winesaps, Romes, and Jonathans have a good set and are growing well. In California, there is a light set on Gravensteins and Red Delicious with relatively better sets on most other varieties. Harvest will be much later than normal and picking of Gravensteins is not expected before August 1.

PEACHES: The Nation's 1967 peach crop is forecast at 3,058 million pounds, 10 percent less than last season and 14 percent below average. Excluding California Clingstones, mostly a canning crop, a production of 1,382 million pounds is forecast, 20 percent less than last year and 34 percent below average. Smaller crops than last year are indicated for all of the North Atlantic and Middle Atlantic States, some of the Rocky Mountain States and most of the 9 Southern States. For most of the North Central States, production is above the short 1966 crop but below average.

California's Clingstone peach crop, used primarily for canning, is estimated at 1,676 million pounds, nearly the same as the 1,678 million pounds harvested in 1966 and 12 percent above average. Growing conditions were reasonably good in the Clingstone peach producing districts during June. Some warmer temperatures prevailed toward the end of the period but ample foliage on trees was expected to protect the fruit from damage. The season is later than last year and harvest of the extra early varieties is not expected until shortly after mid-July. California's Freestone crop of 500 million pounds is 3 percent less than the 1966 crop and 19 percent below average. Harvest of early Freestone varieties is lagging far behind last year. Start of harvest of most varieties is about two weeks late.

The July 1 forecast for the 9 Southern States--48.2 million pounds--is 36 percent less than the 1966 crop and 34 percent below average. Good crops in Alabama and Mississippi only partially offset sharp reductions in the Carolinas and Georgia.

Michigan's peach crop suffered some winter and spring freeze damage and the crop is below average but 50 percent above the short 1966 crop. Illinois has a good peach crop. Harvest of early varieties started in late June in the southern part of the State. Harvest in other Illinois peach areas was expected to start in early June--peak the last half of July. Ohio's peach harvest is expected to start about mid-July in the Southeast and late July in the North.

Washington has a fair crop of peaches although below last year. Harvest is expected to start in the Lower Yakima Valley on the Dixired variety shortly after July 15 and the Redhaven variety near August 1--canning varieties about mid-August.

6.71 0.71 0.8 11,2117,1 2.72 49.01 6.08 2.34 8.82 1.41 5.34 5.34 9°6 S°8 ε.8 2.6 Louisiana Kansas ₱°6₺ 8.81 6.11 8.62 2.51 13.2 Arkansas 8.02 Missouri 8.01 8.72 8.71 Mississippi 4.61 8.61 Iowa Alabama Minnesota 2.6. 2.8 Lennessee 9°15 0°545 6°86 S \*8 ₱ 69 65.3 Wisconsin 8.811 2.881 5.01 2.52 8.49 8.540 Кептиску 0.878 Michigan Georgia 0.67 ITTINOIS 0.85 0.85 35.0 6.11 1.77 0.988 7.08 6.18 7.418 ₱ •98 South Carolina: Engiana North Carolina: 0.801 0.06 p.0p1 OITIO Virginia West Virginia Central States: 8.8 1.15 1.15 54.6 9.6 5.58 2.5 7.2 20.5 1.4.1 5.471.5 2, 763, 5 5.483.6 5.4 Total Maryland South Carolina 28.5 48.5 13.6 0.1 8.151 8.151 8.151 6.56 6.5 350.0 193.2 144.0 120.6 120.6 116.0 Delaware North Carolina 6.1 Kansas West Virginia 73.0 6.41 6.41 Virginia imossiM 0.558 5.11 8.68 0.12E 0.12E Michigan Maryland 2.6 4.85 27.5 ITTINOIZ Delaware 12.0 9.01 Indiana Pennsylvania 9°6 10°6 5.0 5.0 8,811 2.101 ०१५० New Jeizey 2,801 Pennsylvania 0.229 6.44.9 930.0 New York 0°55 0.07 0.601 0.801 7.7 0.82 New Jersey 1.44 Connecticut 6.4 6.6 6.8 0.90 2.0 2.0 10.0 8. 7.0 2.5 New York Massachusetts Rhode Island 1.82 1.44.1 58.0 Connecticut 0.88 5.58 6.94 0.98 5.82 1.54 Rhode Island Vermont 2.3 New Hampshire Massachusetts 1.0 1.2 6.0 New Hampshire 8.27 L .OY Maine Eastern States: shanoq noilliM spunod noilliM Average 1961-65 4961 4961 996I 59-1961 State Indicated 9961 Indicated State Production Production 2/ Area Реаспея Apples, Commercial Crop 1/

conditions and excess cullage of harvested fruit. 1/ Includes quantities unharvested on account of economic

3,574,2

9.864.1

2,080,5

8.410

8,6 8,63 8,81

2.02 8.7 8.3

2

United States

Clingstone

California,

Total

rreestone

California,

Washington

Oregon

Colorado

Октаноша

Utah

Idaho

Lexas

4,3 23,0 500,0

55.2 25.2

0.8 0.150.1

₱°20₱°€

0.876,1

7.627,I

7,2 67,2 20,6

33.6 13.0

of apples in the commercial apple areas of each State. 1/ Estimates of the commercial crop refer to the total production 124.8 384.0 2,128.5 7,633.7 2.401 8.784 7.896,1 8.716,8\4 2°954°5 6°92¢°3 0°86°

8.48 27.7 18.2 200.0 20.00

6.19

2,7 3,881,1

120.0

0.0ez

43.0

7.72 6.57

0.0

.001

Librardes States no longer estimated,

\[
\frac{4}{4}\] Includes States no longer estimated,
\]

Ralph W. Gann Burton R. Miller Agricultural Statisticians

Robert H. Moats Agricultural Statistician in Charge

Total United States

Oregon California

Washington

New Mexico

Western States:

Colorado

Letol

Arkansas

Tennessee

Kentucky

Idaho

Utah

**1.5. DEPARTMENT OF AGRICULTURE** POSTACE AND FEES PAID

3°450 'E

0'949'1

S.18E,1

0.002

₽°EI

8.8 8.11. 8.28

26.4 13.0

P. O. Box 429, Springfleld, Illinois 62705 STATISTICAL REPORTING SERVICE U. S. DEPARTMENT OF AGRICULTURE

**OLLICIAL BUSINESS** 

Production Prospects

10819 URBANA IL UNIVERSITY OF IL LIBRARY

DOCUMENTS DIVISION

2 COLIES

## ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 16, 1967

## PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Apple production in Illinois is expected to be 108.6 million pounds (2, 361,000 bushels)--15 percent above last year and 6 percent above the 1961-65 average. Adequate moisture and good success with insect and disease control measures will yield a good quality apple this year. Some orchards in the central and northern areas are reporting frost rings, and a heavier than ordinary fruit drop due to the frost during May. Harvest of Jonathan, Delicious, and Golden Delicious will be a week ahead of normal in most areas and is expected to begin in the South during the last week of August and early September.

PEACHES: The 1967 Illinois peach crop is estimated at 29.5 million pounds (590,000 bushels)--4 percent above last year and 26 percent above the five-year average. Insect and disease damage has been at a minimum and the crop is of very good quality. Hailstorms have played havoc with some orchards in the Anna, Cobden area, although production for that overall area will be affected very little. The harvest period for Elberta peaches began in mid-July, ten to fifteen days ahead of normal.

#### UNITED STATES

APPLES: The Nation's 1967 commercial apple crop is expected to total 5,704 million pounds, 1 percent less than last year and 4 percent below the 1961-65 average. Prospects improved somewhat during July in all regions and the indicated crop is 1 percent above the July 1 forecast. A larger crop than last year is expected in the Eastern States but prospects are for a smaller crop in the Central and Western States.

In the East, growers expect to produce 14 percent more apples than last year. All eastern States except Rhode Island and Pennsylvania have larger crops than in 1966. July weather in the East was generally favorable, soil moisture is adequate, and apples are making good size growth. Harvest of summer varieties is underway. In most States, Golden Delicious set a heavy crop but the set of Red Delicious was somewhat light. The crop is generally free of insect and disease damage.

In the Central States, production is expected to be down 7 percent from 1966. Most of the reduction is due to a shorter crop in Michigan. However, all North Central States, except Ohio, Indiana, Illinois and Kansas expect to produce fewer apples than last year. In the South Central States--Kentucky, Tennessee, and Arkansas--prospects are for larger crops than in 1966. In Ohio and Indiana, harvest of summer varieties is underway. Fall and winter varieties are making satisfactory size growth except in some spotted dry areas. In Illinois, soil moisture is adequate, and fruit is making good progress. Michigan's crop is 15 percent less than last year due to poor pollination and a heavy drop in June. Apples are sizing well and insect damage is lighter than usual. In Minnesota, the crop is about two weeks later than normal. A severe hailstorm in the LaCrescent area during June caused extensive damage. Missouri's crop is developing adequately, and picking of Jonathans is expected to start the latter part of August. In Arkansas, weather has favored fruit growth. Harvest of summer apples is complete and picking of Jonathans and Red Delicious is starting.

In the Western States, production is expected to be 12 percent less than last year, mostly due to much lighter crops in California, Colorado, and New Mexico. Washington's crop is expected to be slightly under 1966. In Idaho, fruit is sizing well. Hot, dry weather during July hastened maturity. Colorado's crop was reduced to less than half of last year and average by a severe freeze in April. Red Delicious suffered the heaviest damage. About two-thirds of this year's crop will be Jonathans and Rome Beauty. There is a fair crop of Golden Delicious.

PEACHES: The United States 1967 peach crop is forecast at 2,992 million pounds, 12 percent below last year and 16 percent less than the 1961-65 average. Production expectations are down 2 percent from July 1.

California's Clingstone peach crop-mostly for canning-is estimated at 1,620 million pounds, 3 percent below last year but 8 percent above average. The current estimate is 3 percent less than a month earlier. Harvest started about mid-July, nearly 3 weeks behind last year. Deliveries were only limited before August 1. Fruit sizes and maturity are highly variable within orchards causing problems of harvest. The Freestone crop in California is forecast at 440 million pounds, 12 percent below a month earlier and 15 percent less than last year. Harvest of Elbertas for canning is running later than normal with only light harvest before August 10.

The August 1 forecast for the 9 Southern States, at 529 million pounds, is a 10-percent increase from July 1, but is 29 percent below last year. Excellent sizing weather in South Carolina accounted for much of the increase as harvest neared completion. In Alabama, Arkansas, Georgia, and North Carolina, harvest was virtually completed by the end of July. Harvest of Elbertas is underway in Texas and movement is expected to continue throughout August.

In the New England States and New York, favorable weather aided development of a light crop. Picking on New York's early varieties started in late July. New Jersey's harvest has been a week later than normal. Size is good and supplies should be available well into September. Redhaven and Jubilee harvest is underway in Pennsylvania. The Indiana and Illinois harvests of early varieties were nearing completion on August 1, and harvests of late varieties were becoming active.

In Maryland, peaches are sizing well with some early varieties harvested around August 1. Favorable moisture supplies during July improved Virginia's fruit size and color. Harvest of early varieties is complete and mid-season picking started August 4. In West Virginia, picking of early varieties started near the end of July, with the bulk of harvest expected after mid-August.

### UNIVERSITY OF IL LIBRARY DOCUMENTS DIVISION 2 COLIES

Production Prospects



OFFICIAL BUSINESS

STATISTICAL REPORTING SERVICE
P. O. Box 429, Springfield, Illinois 62705 S, DEPARTMENT OF AGRICULTURE

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

Robert H. Moats Agricultural Statistician in Charge

\frac{4}{\text{Includes States no longer estimated,}} \frac{4}{\text{Includes Quantities unhanested on account of economic conditions, and excess cullage of harvested fruit, \frac{3}{\text{Includes Quantities unhanested on account of economic of the conditions, and excess cullages of harvested on account of economic conditions, and the conditions of th

apples in the commercial apple areas of each State.

Area

Ralph W. Cann Burton R. Miller Agricultural Statisticians

conditions and excess cullage of harvested fruit. Includes quantities unharvested on account of economic

Peaches

1/ Estimates of the commercial crop refer to the total production 2,992,3 \$°405°€ 3,574,2 7 954 5 6 94 7 0 868 8°416°5/\(\bar{V}\)
4°596°1 United States Total United States T 950 0 Clingstone 0.878,1 9'867'1 California 0.092,1 Oregon California, .401 24°0 1,550.0 1, 372, 3 7 624 I 27.72 18.2 1,200.0 2,080,6 Lotal Washington 3.81 0.044 Freestone Utah 25.2 4.3 0.54 7.72 6.54 California, New Mexico 2,7 67,2 20,6 13°4 2.91 Colorado Oregon 8.49 15°2 € 69 Washington 5.79 6,19 Idaho 6.3 Utah Western States: 33.6 13.0 1,71 4,11 5,7 8,881,1 54.3 1°001 8°S Colorado I 028 I Lotal 2.8s 7.8 6081 8.45 8.01 8.02 9.01 17.0 1.0 8.0 oqepi 0.8 **S**6• Lexas Þ Lennessee 8.88 8.88 8.0 8.0 52.0 8.5 10.6 0.6 4.01 Oklahoma Kentucky 25.4 13.2 48.1 8.3 16.4 13.8 50.8 11.2 Louisiana Kansas Arkansas inossiM 8.2 27.5 13.2 2.71 Mississippi EMO 2.6 2.8 2.8 12.0 10.8 60.0 Alabama Minnesota Tennessee 65.3 Wisconsin 0.801 0.18 0.872 0.272 9.01 Georgia Kentucky 0,97 102,9 0,578 Michigan 2.56 6.11 0.966 1.77 2.881 170, 3 ITTINOIS 6.18 7.418 South Carolina! ruerpur 35.0 West Virginia : North Carolina : 0°06 140.4 oidO 2.7 2.8 8.8 2.9 2.8 30.7 6,765 8,861 9,765 8,861 8,861 8,861 8,861 8,861 8,861 21.1 54.6 Virginia 1.4.1 5.179.2 2,486,6 South Carolina Total Maryland 0.059 0.059 0.128 0.120 0.212 0.212 0.213 0.311 193,2 154,0 8.8 3.7 3°6 0.1 Delaware North Carolina Kansas Virginia West Virginia 322.0 12.6 62.1 350.0 2.84 4.51 23°4 113°6 14°6 imossiM 38.4 9.6 12.0 73.0 73.0 Michigan Maryland 28.5 Delaware Pennsylvania ITTINOIS 5.0 5.0 2,801 2,801 2,801 ansibal 9.094 0140 0.011 8,121 New Jersey Pennsylvania 0°\$\$6 6°\$\$ 8°9 7,7 56,0 923,0 New York 2.0 2.0 10.0 55.0 8, 7,0 22,5 70,0 7.8 0.601 New Jersey Rhode Island Connecticut 8.6.8 8.4.8 New York 2.32 1.44 0.89 6.94 0.95 0.88 5.85 1.24 108.0 Connecticut Massachusetts Rhode Island Vermont 1.2 5.3 Massachusetts New Hampshire 2.0 6°0 New Hampshires 63. Z 8.57 4.07 Maine Eastern Statesi spunod uoilliM spunod 4961 4961 59-1961 9961 Indicated 9961 State Indicated Average bus State Production 1/ Production

Commercial Crop 1/

Apples,

oct 1 7 1907

2338.1 Il66f Copz

### ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 13, 1967

PRODUCTION PROSPECTS - OCTOBER 1, 1967

#### ILLINOIS

APPLES: Apple production in Illinois' commercial orchards is estimated at 104.9 million pounds (2, 280,000 bushels)—
11 percent above last year and 2 percent above the 1961-65 average. Ample rainfall and moderate weather combined to produce an excellent crop. Harvest is underway in all areas of the State. Jonathan harvest is virtually completed in all areas of Southern, Southwestern, and Central Illinois. Delicious and Golden harvest is advancing rapidly and is nearing completion in all southern areas.

PEACHES: Illinois peach production is estimated at 28 million pounds (560,000 bushels), compared with 28.5 million pounds (570,000 bushels) last year and the five-year average of 23.4 million pounds.

#### UNITED STATES

APPLES: U. S. apple prospects on October 1 totaled 5,607 million pounds, 3 percent below last year and 5 percent below the 1961-65 average. In the Eastern States expected production is 2,583 million pounds, 19 percent above last year and 17 percent below average. Prospects for the Central States totaled 1,985 million pounds, 10 percent less than last year and 17 percent below average. In the West, expected production of 2,039 million pounds is 18 percent below last year but 4 percent above average. In the North Atlantic States, September weather was good for harvest, and apples generally were coloring well. Sizing in New England is medium to large. Harvest of McIntosh continued active into the first week of October.

In New York's Hudson Valley, McIntosh harvest was expected to be completed in early October and harvest of Cortland and Delicious to begin. McIntosh size is generally large. In the Lake Ontario area of New York, harvest is late and volume picking for processing was getting underway the first week of October. In the Champlain Valley, harvest started the third week of September. Picking of Red Delicious and McIntosh in New Jersey was active by October 1, after a slow start. In Pennsylvania, harvest of fall apples neared peak the first week of October. Red and Golden Delicious were being picked in the southern fruit area, and some McIntosh were still being harvested. In the South Atlantic States harvest progressed well in September. By October 1 most Red and Golden Delicious had been picked. In northern Virginia and Maryland, a few orchards were winding up harvest of Red and Golden Delicious the first week of October. Harvest of Virginia's Yorks and Staymans was expected to begin about October 1, and Winesaps about October 10.

In the Central States, harvest of a good quality crop was in full swing the first week of October. Color and size were good, except where affected by drought in July and August. In some areas of Michigan, the crop is not picking out as well as first expected; there is a wide range of sizes but quality is very good. Some areas have finished McIntosh harvest. In Ohio, harvest of winter varieties is expected to continue through October.

In most of the West, hot, dry September weather retarded sizing and coloring of apples. In Idaho, cool temperatures and showers the last of September and in early October benefited late varieties. In Mesa County, Colorado, Jonathan harvest is complete and Red and Golden Delicious harvest was expected to be completed the first week of October. In Delta County, harvest of Jonathan and Delicious was active on October 1. In Washington, there is still some uncertainty about the apple crop. Persistent hot weather in September kept fruit size below expectations. However, apples are still growing and cooler weather would greatly benefit some areas. Most size reduction is in the north-central counties where trees are heavily loaded. Hot weather also has slowed coloring. In Oregon, hot weather also retarded sizing and coloring. Harvest began at Milton Freewater in mid-September. A strong windstorm hit some apple areas October 2. Most damage was in the Willamette Valley, where some apples were lost and some trees damaged.

In California's Sebastopol area, picking of Gravensteins was completed about September 1, and harvest of Golden Delicious and Jonathans underway. Red and Standard Delicious in that area have a light set but Rome Beauty orchards have a good set. Rain would benefit sizing. At Watsonville, prospects are for a shorter crop than last year with a higher proportion than normal going into processing channels.

PEACHES:
The Nation's 1967 peach crop totaled 2, 724,6 million pounds, 5 percent less than last month's forecast, 20 percent under last year and 24 percent below average. Most of the month's decline is because California's Clingstone crop fell below early season expectations. Production was below last year in the Atlantic Region and most of the West. However, production in most Central States was somewhat above last year. Harvest of the 1967 crop is practically complete.

California's Clingstone peach crop is estimated at 1,380.0 million pounds, 9 percent less than the September 1 forecast, 18 percent below last year and 8 percent below average. Harvest is virtually complete. This year's crop had a late start and losses from split pits increased as the season progressed. Brown Rot in the late varieties also caused some loss.

UNIVERSITY OF IL LIBRARY DOCUMENTS DIVISION A 3 COPIES

Production Prospects



40	)
----	---

**OFFICIAL BUSINESS** 

POSTACE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Ralph W. Gann Burton R. Miller Agricultural Statisticians

Production 1/

Реаспея

Robert H. Moats Agricultural Statistician in Charge

conditions and excess cullage of harvested fruit.

 $\frac{2}{4}$  Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit,  $\frac{3}{4}$  1965 only,  $\frac{4}{4}$  includes States no longer estimated, 2/ Production too small to warrant quantitative estimates. of apples in the commercial apple areas of each State.

nited States ;	8°4J6'S/¥	2.756.2	5,607,2	United States	3,574.2	\$°405°4	2, 724, 6
Total	L'S96'I	2,476,9	1,039,1	:			
California :	8°48Þ	0°\$6\$	384.0	Clingstone	9'861'1	0.878,1	0,086,1
Oregon :	104.2	120.0	134° 4	California,			
: notgaintes W	1, 200, 0	0.062,1	0.004,1	Total	2,080,6	1,729,4	1 344.6
: Utah	18,2	13.6	24.0	Freestone	8,418	0.318	1,344,6
New Mexico:	7.75	0.64	£°₽	California, :			
Colorado:	8°*9	L° LS	8.15	Oregon :	2.01	9°02	0.11
i daho	6.19	9°48	9 °04	Washington	£ ° 69	5.78	6.88
estem States: :			2 02	Մեah hat	£ ° 6	5.7	0.61
Total:	1, 188, 6	1,000,1	6.486	Colorado	5.45	0.51	S *9
Arkansas	Z.7.	S°Z	S*8	Idaho	7.8	2.2	6.61
Tennessee	4.11	0.9	ž• <u>7</u>	Техая	26.2	33.6	8.82
Кептиску ;	1.71	2.6	0.71	Окјанота	0.8	8.01	1,01
Kansas	5.11	£.8	0.7	Louisiana	5*9	0.6	S '8
Missouri	8.08	1.84	8°67	Arkansas	8.82	₱°6₱	52.0
EMOI	13,8	13.2	۷°6	iqqississiM	1.41	13.2	2.71
Minnesota	₹°91	25°4	8.81	Alabama	S*91v	2.72	0.09
Wisconsin	65.3	<b>₹</b> 69	₽°0S	Tennessee	2.8	2.8	1.6
Michigan	0.878	0.878	0 *055	Кептиску	2°6	9,01	5.01
ITTINOIS	102,9	8°\$6	6 * Þ0 I	Georgia	£,861	S . 881	8.841
sasibal	0.67	5.52	9 °SZ	South Carolina	7.418	3.99.0	9.081
oidO	\$ *0\$ I	0.06	0.801	North Carolina	E.18	1.77	0°SE
entral States:	A OAT	0 00	0 801	West Virginia	7.08	E,11 1 77	8*\$
IntoT	2,763,5	2, 179, 2	2,583,2	Virginia Virginia	2 0€ 9 * ₱S	32.2	24.5
South Carolina	7.4/8	1.4	8.4	Maryland	1,15	9.6	5.8
North Carolina	8.851	0.811	0.591	Delaware	7.8	0.4	2.4
West Virginia	237.9	120.6	0 1112	Kansas	8°S	0.1	3.6
Virginia .	S *997	212.0		Missouri	6.41	13.4	12.4
Maryland	9.78 3.88	0.44	<b>0 *8</b> 9€ <b>10 *8</b> 9€	Michigan	0,E11	S.84	0 69
Delaware 1	4,E1			ITTINOIS			28.0
Pennsylvania	9.094	0.12E 1.6	12.6	gasibal 21001111	<b>73°</b> ∜ 8°2	28.5	12.0
New Jersey	8,151 a oan	101,5	8*85£	olito		9°01 0°S	9.6
New York		930.0	122.0	Pennsylvania	7.55.7	62° 4	38.4
Connecticut	923.0		0*\$\$6		108.5		0.58
	0.98	7.8 1.44	6***	New Jersey	0.601	0.07	0.8
Massachusetts Rhode Island	7.7		6.3	New York	24.8	22.5	
	0.801	0.88	0.86	Connecticut	9.9	0.7	9 <u>*</u> /2
Vermont	42,1	0.98	9 °SV	Rhode Island	S*	8.	76
New Hampshire	28°2	6.64	2.98	Massachusetts	6.4	£*S	**0
Maine anisM	۷°0۷	63.2	72.0	New Hampshire	6°0	S.1	1.0
astem Statess		*				7	
•		thoq noill				mod noilli	
State	: 59-1961	9961	4961 :		: 59-1961	9961	4961
pue	Average:	2201	s Indicated	State	1 ugerayA		s Indicat
		/2 uomandor				Production 1/	

Production 2/

Apples, Commercial Crop I/

Area

9338.1 Il66f Cop 2

## ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT





ILLINOIS DEPARTMENT OF ABRICULTURE, BIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

January 19, 1968

### 1967 APPLE PRODUCTION

apple crop in Illinois totaled 104.9 million pounds, 11 percent above last year's production and 2 percent above the 1961-65 average. Ideal weather factors of ample moisture, cool nights, and moderate days combined to produce a good quality apple crop in 1967. The major producing southern area had near ideal conditions, although the central and northern areas suffered some frost and hail damage.





### APPLE PRODUCTION BY VARIETIES

Illinois ranked second in Jonathan production, with ten percent of the Nation's Jonathan crop. Combined production of Jonathans, Delicious and Golden Delicious accounted for 74 percent of Illinois' total apple crop.

Summer varieties represented nine percent of Illinois' total crop. Duchess totaled 5.2 million pounds and Transparent about 3.2 million pounds of the 9.5 million pounds summer apple production. Over one-third of Illinois' apples were fall varieties. Jonathans represented 88 percent of the output of fall varieties. Production of Delicious and Golden Delicious represented 77 percent of the Illinois winter variety production.

UNIVERSITY OF IL LIBRARY

P. O. Box 429, Springfield, Illinois 62705 U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE

#### U.S. DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

Ralph W. Gann Burton R. Miller Agricultural Statisticians

production of apples in commercial orchards of 100 or more bearing age trees. 2/ Minnesota, Iowa, Kansas, Kentucky, Tennessee, and Arkansas, 3/ New Mexico and Utah.

Robert H. Moats Agricultural Statistician in Charge

1/ Estimates of commercial crop refer to total

6,134,2 5,127,2 8,719,2

mates discontinued, included with "other fall" varieties.
3/ Estimates discontinued, included with "other winter" varieties, 4/ Esti-
mercial orchards of 100 or more bearing age trees. 2/ Albemarle Pippin.
1/ Estimates of commercial crop refer to total production of apples in com-
mas at refere to notice bound fatot of refer gone feigrammon to sets mits! \1

-uoo ur	səlaar ja	o gottonbo	otal pro	t of 1919:	cial crop	1/ Estimates of commen
6.194.2	2,127,2	8,719,8	6.401	8°\$6	6.501	Total All Varieties
6°988 p	∠°S66 ₺	\$*\$11°S	8°65	6°9\$	2,13	Total Winter:
265.6	1,845 1,845	312,1	ϰ8	<b>4</b> *S	S**	York Imperial : Other Winter :
2.88.5	7,918	2°29E	1.5Z	6-1	8.5	Winesap Yellow Newtown 2/:
1.88.1 445.4 198.0	153.6 420,3	1,41,9 1,6,1	1,E	8.E \E	6°6 6°6	R. I. Greening : Rome Beauty :
142.1	133.4	0.141	THE CO.	~		Northern Spy

						:
212,6	248,5	239,7	<b>⊅°</b> 8	4°S	S * Þ	Other Winter :
265.6	1,991	312,1			400 000	York Imperial :
1.581	6,481	2,591	400 kg	mai yaya		Yellow Newtown 2/:
2588.5	319,7	365,3	1.5	6 <u>°</u> 1	S*8	Winesap
0.861	E. 671	312.9	/E	18	6°0	Stayman :
₱ °S₱₱	450,5	1 944	1,5	8 °E	6.8	Rome Beauty :
1.851	123.6	6.141			NO san	R. I. Greening :
142,1	133,4	141.0	PM 000			Northern Spy :
₱ 029	p.p78	0.147	400 gar		die seis	McIntosh :
8,543,8	1 'S6S	€*99₺	31.5	34, 1	8.86	Colden Delicious :
S'967'I	1,632.0	8,66,8	4.41	p°II	14.0	Deficions :
148.6	7.941	Z°#SI	000 WI		-	Cortland :
56°6	32.5	42.1	<u>3</u> \	3\	9.1	Ben Davis & Cano
£*\$9	73.0	6°06	600 mm	an un	100 044	Baldwin
						* ************************************

Ben Davis & Gano Cortland	:	9.1	<u>√€</u>	<u>/Ē</u>	154.7	32,5	9,841
Vinter Baldwin	:	900 too	an un		6°06	0.87	£*\$9
Total Fall	:	8,65	8,18	32°6	S*S8S	222,5	447.2
Other Fall	:	S.1	2.4	1_4	₱ *84	1,09	1.73
Wealthy		9.1	17	/₺	1 *85	1 * b b	8.88
Jonathan		6°67	\$20°_4	31.5	408°S	9,104	1,918
Grimes Golden	1 1	8.0	/ <del>v</del>	10	8.24	7.91	S.4S
Total Summer	<u>-</u> -	1.1	1 0	S*6	0.815	233.0	127,8
Orner Summer		1.1	I ° 9	S*6	0.601	9,18	S°06

	310 1	9 107	C SUP	3 1 5	7_62	6,65	lonathan
	24.2	7,81	8°S1⁄r	/₺	/ <i>v</i>	8,0 :	Grimes Golden
							Fall
	8,751	233.0	0.815	S°6	1 '9	L°L :	Total Summer
	S °06	9,18	0.601	S*6	1.0	T.T :	Other Summer
	37,3	151.4	6,801		***	:	Gravenstein
						:	Summer
		-	spunod u	- Millio			· ·
	4961	9961	: 59-196	II LOCK	: 00.cr	199-1961	
_	2001	3901	Average:	, L96I	9961	: Average:	
	CO	IVIO OTT	TATO				

asmun's	•		(IM -	Hon b	spund	_	
Season and varieties	: Average:	9961	<b>4961</b>	19vA:	: 98e	9961	<b>4961</b>
· ann	: ודיר	SIONI			ITINU	VIS C	
Apples, commercial	ord :\1 qoro	oduction	by var	ieties.	7961	with cor	nositson

1967 with comparisons	by varieties,	1/1 Production	commercial crop	Apples		Average :	Apples, c
accounted for	Fall varieties cent of 1967	f .8861 ni nedt nag 2 qu abem	3 percent more Summer varieties	ter varleties 1966 crop.	crop was win sreent of the	nety percent of this year's of of this year's crop and 9 per cent in 1966.	meaned o

Colden Delicious is a close third with almost 12 percent of total production. Other leading varieties and percent of position to York Imperial, 5 percent. Winesap lost its sixth place position to York Imperial because of a considerably below average crop of Winesap in Washington while the York crop in Virginia and West Virginia was only moderately below average. The six most important varieties account for 70 percent of the

Red Delicious is the leading variety, with 27 percent of the 1967 production. Over half the Delicious crop was produced in Washington. The second most important variety is McIntosh representing 12 percent of total production. New York produced 45 percent of the McIntosh crop and New England 32 percent.

UNITED STATES: Commercial apple production in the United States during 1967 totaled 5,462 million pounds, 5 percent less than average, In the Eastern States, soil moisture was improved compared with 1966, but set varied from good to poor because of unlavorable pollination conditions. The 1967 crop totaled 2,576 million pounds, 18 percent less than 1966 and 20 percent less than average. The small crop was due to severe winter weather and poor pollination conditions last spring, particularly in the North Central States. In the Western States in 1967 totaled 5,576 weather and poor pollination conditions last spring, particularly in the North Central States. In the Western States in 1967 apple production totaled 1,933 million pounds, 22 percent less than in 1966 and 2 percent less than average. Smaller crops as due to severe winter weather and Washington are primarily responsible for the reduced production in the Western States, Smaller crops in California and Washington are primarily responsible for the reduced production in the Western States.

Washington is the leading State with a 1967 crop of 1, 300 million pounds, accounting for nearly one-fourth of the California's 384 million pound crop places that State in fourth position, followed by Virginia and Pennsylvania in fifth and eith respectively.

mgland : 343.0 290.9 324.9  fork : 923.0 930.0 9324.9  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 935.0  fork : 923.0 930.0 930.0  fork : 923.0  fork : 923.0 930.0  fork : 923.0  for	£ 250	1.001	9.881.1	Total Central
and area 'Average '1966 '1967	1.48	9*69	. 2°44	Other States 2/ :
and area 'Average '1966 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1967 '1968	8.62		8*05	Missouri
and area 'Average ' 1966 ' 1967 ' 1968 ' 1967 ' 1968 ' 1967 ' 1968 ' 196	<b>₹</b> °0\$	* 69	£ ° 59	Wisconsin
and area 'Average '1966 '1967 '1967 '1967 '1967 '1967 '1961-65 '1967 '1968 '1967 '1968 '19	252°0	0.279	0.878	Michigan
and area 'Average ' 1966 ' 1967 ' 1968 ' 1967 ' 1966 ' 1967 ' 1961 ' 200, 9 324	6.40I	8°46	6,501	ITTINOIS
Average: 1966; 1966; 1967  - In millions of pounds    1961-65; 1966; 1968; 1968; 1968; 1968   1961-65; 1968;	9°SZ	23.2	0.67	Indiana
and area '1961-65' 1966' 1967   1967   1967   1967   1967   1967   1967   1968	103.5	0°06	p.0h1 :	ाम०
and area '1961-65' 1966' 1967   1967   1967   1967   1967   1967   1967   1968				
Average: 1966; 1966; 1967  - In millions of pounds  mgland			S 894 S	Total Eastern
Average: 1966; 1967; 1968; 1968; 1968; 1968; 1961-65; 1968; 1969; 1968;			6.0	South Carolina
and area : 1961-65; 1966; 1967   1967   1967   1967   1967   1968		0.811	8,821	[[]]
Avania : 460,6 35,1 966; 1967  - In millions of pounds - 1961,65; 1966,9 324,9 324,9 325,0 930,0 935,0 615,0 121,8 101,5 122,0		120.6	6°ZEZ :	West Virginia
and area 'Average ' 1966 ' 1967 ' 1968 ' 1967 ' 1961 ' 1961 ' 1967 ' 1961 ' 1961 ' 1968 ' 196	368.0	207.0	5.66.5	Virginia
and area ; 1961-65; 1966; 1967 ; 1967 ; 1961-65; 1967 ; 1961-65; 1968 ;	8.4.8	1.62	0.18 :	Maryland)
and area ; 1961-65; 1966; 1967 ; 1967 ; 1961-65; 1967 ; 1961-65; 1968 ;			:	Delaware)
Average: 1966; 1967; 1968; 1968; 1967	0°658	351,0	9°097 :	Pennsylvania P
Average: 1966; 1967; 1968; 1967 - 1961-65; 1967 - 1961-65; 1968 -	122.0	101,5	8.121 :	New Jeizey
- shrungt i 1966 : 1967 ; 1967 ; 1967 = 1961 ; 1967 = 1961 ; 1967	0°586	930°0	923.0	New York
7961 ; 1961 ; 1966 ; 1967 sons pur	324.9	6°06Z	0.848 :	New England
7961 ; 1961 ; 1966 ; 1967 sons pur				
: Aget : agetayA: page bur	- spur	log to small	ilm nl - :	
s, commercial crop 1/	 4961	9961	: 1961age :	State and area
		Ī	rclal crop	Apples, comme

	727 0		A STATE OF THE PARTY OF THE PAR
28°3	9*9\$	1°45°1	other States 3/ :
384.0	0°S6S	0810-	alifornia
1.951	120,0	104.2	regon
1, 300, 0	0,062,1	1, 200.0	* acting ton
0.15	L°LS	8*19	Colorado
9°04	9'45	6'19	daho i
£°836	1,001,1	1, 188, 6	Total Central!
1.40	9*69	2.77	Other States 2/ :
8.62	1.84	8°09	mossilv
₱°0S	* 69	£°59	Misconsin
	0.276	0.878	Vii chigan
6.40I	8°46	102.9	SIONITI
	23.2	0.67	gasiba
103.5	0.06	p.041	olido
			South Carolina
			North Carolina
			West Virginia
			Virginia
8.48	1.62	0.18	Maryland)
			Delaware)
		8,121	• "
	0°086	923.0	New York
0.256			
324.9	290°6	0.848 :	
324.9		0.545	New England
	0.0528 0.0528	0.925 0.125 0.925 0.125 0.925 0.125 0.021 0.021 0.021 0.022 0.21 0.022 0.273 0.023 0.12 7.72 0.12 7.72 0.14 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.15 7.72 0.21 0.21 0.21 0.21 0.21 0.21 0.21 0.21 0.21 0.21 0.21 0.21 0.22 0.21	0.628 0.128 0.048 0.828 0.128 0.18 0.838 0.702 2.304 0.838 0.702 2.304 0.005 1 0.002 1 0.002 0.15 7.72 8.43 0.15 0.001 0.002 0.15 7.72 8.43 0.15 0.001 1 0.002 0.15 7.72 8.43 0.1621 0.001 1 0.002 0.15 7.72 8.43 0.1621 0.001 1 0.002 0.15 7.72 8.43 0.1621 0.001 1 0.002 0.15 7.72 8.43 0.1621 0.001 1 0.002 0.162 0.202 0.203 0.174 0.008 0.128 0.004 0.008 0.128 0.18 0.008 0.18 0.00

				ě .
	0,889,1	2,476,9	4°S96°I	Total Western
	28.3	9*95	I °ZÞ	Other States 3/ :
	384.0	0°S6S	8.784	California :
	1.951	120.0	ma	Oregon
	0,006,1	0.062,1	1, 200.0	. aotzainssw
	0.15	L°LS	8*19	Colorado :
	9°04	9.72	6,13	Idaho i
	0.000			
	£°ES6	1,001,1	3,881,1	Total Central
	1,48	9*69	. S.TT	Other States 2/ :
	8.62	1 ,84	20°8	mussiM
	₱°0S	<b>₹</b> 69		Wisconsin
	525.0	0.278	0.878	Michigan
	6,401	8.49	0 001	ITTINOIS
	9°SZ	53.2	0.67	sasibal
	103,5	0°06	p.041	0140
,	2,575,6	7 12 12 57	01004 171	77100000 7000 7
•	8.4 3 272 C	2,174,2	S*E94 'Z	
	165,5	0.911	8.821	
	211.6	120.6	8 861	West Virginia a North Carolina
	368.0	207.0	S*99 <del>b</del>	
	8.48	I *ES	0.18	
	0 70	1 63	0 10	Delaware)
	0°6SE	321.0	9°09₺	
	122.0	101.5	8,121 :	
	0.256	930°0	923.0	
	354.9	6°06Z	0.545 :	1 44 44
	- spun	Utons of po	lm nl - :	
		_		
	4961	9961	: 59-1961 :	otate and area

1967 Apple Production OFFICIAL BUSINESS

United States

sprtp' tesbectively.

DOCUMENTS DIVISION 2 COPIES

ILLINOIS COOPERATIVE CROP REPORTING SERVICE
P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 15, 1968

#### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Apple production in Illinois is expected to be 110.0 million pounds (2, 390, 000 bushels)--5 percent above last year and 9 percent above the 1962-66 average. Adequate moisture and good success with insect and disease control measures will yield a good quality apple this year. expected to begin in early to mid-September in the south. south-central, and west-central sections of the State.

PEACHES: The 1968 Illinois peach crop is estimated at 17.0 million pounds (340,000 bushels)--39 percent below last year and 20 percent below the five-year average. Expected poor crop results from winter injury and spring freezes. The harvest period began in mid-July for south and west-central and in early July for south-central Illinois. Harvest expected to end in late August in all sections.

#### UNITED STATES

APPLES: The Nation's 1968 commercial apple crop is expected to total 5,426 million pounds, slightly above last year's crop but more than 8 percent below average. Prospects improved in several States during July, and the forecast is about 2 percent above the July 1 figure. Total production in Eastern States is expected to be less than last year but production from the rest of the Nation is expected to be more.

In the East, apple production is expected to drop about 2 percent below last year. Reduced prospects in 9 Eastern States are partially offset by better prospects in Rhode Island, Connecticut, New Jersey, Virginia, North and South Carolina. Soil moisture was generally adequate for sizing except in Delaware, Maryland, Southern Pennsylvania, and some mountain areas of West Virginia. Harvest of early varieties started in southern areas about July 1 and moved north to New York where Lodi harvest began about mid-July. Harvest of other early varieties was expected to begin August 1 in New York. New England expects harvest to be earlier than usual, due to early bloom.

In the Central States, production is expected to rise about 7 percent from last year. Indiana, Michigan, and Arkansas are the only States showing declines from the previous year. The crop progressed well with generally favorable weather conditions. In Ohio, harvest of fall varieties is expected to start the last week of August in southern areas. In Indiana harvest of Lodi and Transparent varieties is complete, and Williams Early Red and Wealthy is beginning. Growing conditions continue favorable in Illinois. In Michigan, rainfall was about average except in the Southwest; apples sized normally. In Minnesota, a good crop is expected about one week early.

In the Western States, production is expected to be about the same as last year and about 15 percent below average. Apples sized well in Washington. A good range of sizes is in prospect, but sizes in some orchards with light set may be large. Red and Standard Delicious account for most of the reduction in crop prospects. Golden Delicious are expected to compensate for smaller set with larger sizes. Winesaps have sized well and production prospects are above last year. Apples progressed normally in Oregon's Hood River area, the main area unhurt by freeze damage. Size is smaller than expected in some orchards, but quality is good. Prospects are excellent in the upper areas, and fair in the lower areas. Thimning continued actively last month. The California apple crop continued to develop well during July. Gravenstein harvest began about mid-July with volume by July 25. Late varieties are expected to be harvested early.

PEACHES: The U. S. 1968 peach crop is forecast at 3,694 million pounds, 37 percent above last year and 6 percent above the 1962-66 average. Excluding California, Clingstone production of 1,914 million pounds is forecast, 45 percent above last year but 1 percent below average.

California's Clingstone peach crop, used mostly for canning, is estimated at 1,780 million pounds, 29 percent above last year and 14 percent above average. Harvest of early varieties is now in full swing. Disease and insect problems have been minimal. The crop in the Modesto-Visalia districts is turning out well, with very good size and quality. The crop in the Marysville area is slightly below earlier expectations.

The August 1 forecast for the 9 Southern States, 875 million pounds, is up 66 percent from last year and 26 percent above average. Weather during July continued favorable in the three major Southern States (North Carolina, South Carolina, and Georgia) where above average crops are expected. Harvest in the 3-State area was in final stages by August 1. With the harvest almost over, Alabama, Arkansas, Louisiana, and Mississippi expect smaller crops than last year. The Oklahoma and Texas crops will be above last year. Harvest of early varieties was almost complete, and late varieties (mostly Elbertas) will furnish supplies throughout August.

Virginia, West Virginia, and Maryland expect much larger crops than last year. Harvest is progressing well in Virginia where the crop shows good size and color. In West Virginia, movement began in late July, and the main crop harvest is expected to start in early August. Maryland crop prospects were reduced somewhat in July because hot, dry weather slowed development of mid-season and late peaches.

Production in the North Atlantic States will be substantially above last year. The crop declined slightly from the July forecast in the New England States and New York. New York peaches are sizing well and quality is good during early harvest. New Jersey and Pennsylvania expect above average crops. New Jersey's harvest is on schedule. Harvest began about mid-July in Pennsylvania with excellent size and quality on the early varieties.

Indiana, Illinois, and Michigan expect a below average crop because of winter injury and spring freezes. Ohio's crop improved during July. Harvest began about mid-July and is expected to continue into early September.

Colorado's best crop in three years has been sizing favorably. Harvest of early varieties began on July 24. Standard Elberta harvest is expected to begin around August 20. Idaho's small crop is in good condition, and the main crop harvest is expected to begin about mid-August. Harvest of Washington's short crop (a result of April freeze damage) began in early July. Color and quality is good on most varieties. A few Hales were being picked on August 1 while Elberta harvest is expected to begin about August 20. Harvest of Oregon's light crop was underway in late July. California's Freestone harvest continues in large volume. Harvest in the lower San Joaquin Valley was at its peak with the Modesto district just getting into full swing. Quality is excellent in most areas.

UNIVERSITY OF IL LIBRARY DOCUMENTS DIVISION 2 COLIES

A PHASOING SA 1818 001 810F

Production Prospects

OFFICIAL BUSINESS

U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinols 62705

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

Burton R, Miller Agricultural Statisticians

Robert H. Moats Agricultural Statistician in Charge

Area

Cerald R. Bauer

discontinued. or appres in the commercial contains a secount of economic conditions, and excess cullage of harvested fruit, 3/1965-66 average, 4/Includes States for which estimates have been average, 4/Includes States for which estimates have been of apples in the commercial orchards of 100 or more bearing age

Apples, Commercial Crop I/

tions and excess cullage of harvested fruit.

2/Production too small to warrant quantitative estimate.

Peaches

I Includes quantities unharvested on account of economic condi-Lestimates of the commercial crop refer to the total production 1,598,1 ₹ '\$69 '€ 3,501,1 United States 2, 426, 1 5,425, f 1.056,2\p United States 0,082 9,588,1 0.848 0.158,1 6,2,1,2\<u>4</u> Total 0,087,1 0.978,1 1,562,8 Clingstone California Cali fornia, 8.13 8.12 1,240.0 124.0 1.48 E.1E C.22E,1 0.52E,1 8.111 0.000,1 Oregon 1,914,3 412,0 1,316,1 E.8EE, I TETO Washington Freestone 0'04 9'265 8.74 17.6 Utah Cali formia, New Mexico 28.8 12.5 6.7 13.0 42.0 9 '9 Oregon 7.8 0.88 0.71 22.9 2.05 7.0 44.0 1.01 1.01 0 04 Colorado Washington 0.85 9.07 62,4 Idaho Utah 7,32 0,8 8,85 Western States: 25.55 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 8.5 8.589 8.58 8.58 Colorado 1, 156, 7 Letol ldaho SEXAL 16.3 10.5 Lennessee 0.86 2.61 7.62 8.9 7.82 7.0 1.01 Oklahoma Kentucky 6.401 6.857 6.401 6.858 6.61 6.01 6.61 8.62 8.63 8.63 2.71 5.0 5.0 6.53 6.81 6.81 6.81 6.91 6.91 Louisiana 1.81 5.92 4.41 SESUEA 39.0 Arkansas imossiM iqq ississiM Iowa 0.04 0.08 Alabama 23.1 Minnesota 4,481 5,9 5.8 Tennessee 0.011 0.868 0.68 Wisconsin .91 .01 Кептиску 76.3 100.6 0.536 Michigan 230.0 Georgia ILLINOIS 0.04 0.914 25.6 61.8 301.9 South Carolina: 62.0 2,91 0,88 rugipui North Carolina: 125.0 7,101 128.5 OHO 8.2 Virginia West Virginia 30°08 15°4 3°8 21°0 50°0 Total Central States: 24. 6.74 2°242°2 130,7 2,610,7 3.6 9,81 Maryland 8.571 8.571 South Carolina Delaware 0.4 4.7 0.115 North Carolina Virginia West Virginia Translina Kansas 61.7 410.3 212.0 8.7 2.12 7.68 4.81 5.88 5.88 muossiM 7.11 2.72 0.714 2.E1 E.17 0.88E Michigan Maryland 0.71 2.7 0.85 SIONITI 440.4 Delaware gueipul 350.0 0.628 8.8 8.3 6.50 6.79 5.71 Pennsylvania 0.81 оінО 4.811 0.711 E.III New Jersey ₽ .8E Pennsylvania S.2 4.34 0.098 8.7 7.52 9.09.0 0°556 New York 135.0 0.08 New Jeizey 6.44 Connecticut 8.8 8.8 New York Rhode Island Connecticut 0.9€ 0.9€ 0.8€ 8.28 42.3 5.101 2.82 48,8 98,0 Massachusetts Rhode Island Vermont Massachusetts Maine New Hampshire 8 °0 12 0.1 New Hampshire: 0.99 72.0 7.73 Eastem States: shanoq noilliM spunod uoilliM 8961 Avetage 1962-66 8961 1962-66 1962-66 4961 State Indicated Indicated State guq Production 1 Production 2/

8338.1 Ill667



P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT

NW NE
W C E
WSW ESE

ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

PRODUCTION PROSPECTS

July 17, 1968

#### ILLINOIS

APPLES: Apple production in Illinois is expected to be 110.0 million pounds (2, 390, 000 bushels)--5 percent above last year, and 9 percent above the 1962-66 average. Growing conditions have been very favorable; moisture supplies have been adequate; and disease and insect control measures have been effective. Early cold weather damage is reported to have occurred, and the June drop may be a little heavier than ordinary, but most fruit is of excellent quality. Harvest of Lodi and Transparent began in late June in the South and early July for Central areas.

PEACHES: The 1968 Illinois peach crop is estimated at 19.5 million pounds (390,000 bushels)—down 30 percent from last year, and down 8 percent from the 1962-66 average. Much damage to buds and blossoms was indicated earlier, and some hail damage was reported. Harvest of early varieties began in early July and will peak in middle to late July.

#### UNITED STATES

APPLES: The first forecast of production for the Nation's 1968 apple crop, at 5, 310 million pounds, is 2 percent below last year's crop and 10 percent less than the 1962-66 average. In the East, the crop is expected to be below last year in the North Atlantic area but above 1967 in the South Atlantic. In the Central Region, prospects are above last year, except for three states. Larger crops are expected in only three of the Western States, where crops in Washington, Oregon, and Idaho were severely reduced by spring freezes.

In the North Atlantic States, soil moisture has been adequate for fruit development. In southern New England where frost damage was most severe the June drop was particularly heavy. New York's McIntosh crop is light because of poor pollination and a heavy June drop. Golden Delicious, Baldwin, Wealthy and Rome Beauty set a good crop and many orchards were chemically thinned. The Delicious crop in Western New York is generally light. New Jersey's Delicious and Stayman set a light crop, but the set is generally good on other varieties. Pennsylvania's crop is spotty largely due to poor pollination. Maryland expects a shorter crop than last year in all areas except Allegheny County. In Virginia, rainfall has been adequate in most areas and fruit is making growth. A good crop is expected in all areas except around Winchester where May freezes were the most damaging. Harvest of Yellow Transparent began July 3 with Rambo harvest expected the first week of August. In West Virginia, moisture is ample and weather conditions favor growth. Low lying orchards received heaviest damage from the early May freezes. The North Carolina crop is extremely variable. Golden Delicious and Rome Beauty have a good set. Delicious is expected to be light.

In the Central States, production is expected to total 1,060 million pounds, 8 percent above last year but 8 percent below average. The Ohio crop had heavy June drop but size and quality of the fruit is good to excellent. Harvest of summer varieties was expected to begin about July 9 in southern Ohio, and late July in other areas. In Indiana, some orchards experienced heavier than normal June drop. Damage from the May 5-6 freezes varies between varieties and locations. In Illinois, early apples are being picked, and a good crop is expected in most areas. In Michigan, the apple crop is off to an early start, after suffering a cut in potential production by the May 5 freeze. All fruit areas have ample moisture, size is excellent and quality good. In Minnesota, the main producing area escaped serious injury from freezes and hail. A good crop is expected with ample moisture from June rains.

In the Western States, production is forecast at 1,714 million pounds, 6 percent less than last year's crop, and 20 percent less than average. In Washington, light bloom, poor pollinating weather and April and May freezes helped reduce prospects 30 percent from last year. Moderate temperatures promoted growth in June and the trees were in excellent condition. Some Lodis were picked in the Yakima Valley on June 26; Tydeman Reds will follow in August. Apples have sized well in the Yakima Valley and the Delicious are showing a "typyness" indicating good quality. The California apple crop developed well in June with a good set in most orchards. There were only scattered losses from spring frosts. Harvest of the Gravenstein crop is expected to begin in mid-July, with prospects for a heavy crop. In Oregon, June weather favored development with warm temperatures and more rain than a year ago. The Milton-Freewater area is expecting a good crop with only minor frost damage, while the Willamette Valley crop was nearly eliminated. Frost damage to the Hood River crop is expected to be insignificant. In Idaho, warm weather hastened maturity of the frost shortened crop, to about one week ahead of normal. In Colorado, despite a heavy June drop, a large crop is in prospect.

PEACHES: The Nation's 1968 peach crop is forecast at 3,703 million pounds, 38 percent above last year and 6 percent more than average. Excluding California Clingstones, mostly a canning crop, production of 1,923 million pounds is forecast, 46 percent more than last season but slightly below average. Larger crops than last year are in prospect in the Atlantic States while in most Central States smaller crops are expected. Production is expected to be less than last year in Washington, Oregon and Idaho, but other Western States expect larger crops.

California's Clingstone peach crop, used mostly for canning, encountered good weather conditions in June with the exception of hot, dry winds June 29 which caused some crop loss. The decline from last month's forecast results from late varieties setting a smaller crop than indicated earlier. A few Fortuna and Loadel peaches were harvested in the Bakersfield area the week of June 24.

The July 1 forecast for the 9 Southern States—879 million pounds—is 67 percent more than last year and 26 percent more than average. The three major Southern States (North and South Carolina, and Georgia) expect crops substantially larger than last year and average. Oklahoma and Texas also expect above average crops this year. In North Carolina, early maturing varieties are being harvested, and in South Carolina, harvest was in full swing on July 1. Shortage of moisture and heavy fruit set have reduced fruit size in most areas of Georgia.

Virginia, West Virginia and Maryland expect crops much larger than last year. The Virginia and Maryland crops are forecast above average, while West Virginia is below average. Harvest of early varieties has started in Virginia, volume is expected after mid-July. In New England, New York, New Jersey, and Pennsylvania, the peach crop is expected to be much above last year's small crop. New Jersey and Pennsylvania expect above average crops. Light picking of early varieties is expected to begin in South Jersey by mid-July. Ohio, Indiana, Illinois, and Michigan expect below average crops because of winter injury and spring freezes. Michigan peaches were especially hard hit by the May 5 freeze in the main producing area. In Colorado, June crop was heavy, sizing has been good and early varieties will be harvested after mid-July in Mesa County. In Washington, harvest of the light crop (due to April freeze damage) is expected to begin in mid-July. Redhaven variety will be harvested in late July or early August. The fruit is sizing well and is of good quality. Harvest of California Freestone peaches for fresh market is running about three weeks ahead of last year and about two days ahead of normal. Freestone peaches will reach peak harvest in mid-July. Quality and size of the varieties harvested has been good. (over)

			·				
3, 702, 8	2, 692, 1	3, 501, 1	United States		I *SZ+ 'S	1,056,2/4	
			:	1,714,2	0,1E8,1	4/2, 149.6	Total
0.087,1	1, 376,0	1, 562,8	Clingstone :	0 085	0.848	0.808	California
	•		California, :	0°96	124.0	8,111	Oregon
1,922.8	1,316,1	1,938,3	Total	0.078	1,240.0	1,352.0	. notguides W
0°04Þ	412.0	9*46\$	Freestone	6.81	21.8	2.91	Utah
0 027	0 0,7	J 203	California,	£.74	€.₽	5,15	New Mexico
0°9	0,11	17.0	Oregon	0.07	55.9	1.49	Colorado
⊅°61	42°0	0.88	notgaints W	93.0	9°0Z	₽*29	odebi
0.81					J 02	, 65	Western States:
	0.61	7.8	Utah	1,060,2	8,286	7,881,I	· letoT
41.0	<b>4.</b> 9	8.86	Colorado :	S 2	S * 8	4.7	-: Arkansas
0.0	<u>15°2</u>	0.8	t odsb1	2.11	£ *7	S *01	Tennessee
30.2	8.85	26.7	Texas:				4
12,0	10,1	6*8	Oklahoma 1	21.6	18.4	16,3	Kentucky:
0°4	2°6	8*9	: sasisino.	14.4	8.9	8.01	Kansas
9°17	52.0	23°2	Arkansas :	Z°6S	8 *62	2.64	: imossiM
12.5	2.71	13.2	iqqlasissiM	16,1	10,3	£.E1	swol swol
45°0	0°09	38°0	: smadsIA	1.82	0.81	18,2	Minnesota
۲°9	1.6	2.8	Tennessee :	8*85	8.18	9.59	* nisnosiW
16,3	10,2	2.6	Kentucky:	0.888	0°\$\$\$	0.299	Michigan
230°0	8,841	184.4	Georgia	0.011	6°401	9°001	: SIONITII
0.014	0'141	301°6	South Carolina:	28°0	9°SZ	£°92	sasibal
0.88	0.04	8,19	North Carolina	125.0	7,101	128.5	Ohio
2,91	8°S	25.6	West Virginia		_ , _ ,		Central States:
20°0	S. <b>₽</b> S	6°Z₹	Virginia :	2,536,0	2,610,7	2,623,7	Total
24.0	2.8	9.81	Maryland	S*L	6°₽	₱°₱/\ <u>\\</u>	South Carolina:
0°ħ	₽.S	Q*P	Delaware	1.771	172.8	130.7	North Carolina
2.9	3.6	∠°Þ	Kansas	211.6	230,5	212.0	West Virginia
8.81	12.4	₽*EI	imossiM	0.714	368,0	410.3	Virginia
30.0	S.88	4°68	Michigan	8.65	5.17	7,18	Maryland
2.61	28.0	21.2	ITTINOIS	7.11	2.51	12.5	Delaware
0.8	2.7	8.7	: sustball	0 °0SE	0,625	p *0pp	Pennsylvania
16.0	s.ii	5.71	oidO	0.711	111,3	4.811	New Jersey
1,901	38.4	6.76	Pennsylvania	0.068	0°SS6		New York
135.0			New Jersey			0°606	
	20°0	0.301		₱°S₱	6°44	52.7	Connecticut:
2.0 2.01	0.8	22.6	New York	5°5	9°₽	7.3	Rhode Island
2.9	/ <u>S</u>	8.8	Connecticut:	0°96	0.86	s, tot	Massachusetts:
L	76	9*	Rhode Island	₽.7£	8.84	42,3	Yermont :
2°6	1.	<b>₽*</b> ₽	Massachusetts :	0°97	2.98	8.22	New Hampshire
0.1	72	0.1	New Hampshire:	0°49	72.0	<b>L°49</b>	: Maine
	annual		:				Eastern States: :
The second secon	- spunod uoi	The second secon	:		- spunod noff	IIM -	:
8961	4961	99-2961		8961	4961	1962-66	21810
Indicated		Average	State	Indicated	. 1	Average	snd State
	Production 1/		0,1-15		Production 2/		
-	Peaches			/T do	Commercial Cr	səlqqA	a sarA

1/ Estimates of the commercial crop refer to the total production 1/2 Includes quantities unharvested on account of economic of apples in the commercial orchards of 100 or more bearing age conditions and excess cullage of harvested fruit.

2/ Production too small to warrant quantitative estimate.

 $\frac{\lambda}{4}$  includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit,  $\frac{\lambda}{4}$  includes States for which estimates have been discontinued,  $\frac{\lambda}{4}$  includes States for which estimates have been discontinued,

Cerald R. Bauer Burton R. Miller Agricultural Statisticians

Robert H. Moats
Agricultural Statistician in Charge

N° 2° DEPARTMENT OF AGRICULTURE

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Production Prospects

OFFICIAL BUSINESS



UNIVERSITY OF IL LIBRARY DOCUMENTS DIVISION A 3 COPIES

ILLINOIS COOPERATIVE CROP REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898 WSW ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE September 13, 1968 SEP 18 1968

PRODUCTION PROSPECTS

THE LIBRARY OF THE

ESE

UNIVERSTY DE ILLINOIS

#### ILLINOIS

APPLES: Apple production in Illinois is expected to be 104.0 million pounds (2, 260, 000 bushels)--1 percent below last year but 3 percent above the 1962-66 average. Jonathan harvest in the west-central and southern areas began in early September and is expected to be completed in late September. Harvest of Golden Delicious and Delicious began in mid-september and is expected to be completed in early October. Generally the crop is reported of good quality and the fruit is large. Scattered reports of scab and mites were received.

PEACHES: Illinois peach production is estimated at 18.0 million pounds (360,000 bushels) compared with 28.0 million pounds (560,000 bushels) last year and the 1962-66 average of 21.2 million pounds. Present estimated production is 36 percent below last year and 15 percent below the five-year average. Peach harvest for this year is virtually Present estimated produccomplete.

#### UNITED STATES

APPLES: The U. S. 1968 apple crop is expected to total 5.4 billion pounds, about 1 percent less than last year and 10 percent below average. Prospects declined in 10 States in August, because of hot, dry weather, especially in the South and East.

In the East, apple production is expected to be about 4 percent less than last year and about 5 percent below average. Rhode Island, Connecticut, Virginia, and the Carolinas, expect larger crops than last year. In New York, August rainfall was sufficient for good sizing, and color is near normal. Harvest of early varieties is active. McIntosh harvest is expected to begin in the Hudson Valley September 11, in Lake Champlain on September 16 in the Lake Ontario region on September 19. Hot, dry weather retarded sizing in Pennsylvania, Delaware, Maryland, and some mountain areas of West Virginia. Pennsylvania Rambos of excellent size and quality are being picked. In Virginia, crop conditions are good, and recently, cooler temperatures resulted in improved color. Harvest of Golden Delicious started August 26. Harvest of Red Delicious in Virginia and Maryland will begin in mid-September.

In the Central States, production is expected to be about 5 percent above last year. Apples progressed well throughout the Central States because rains provided adequate moisture, and, recently, cool temperatures aided color. In Northern Ohio, harvest of fall varieties began in late August. Harvest of winter varieties is expected to begin the last week of September. In Indiana, harvest of Grimes and Jonathans was expected to begin in early September. In Michigan, harvest of Early varieties is nearing completion. McIntosh harvest was beginning September 1, Jonathan harvest will begin about mid-September; and Delicious, a few days later. Sizes are running above average. In Minnesota, a mid-month hot spell retarded coloring and sizing, but cooler weather and rain have improved them. In Missouri, harvest of some varieties began the last of August. In Kentucky, harvest progressed in August, later varieties were showing good-to-excellent condition.

In the Western States, production is expected to be about the same as last year, as increased production in California is expected to nearly offset reduced prospects in Washington. In Washington, apples progressed well, because of below normal temperatures and above normal rainfall. The general release date for Delicious apples was set for September 10. Some Red and Golden Delicious apples were picked and released for shipment about August 26. Jonathan harvest has also started. Delicious, Romes, Winesap, and Jonathan are of excellent quality. In California, picking of Gravenstein apples is near completion. Picking of Other Fall and Winter varieties, except Rome Beauty, has begun in some areas and is expected to advance rapidly in the next few weeks. Sizing has been a problem in some areas.

PEACHES: The U.S. 1968 peach crop is forecast at 3.6 billion pounds, 34 percent above last year and 3 percent more than average. Excluding California Clingstones, used mostly for canning, the Nation's crop is expected to total 1,889 million pounds, 44 percent more than in 1967 but 3 percent below average.

California's Clingstone crop is estimated at 1,710 million pounds, 24 percent above last year and 9 percent above average. Harvest was active in August, and only extra late varieties remain to be picked. California's Freestone harvest is nearly completed. Production at 470 million pounds is up 14 percent from last year but 21 percent below average. Washington's peach harvest is nearly completed--output is only half of last year.

Movement of Elbertas in Colorado was active the first week in September. Production, at 36 million pounds, is about average but more than five times as much as in 1967. In Michigan, harvest of a short crop of 30 million pounds is nearly completed.

New Jersey production prospects declined sharply, because dry weather in August prevailed in the important South Jersey area. The current estimate of 115 million pounds is down 20 million pounds from a month earlier. Volume suppli of late varieties will be available until about mid-September. Pennsylvania's above-average crop is past peak, but light supplies of late varieties remain to be picked.

In the South Atlantic States, most had been harvested by September 1.

₹ 665°E	2,692,1	3,501,1	United States:	5,362,1	I *SZ+ 'S	1.056,2/4	United States :
			0 	1,827.2	9,158,1	9.641 3/4	Total
0,017,1	0.878,1	1, 562,8	Clingstone :	0.088	348,0	0.808	California :
print field rates can man along the returning our			California, :	0.28	124.0	8,111	Oregon
I 688 I	1,316,1	£ 886 £	: [stoT	0,000,1	1,240,0	1, 352,0	: notgnidseW
0°024	412.0	9°469	Freestone:	6.81	8,12	5.61	Utah
			California, :	£.74	€.4	5.15	New Mexico
0*9	0,11	0.71	cregon :	0.07	22.9	1.40	Colorado
21.0	45°0	0*99	Washington :	0.05	9*04	₽•29	idaho
16,1	0.81	Z *8	։ Մեհև	0 90	9 02	<b>y</b> '03'	Western States:
36.0	۷°9	8.88	Colorado :	6°CC0°T	8.286	1, 156.7	Total :
<b>S</b> *9	12.5	0.8	: odsbl	6°SE0°I	5.8	<u> </u>	Arkansas :
30.2	28.8	26.7	Texas	6*6	£°4	S OI	
0.01	10.1	6*8	Oklahoma :	Z0° Z	\$.81	£•9ĭ	Tennessee
S°L	<b>2°</b> 6	8*9	ronisiana :	14.4	8.8	8.0 <u>i</u>	Kentucky
99°0	25.0	23°2	Arkansas s	29.2	8*67	2°6⊅	Kansas
12.5	Z*ZI	13.2	: iqqississiM	1.01	10.3	8.81 5.9h	inossiM
0°07	0°0\$	38*0	* smsdsIA	23.1	13.0	2,8i	Iowa
۷°9	1.6	8.2	: pesseuue]	0.59	S.12		Minnesota
16.3	10.2	2°6	жевиску :	0.358	0.252	63,6 63,6	Wisconsin
230.0	8,841	184.4	Georgia	0.401			Michigan
0.014	0.171	301.9	South Carolina:	0.88	6.401	9.001	SIONITI
0.88	0.04	8,19	North Carolina :		9°SZ	26,3	: sasibal
21.6	8°S.	52°6	West Virginia :	125.0	7,101	S*821	: oidO
0.02	24.5	6°.∠⊅	sinigriV				Central States:
21.0	<b>2.</b> 8	9.81	Maryland	2,499,0	2,010,5	2,623,7	Total
3°2	₽°Z	0°ħ	Delaware :		6°ħ	\$ \$ \E	South Carolina;
<u>5.8</u>	9.6	<u>Z°₽</u>	Kansas	202.4 174.8	172,8	130.7	North Carolina:
₽°SI	<b>₽.</b> 21	₽ <b>*</b> EI	# muossiM		230.5	212.0	West Virginia :
30.0	S°89	L*68	Michigan	0.714	3.898	410.3	: sinigriV
0.81	28.0	Z.12 7 00	SIONITII	S*ZS	5.17	7,19	: basiyisM
0.8	Z.7 0.95		s sasibal	7.11	13°2	Z.SI	Delaware :
0.81	2°11	2.71 8.7		320°0	0.628	\$ °0\$\$	Pennsylvania :
1.801	38.4	the party of the p	Ohio	0.801	£,111	4,811	New Jersey :
112.0	0°0S	6*46	Pennsylvania :	0.078	0°SS6	0°606	New York :
0.81	0.8	0.33	New Jersey :	6°4¥	6°##	52.7	Connecticut:
2,8		22.6	New York	2.2	<b>5.</b> ₽	F.3	Rhode Island:
9.	<u>5</u> 9 <u>*</u>	8*9	Connecticut	0 96	0*86	101,2	Massachusetts :
	16	9°	Rhode Island:	0.68	8.84	£2,3	Yermont :
5°8	\ <u>\S</u>	₱°₽	Massachusetts :	0.04	26.2	<b>8'</b> SS	New Hampshire:
8.	. 12	O.1	sarideqmaH waN	0°99	72.0	L°49	Maine :
	*		\$				Eastem States: :
	shauoq aoili		0	sp	nnoq noilli	M -	*
8961	4961	1962-66		8961	1001	1962-66	State
Indicated		Avetage	22220	Indicated	2961	Average	bas etc+2
The state of the s	Production 1		State		Production 2/		
	Peaches	minimum and a series supplied section.	1	/1 do	1) Isimmercial Cr	Apples, C	s91A

 $\frac{1}{1}$  Includes quantities unharvested on account of economic conditions and excess cullage of harvested fruit,

2/ Production too small to warrant quantitative estimate.

1/Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees, 2/Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit, 3/1965-66 average, 4/Includes States for which estimates have been discontinued

Robert H. Moats Agricultural Statistician in Charge

Gerald R. Bauer Burton R. Miller Agricultural Statisticians

POSTAGE AND FEES PAID U.S. DEPARTMENT OF AGRICULTURE

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

**OFFICIAL BUSINESS** 

Production Prospects



UNIVERSITY OF ILLINOIS FIBBERK DOCUMENTS DIVISON

A 3 COPIES

T 2 6 6 4 )

# ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT TET 18 100



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 16, 1968

### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Apple production in Illinois is estimated to be 104.0 million pounds (2, 260, 000)--1 percent below last year but 3 percent above the 1962-66 average. Jonathan harvest is virtually completed in the west-central and southern areas of the State. Harvest of Golden Delicious and Delicious is nearing completion in all southern areas.

PEACHES: Illinois peach production is estimated at 18.0 million pounds (360,000 bushels) compared with 28.0 million pounds (560,000 bushels) last year and the five-year average of 21.2 million pounds.

#### UNITED STATES

APPLES: The Nation's prospective apple crop of 5.3 billion pounds, is 2 percent less than last year and 10 percent less than the 1962-66 average. In the Eastern States production is expected to be 6 percent below last year and average. Central States expect a crop 5 percent above last year but 10 percent less than average. Western States expected production is slightly below last year and 15 percent less than average.

In the North Atlantic States, dry weather and unusually high temperatures in late September retarded coloring and caused above normal drop of the McIntosh variety. In New York's Hudson Valley, McIntosh sizes were good but the crop picked out less than expected. Harvest was nearly complete by the end of September. Picking of Delicious started October 1, with the Golden Delicious harvest expected to get underway the second week of October. Harvesting of the processing crop in the Lake Ontario region is active with large size, but with the crop picking out less than expected earlier.

In New Jersey, harvest of McIntosh, Red, and Golden Delicious was well advanced by October 1 and picking of Stayman had commenced. Harvest of Romes should be general by mid-month. In Pennsylvania sizing prospects for late apples were improved somewhat by early September rains, but cooler weather is needed to improve coloring. In Delaware the crop has been plagued by unfavorable weather conditions, size is off and hail damage has affected a large part of the crop. In Maryland, harvest weather has been good; however, Red Delicious did not color much until late September.

In Virginia, harvest of Red and Golden Delicious is almost complete except in northern areas. Harvest of Yorks began the last week of September, followed by Stayman the first week of October. Winesap harvest was expected to begin about October 7. Color is fairly good. In other South Atlantic States harvest of Red and Golden Delicious was about complete by October 1.

In the Central States harvest of a crop of apples of good size and quality was active by October 1. Michigan's harvest of McIntosh is about complete and picking of other varieties is well underway. Fruit size is good. Quality and size of Ohio apples is good, but hot weather slowed coloring. In Illinois, sizes are large and quality good. The Jonathan crop is short in some areas.

Harvest weather has generally been good in Western areas. Idaho harvest is expected to be completed by October 20. Most growers are color picking. In Colorado, some orchards are picking out heavier than estimated. Harvest is continuing in New Mexico and Utah.

In Washington, quality is generally excellent. Harvest of Delicious was nearly cleaned up in the Lower Yakima Valley by October 1, some Winesap and Romes remain to be picked. In the Upper Valley, Delicious were still being harvested. In the Wenatchee area, harvest became general the week of September 16. Picking of winesaps and Romes is underway in early areas. In Oregon, harvest is at full swing in the Hood River and Milton-Freewater areas and should be completed by mid to late October in Hood River and early November in Milton-Freewater. Sizes and quality are generally good.

In California harvest of an excellent quality apple crop is progressing on schedule. By the end of September harvest was about 75 percent complete in the two main districts. In the Sebastopol district, harvest of Romes has been slow in the hope that late rains would give better sizes. In the Watsonville districts the set of Delicious and Newtowns was light but sizes and quality were excellent.

PEACHES: The Nation's 1968 peach crop is estimated at 3,6 billion pounds, 34 percent more than last year and 3 percent above the 5-year average. Excluding California Clingstones, used mostly for canning, the Nation's crop is expected to total 1.9 billion pounds, 44 percent more than in 1967 but 2 percent below average. Production was well above both last year and the 5-year average in the North and South Atlantic regions. The crop was substantially below last year in several of the Central States as well as in the Northwest. Harvest of the 1968 crop is virtually complete.

California's Clingstone peach crop is estimated at 1.7 billion pounds, 24 percent above last year and 9 percent above average. Harvest is complete. Some losses of fruit due to brown rot occurred following rain in mid-August. Temperatures averaged below normal over much of the growing and harvest season and contributed to smaller fruit sizes than expected.

			California, :	E LV	ζ 7	31.3	, opixaM way
0°\$	0.11	0°21	· nogeno	S.PT	22.9	I •₽9	Colorado
21.0	45°0	0°99	Washington	0.82	9 °04	₽°29	Idaho
1.91	13.0	<b>L</b> *8	Utah				Western States:
96.0	<b>L*9</b>	8.88	Colorado	1.036.4	8,586	1 126.7	Total
5*9	12,5	0.8	Idaho	0.8	S*8	₽°∠	Arkansas
30.2	8*82	Z°9Z	Техая	6°6	7.3	2.01	Tennessee
0.01	1701	6*8	Oklahoma:	Z°0Z	₽°81	16,3	Кептиску
S*Z	2*6	8*9	Louisiana	₽°₽Ţ	8*9	8.01	Kansas
0.68	25.0	Z*ES	Arkansas	2.68	8°6Z	2°64	inossiM
12.5	Z.71	13.2	iqqississiM	16.1	10, 3	13.3	IOWa
0.0₽	20°0	0.88	Alabama	1.65	0.81	18.2	Minnesota
<b>L*</b> 9	1.6	S.8	Tennessee :	0.69	5°15	9*69	Wisconsin
£.81	10.2	S.6	Kentucky :	0.258	0°555	662.0	Michigan
230°0	8.841	184.4	Georgia	104.0	6°†01	9*001	SIONITII
0.014	0.171	9.108	South Carolina	0.88	9°SZ	£°94	indiana
0.88	0°07	8,13	North Carolina:	125.0	7,101	128,5	Ohio
21.6	8*\$	52.6	West Virginia :				Central States:
0°09	S <b>∳</b> S	6°47	· siniginia	2, 455, 4	2,610,7	2,623,7	Total
21.0	8.2	9.81	Maryland:	S°4	6°Þ	₱°₽/Ē	South Carolina:
3°2	₽*2	0°Þ	Delawate ;	8.471	172.8	130.7	North Carolina:
6.2	9*8	L°₽	Kansas :	\$02.4	230.5	0,515,0	West Virginia:
₹°SI	4.21	₽.EI	: innossiM	0.714	3.83.0	410,3	irginia:
30.0	68°2	L*68	Michigan :	S*ZS	£*17	Z*19.	Maryland
0.81	28.0	S.1S	: SIONITII	8.01	13°2	12.5	Delaware
0.9	7.2	8°Z	i sasibal	320°0	0.628	₽°0₽₽	Pennsylvania:
20°0	2.11	S.71	: oidO	0.801	111.3	₱°811	New Jerzey :
1.901	∌°8£	6.76	Pennsylvania !	0.088	0.886	0°606	New York
0.211	20°0	0.801	New Jersey :	6°47	6***	25°2	Connecticut:
0.01	0.8	22.6	New York:	2.2	S * 7	٤*٤	Rhode Island:
6.2	9.*	8*9	Connecticut:	0.96	0*86	S.101	Massachusetts:
9.	5/	9*	Rhode Island	36.3	8.84	42.3	Vermont
5*8	12.	<b>*</b> **	Massachusetts :	0.04	Z°9S	8*55	New Hampshire:
8.0	77	0.1	New Hampshire:	0.99	72.0	L°49	: Saine
			•				Eastern States: :
	shauoq nolllil		:	~ S	punod uoill	IW -	:
8961	4961	1962-566		8961	4961	199-2961	
Preliminary		Average	22820	Indicated	4901	Average	State
	Production 1/		State		roduction 2/	ł	pue
	Беаспея			/ī d	ommercial Cro		s91A
				/ 1	J [-   man	O Jolan	

United States

Clingstone

California,

Total

Freestone Oregon California, 0.082

0.000,1 6.74 6.000,1 6.000,1

tions and excess cullage of harvested fruit. 1/ Includes quantities unharvested on account of economic condi-

1,598,1

1,376.0

412.0

3,600,1

0.017,1

0.074 1.098,1

2/ Production too small to warrant quantitative estimate.

1,102,8

1, 562,8

6.886,1 6.768

production of apples in the commercial orchards of 100 or more bearing age trees. 2/ Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit, 3/ 1965-66 average, 4/ Includes States for which estimates have been discontinued. 1/ Estimates of the commercial crop refer to the total 1,827.4 5,319.2 1,831,6 5,425,1

348,0

240.0 124.0

22.9 4.3 21.8

Robert H. Moats Agricultural Statistician in Charge

1.9.6,2\49.6

1,49 6,18 1,0,528,1 0,528,1

United States

California

New Mexico Utah

Total

Oregon Washington

Gerald R. Bauer Burton R. Miller Agricultural Statisticians

POSTACE AND FEES PAID
U.S. DEPARTMENT OF ACRICULTURE

STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705 U. S. DEPARTMENT OF ACRICULTURE



**OLLICIAL BUSINESS** 

UNIVERSITY OF ILLINOIS LIBRARY DOCUMENTS DIVISON

2 COPIES

ILLINOIS

8338.1

# FRUIT

Prepared jointly by



### ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

Illinois Department of Agriculture
DIV. OF AGRICULTURAL STATISTICS

United States Department of Agriculture
STATISTICAL REPORTING SERVICE

## And DIVISION OF MARKETS

Illinois Department of Agriculture

December 6, 1968

THE LIDRARY OF THE

DEC 10 1968

MANYSESTY OF ILLINOIS

### ILLINOIS APPLE AND PEACH SURVEY 1968 PRELIMINARY SUMMARY

A total of 554,000 apple trees and 258,000 peach trees was reported early this year in a survey of all known commercial orchards, conducted by the Illinois Cooperative Crop Reporting Service and the Division of Markets, Illinois Department of Agriculture. The number of apple trees was seven percent smaller than the number indicated by a survey made in 1964, while the number of peach trees dropped 22 percent. Nearly a fourth of the apple trees and more than two-fifths of the peach trees reported in 1964 appear to have been removed.

### APPLES

Although the current count of 554,000 apple trees of all ages is down significantly compared with the 1964 total, the present number of trees of bearing age appears to be virtually the same as four years earlier. Interpolations of age group data indicate roughly 375,000 trees seven years old or older in both years.

Three varieties of apple trees, Delicious, Jonathan, and Golden Delicious, found in about equal numbers, accounted for 84 percent of all apple trees. Next in order of importance were: Transparent and Lodi, representing 4 percent of the total; Rome Beauty, which made up 3 percent; and Winesap with 2 percent.

Delicious was the dominant variety set out from 1960 to date, accounting for 35 percent of all trees planted. Golden Delicious was close behind with 33 percent, and Jonathan was third with 21 percent.

Fifty-seven percent of the Delicious trees planted from 1960 to date are spur types, 26 percent are non-spur dwarfs and only 17 percent are non-spur standard trees.

Golden Delicious trees set out from 1960 to date included 44 percent spur types, 36 percent non-spur dwarfs and 20 percent non-spur standard trees.

Nearly two-thirds of the Jonathans set out from 1960 to date were on standard root stock.

Apples: Number trees in commercial orchards, 1/, Illinois, Spring 1968 Number trees set out during: 1965-Variety 1963-1960-1955-1950-1940-1939 & 1968 67 59 54 49 earlier 64 62 trees 24,074 36,979 26,774 32,685 10,084 154,685 Jonathan 1,310 13,683 9,096 Golden 22, 154 5,047 26,388 22,875 25, 186 13, 387 31,200 7, 577 153, 814 Delicious 27, 512 Delicious 5, 281 30,855 19,048 36, 784 18, 383 13, 438 4, 186 155, 487 Transparent 1,516 1,123 3,585 7,775 3,839 3, 357 21, 299 104 and Lodi 1,277 529 745 974 4,011 2,694 3, 472 1,137 14,839 Rome Beauty Winesap 1,567 656 1,545 1,020 1,260 1,866 90 3,260 .11, 264 1,037 1,090 5, 526 359 1,693 502 Stayman 526 319 1,107 709 616 695 320 473 397 4,319 McIntosh 2 1,120 3,571 12 1,685 732 . 55 Duchess 65 86 3,533 Wealthy 276 759 1, 108 817 422 3,984 4, 275 4,422 402 3,460 1,216 4,508 3,031 25, 298 Other Total 56, 266 85,091 121,881 74,722 93, 635 29, 328 553, 635 13, 409 79, 303

 $\frac{1}{\text{All orchards reporting a minimum of 100 apple trees of all ages, or 100 peach trees of all ages.}$ 

year is four percent larger than the 1964 count of trees in that age group. earlier. However, the total of 72,000 trees under four years of age reported this spring, down 29 percent from the inventory of trees of comparable age four years A total of 186, 000 peach trees more than three years old was reported last

more than 3 percent of the total. balance is composed of a large number of varieties, no one of which represents (6 percent). These five leading varieties account for 52 percent of all trees. The followed in order by Redhaven (10 percent), Rio Oso Gem (7 percent) and Hale Haven early this year. Redskin, with 11 percent of all trees, is second most important, plummeted from 45 percent of all peach trees in 1964 to only 18 percent of the total Elberta continues to be the most commonly grown peach variety, although it

Baby Gold #7, clingstone varieties for processing, set out in 1963 and later, repre-Plantings from 1960 to date suggest the likelihood of further decline in Elberta

sent a significant development. Together, they account for 3.5 percent of all peaches. accounted for only 3 percent of the early 1968 peach tree inventory, but all trees of this variety were reported to have been set out in 1960 or later. Baby Gold #5 and and a modest gain in Redskin and Rio Oso Gem. Blake may become important. It

Peaches; Number trees in commercial orchards, 11, Illinois, Spring 1968

₱92 '99 33, 605 29, 183 852 '852 774 '5 13, 810 189 '47 158 '29 12, 333 225 '9 Ofher 948 '69 941'9 891 '9 12,630 2£0 '£ 010'01 GI 090 'Þ 99L'I 01 1,002 198 964 SII Sunhaven 1, 125 540 't 960 '2 4, 516 4, 180 517 Redglobe 340 001 Baby Gold #5 3,610 015 085 '1 EL9 'I Sun Cling 009 028 009 '7 Georgia Belle 082 09 909 1,374 696 291 009 0 T 857,4 857,4 1,238 ₹66 '2 Buiroll 81 113 991 017 009 1 580 'I 998 J. H. Hale 22 899 813 079 168 068 '7 002 '1 Baby Gold #7 060 'I 009 '2 872,8 2, 010 1, 323 Halberta Giant 919 066 994 19 987 '1 2Þ 1,221 Jaly Elberta 329 0L7 930 65T, d 296 '2 999 'I Richhaven 100 896 230 01 TLL 228 'I 549 'I 227 ,8 976 'Þ 300 Blake 19° 61 1, 143 £ 29 ' £ 028 '2 1,300 092 1,022 3,925 02 Halchaven 188,4 ₽₽0 'I 2,643 219 '9 3, 420 Rio Oso Gem 317 LÐ 921 '92 5.88.5 159 'L 929 '5 ₽89 '2 089 '9 719 Redhaven 110 016 951 187 796 '2 679 9 6,013 6₹ '€ 999 '9 592 '2 Redskin 002 09 841,84 279,41 3, 444 705 'I 354'8 060 '8 817,8 9,210 52 Elberta rieca earlier 19 67 79 29 8961 -9961 -0961 -0961 -E96I -5961 Total 8 4461 -S#6I Variety Number trees set out during:

1/ All orchards reporting a minimum of 100 apple trees of all ages, or 100 peach trees of

The Division of Markets assumed responsibility for field supervision of this year's Fruit Tree Survey and conducted a major fraction of the interviews. Substantial help with field work was also provided by both Southern Illinois University and the University of Illinois. The Division of Agricultural Statistics provided overall coordination, reviewed and tabulated the survey data, and will publish a detailed summary tew weeks hence. The survey would have been impossible without the splendid cooperation of the Illinois fault growers, who sumplied the basis ammary dew weeks hence.

Illinois fruit growers, who supplied the basic data summarized here.

In this project State funds of the Illinois Department of Agriculture were matched with Federal funds supplied by the Consumer and Marketing Service, USDA, under provisions of the Agricultural Marketing Act of 1946.

Robert B. Rogers, Superintendent Division of Markets

N°2° DEPARTMENT OF ACRICULTURE

Robert H. Moats Agricultural Statistician in Charge

OFFICIAL BUSINESS

U. S. DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

NA NA STANDARD

8961 Illinois Apple and Peach Survey

UNIVERSITY OF ILLINOIS DOCUMENTS DIVISON LIBRARY

3 COPIES

9 I 2 5 1969

# ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 23, 1969

## PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Illinois apple production for 1969 is expected to be 105.0 million pounds (2.5 million, 42 pound bushels), 9 percent above the 1968 production, but about the same as 1967 production. Fruit is sizing well, and damage from spring hail is light and spotty. Harvest of the early summer varieties began during the last week of June in the South.

PEACHES: Peach production in Illinois for 1969 is estimated to be 26 million pounds (542 thousand, 48 pound bushels) 62 percent above 1968 production, but 6 percent below the 1967 crop.

#### UNITED STATES

APPLES: The Nation's commercial apple growers expect the 1969 crop to be the largest of record for this decade. July 1 prospects indicate a crop of 6.4 billion pounds (152 million, 42 pound equivalents) up 17 percent from last season and 2 percent larger than the 1964 crop which is the second largest this decade. Washington continues to lead all apple producing States, followed in order by New York, Michigan, California, Pennsylvania, and Virginia. Except in California crops larger than last year are expected in the leading States.

In the Eastern States, prospects are for a crop 11 percent larger than last year. In New England, except Maine, growers expect production less than 1968. Prospects in West Virginia and South Carolina are also for a crop shorter than last year, but all other Eastern States have larger crops than in 1968. A late May frost damaged crops in eastern Massachusetts and New Hampshire. In Connecticut and Vermont unfavorable weather during pollination reduced the fruit set. Prospects in Maine are good but the June drop is not complete in much of the State. The New York crop is developing normally. June rainfall was above normal in Western New York, and in parts of the Lake Ontario area soils are water-logged. In New Jersey, prospects are generally good, and weather has favored effective spray programs. Some early summer varieties—Starr and Lodi—were picked late in June. Pennsylvania's crop is progressing normally, and soil moisture is adequate. The Maryland-Delaware crop is potentially good. The final outcome will depend on moisture for sizing and maturing the good set of fruit on the trees. Virginia's crop is clean and sizing well, hail damaged crops in the Roanoke area and in Rappahannock County. Rain is needed in the Shenandoah Valley and northern areas for fruit to continue excellent growth to date. In West Virginia, continued dry weather slowed sizing, and hail damaged crops in Berkeley County on June 27. Growers expect to harvest a bumper crop in North Carolina, where weather has favored fruit development. South Carolina's trees set a light crop, further reduced by a heavy drop in May and June.

In the Central States, production is expected to be 18 percent larger than last year. All central States except Wisconsin, Minnesota, Iowa, and Missouri expect more apples than in 1968. The reduction in those States is largely due to a light fruit set, late spring frost, and scattered hail losses. However, in some localities, crop prospects are very good. In Ohio, Illinois, Indiana, and Michigan, soil moisture is adequate to surplus, fruit is sizing well, and damage from late spring frost and hail is light and spotty. In Kansas, wind and hail caused scattered losses, but otherwise weather has favored development. Kentucky has a heavy crop of fruit and weather has favored development. In Arkansas, prospects are good, soil moisture adequate, and insects and disease are under control.

In Washington, there are apples everywhere except in the Methow Valley where most trees were killed by the freeze December 1968. The crop is somewhat variable. The three North Central counties suffered substantial losses of older trees (25 years plus). Thus, some orchards or parts of orchards have no apples. However, this is more than offset by the increased bearing surface on young trees. In the Yakima Valley, the Upper Valley has a good crop, and the Lower Valley has a heavy crop. Many young trees in the Yakima Valley will bear the first crop of fruit this year.

PEACHES: The Nation's peach crop is forecast at 3.8 billion pounds, 6 percent more than was sold or utilized in 1968 and 42 percent more than the light crop of 1967. Excluding California's Clingstone crop, grown mostly for canning, production is forecast 2.0 billion pounds—8 percent more than last year and 56 percent above the small 1967 crop. California, Georgia, and South Carolina are the leading peach States and normally produce 55-60 percent of the Nation's crop (excluding California Clingstones). Expected production for these three States is down 6 percent from last year and accounts for only 53 percent of the forecast as of July 1. The California Clingstone crop, used mostly for canning, is forecast at 1.8 billion pounds. This is 4 percent above 1968 and 29 percent above the short crop of 1967. June weather, although cool, favored normal growth and sizing. Thinning operations were completed in late June with some limb propping and tying required. Harvest of Fortuna and Loadel varieties in the Bakersfield area was expected to begin the week of July 6.

The July 1 forecast of production for the 9 Southern States is placed at 831 million pounds, 2 percent below 1968 but 59 percent above the short 1967 crop. Production in the three major Southern States (North Carolina, South Carolina and Georgia) is expected to total 666 million pounds—7 percent less than 1968 but 87 percent more than the small crop of 1967. Harvest in Georgia was well past half—way by July 1. Commercial movement was underway in all areas of South Carolina by mid—June. In North Carolina harvest of early maturing varieties began the first week of June. Weather in the three State area favored sizing and quality. In Alabama harvest of mid—season varieties was well underway and good yields have been realized, but some areas need moisture to help size late—maturing varieties. Arkansas conditions continued good, and harvest of mid—season varieties is underway. Oklahoma prospects remain good, and early harvest is underway. Harvest in Texas was active throughout June and will increase in July as late varieties mature. Virginia, West Virginia and Maryland expect larger crops than in 1968, but moisture shortages are developing in their important producing areas. If early July rains do not materialize, some irrigation may be required. Harvest of early varieties had started in southern parts of Virginia by July 1 but volume harvest of important varieties will not begin until after mid—July.

Compared with 1968, production prospects for Ohio, Indiana, Illinois, and Michigan are up sharply. The largest increase is in Michigan where a late freeze last year destroyed a good part of the crop. As of July 1 moisture supplies were adequate, and Michigan has some excessively wet conditions.

Washington growers expect an exceptionally small crop of peaches, mostly early fresh market varieties, out of the Yakima Valley and Sundale areas. Harvest of early varieties is expected to begin about mid-July. Only a few late varieties will be available this season. Severe winterkill of buds and some wood eliminated peach production from northcentral Washington this season.

Harvest of California Freestone peaches began about a week later than usual because of cool June weather. Harvest of early varieties was underway July 1 with peak movement expected after mid-July.

3,814,2	3,590,7	2,684,9	United States:	2,381,0 5,381,0	S,184,2	6°468'S	inited States :
				0.185.5	1,888,1	1,830,7	Total
0.877 1	0.807,1	0.878,1	Clingstone ;	0.022	620,0	348.0	: simolifec
			California,	0.841	0.78	124.0	oregon:
2,036,2	7,588,T	6 80E I	Total	0°05b 1	1,025.0	1,240.0	: notgaidseW
0.084	200° 0	412.0	Freestone	20.0	9.71	50°6	: Utah
	- 4		California,	30.0	36.5	€.₽	New Mexico:
0.41	2°0	0.11	: nogeno	0.08	0°₹Z	22°6	Colorado:
0.9	27.0	41,3	uotgaintss W	105.0	28°0	9*04	: odebl
12.5	0.81	0.81	: detU				estern States: :
45°0	3.18	6.3	: Colorado :	I, 242, I	1,052,1	846 ع	: IstoT
0.8I	S*9	12,1	i oqepi	8.3	1.47	S*8	Arkansas :
0.18	30°5	28°8	Texas	12.2	₽°01	۲°٤	Tennessee :
0.81	10.0	1.01	Oklahoma :	23.0	1.91	₽*91	Кептиску:
S*8	۲°3	0°6	Louisiana :	0.81	6°SI	8*9	kansas :
0°St	₹*98	25°0	* Arkansas	8°75	Z*6S	8°62	: imossiM
S*41	12.5	2°21	iqqississiM	0.21	₱°Sī	10.3	: swol
0.02	39°0	0.08	. smedslA	£*6I	22°¢	0.81	Minnesota:
6.01	<b>L*9</b>	1.6	Tennessee	S*SS	0.59	8*6₹	Wisconsin:
7.81	16.3	10.2	кептиску :	0°004	0.888	0°SSS	Michigan:
220.0	234.5	1,841	Georgia	105.0	9°96	6.401	: SIONITII
370.0	0°00Þ	0.171	S. Carolina	0.28	0.88	8.47	: sasibal
0.87	8*44	0.04	N. Carolina	0.021	130.0	7,101	i oido
26.4	21.6	8*\$	W. Virginia	0 03,	0 00,	2 ,0,	entral States::
8.52	0.08	24.5	Virginia	2,756,2	2,491,3	2,585,9	Total
23.5	20°2	2.8	Maryland	0.8	9.8	6°b	South Carolina
0.4	3*8	Z° 4	Delaware	0.025	8.691	1,001	North Carolina:
S *6	6.2	3.6	Kansas	0.091	8.022	228.4	West Virginia:
21.6	0.81	₽°SI	Missouri	0.894	0.814	363.0	Virginia
120.0	34°2	S 89	Michigan	72.0	S*4S	8.17	Maryland
26.0	16.0	7.72	SIONITI	0.41	8.01	13.5	Delaware
0.21	S*S	2.7	sasibal	0.012	390,0	0.628	Pennsylvania
_0.8 <u>s</u>	o.sr	0.01	ohio	0.011	100.5	£,111	New Jersey
120.0	1.901	38.4	Pennsylvania :	0.088	0.088	2.026	New York
125.0	100,5	0.02	New Jersey	0.44	6°47	6°ÞÞ	Connecticut
21.6	18.0	0.8	New York	Z.4	8°ħ	S*≯	Rhode Island
6.3	2.8		Connecticut				
7.	9.	9 <u>°</u>	Rhode Island	0.58	£.98	0.86	Massachusetts:
2.6	2*9	71	Massachusetts :	34.0	36.3	1.84	New Hampshire:
1,		Ţ.* /Ţ		37.0	0.04	₱°\$\$	
8	8.0	11	New Hampshire	72.0	0*99	67.3	: saine
-	spunod uoill	IM -	0 - 48	- sp	unod uoilli	W -	: :səiriz mətss
6961			1	6961			
Indicated	8961	2961	State and U.S.	Indicated	8961	4961	rea and State
	Production		3 11 1 2 2 2 2 2 3		Production		
	Peaches			/I do	Commercial Cr	, səlqqA	

1/2 Production too small to warrant quantitative estimate.

 $\frac{1}{2}/$  Estimates of the commercial crop refer to the total production of apples in the commercial orchards of  $100~\rm or$  more bearing age trees.

Robert B. Schwart, Jr. Burton R. Miller Agricultural Statisticians

Robert H. Mosts
Agricultural Statistician in Charge

brutlusting A la tnemtrage C soiat & betinU POSTACE & FEES PAID

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

OFFICIAL BUSINESS

Production Prospects

A 3 COPIES

URBARK DOCUMENTS DIVISION
UNIVERSITY OF ILLINOIS

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217: 525-4898

0 - 0.1

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 15, 1969

### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Illinois apple production is expected to be 105.0 million pounds, (2,500,000 bushels), 9 percent above 1968 but the same as 1967. Size was reported good and trees and foliage in good shape and moisture adequate. Indications are harvest will be close to schedule with harvest of Jonathan, Delicious, and Golden Delicious beginning during the first two weeks of September in the southern and western areas of the State.

PEACHES: Illinois peach production is expected to be 26.0 million pounds, (542,000 bushels), 62 percent above 1968 but 6 percent below 1967. The crop is sizing well and moisture has been adequate. However, the frequent rains in July hindered weed, pest, and disease control. Harvest is expected to end the end of August.

#### UNITED STATES

APPLES: Prospects for the Nation's apple crop improved in July and production is now expected to be 20 percent larger than last year. Of the 6.5 billion pounds expected, 2.5 billion pounds are in Western States, 1.2 in Central States and 2.8 in Eastern States.

Production prospects improved or remained unchanged from last month for all Eastern States except Maine. Moisture conditions are generally described as adequate except in South Carolina, and apples have sized well in all Eastern areas. In New York, growers are harvesting a number of summer varieties; Lodi and Transparent harvest is complete in the Hudson Valley. Major varieties such as McIntosh, Rhode Island Greening, and Delicious are putting on good size with quality generally good to excellent. The season is running two weeks late in the Lake Ontario and Champlain regions but a few days early in the Hudson Valley. In New Jersey, marketing of the summer crop continues. But it is of good size and some red summer varieties show excellent color. In Pennsylvania picking of early varieties started about July 10; color is good. Moisture is adequate for good sizing. July rainfall in Virginia replenished dry subsoils and apples are generally sizing well. Harvest of Rambo is underway. In West Virginia, early harvested apples were smaller than normal because of the dry spring and early summer. Lodi were harvested by the third week of July, when Rambo picking started. Jonathans are expected to be ready by the second week in September. July rains will help size the fall varieties. In North Carolina, weather conditions favored growth and development of the apple crop.

In Central States August 1 prospects were slightly above last month with adequate moisture except in some Southern areas. Growers generally report good sizes in Ohio, Indiana, Michigan, Wisconsin and Minnesota. Michigan, the major central area state, has adequate moisture to carry through to harvest, but warm days are needed to mature the crop. Harvest will be a week to 10 days behind normal. Wind and hail damaged some apples in Ohio but damage to the total crop is not serious. In Indiana, summer varieties are being harvested. Apple growing areas in Wisconsin, except for some hail damage in Door County, are enjoying favorable conditions with adequate moisture. Harvest of summer varieties are active in Kentucky the last two weeks of July. Later varieties are sizing well. In Arkansas, soil moisture is short in the main northwest producing area and threatens to reduce the crop in that area.

Prospects generally improved in the West, except in California, and 1969 production is now expected to exceed last year by 30 percent. Idaho's harvest of summer varieties has begun. July weather favored fruit development and apples are sizing well despite a heavy set. Harvest will begin in late August in New Mexico. In California, the season is later than normal. A light volume of McIntosh is being harvested in the Watsonville district. Oregon's bumper apple crop developed normally in July and fruit is sizing well.

In Washington, July weather was ideal for apple development—warm days and cool nights added size. Summer apple harvest, primarily Lodi, began in late June and continued through July. Some Transparents were picked in July. Harvest of winter varieties which account for most of Washington's crop will begin early in September.

PEACHES: The Nation's peach growers expect to harvest the largest crop of this decade. If August 1 prospects materialize, 3.8 billion pounds of peaches will be harvested in 1969, up 5 percent from last year. Included are 1.8 billion pounds of Clingstone peaches in California primarily for canning use. The remaining 2.0 billion pounds will be used to supply both fresh market and processing needs.

The 9 Southern peach producing States are well past mid-harvest. Continued dry weather into July resulted in smaller-sized fruit, thus reducing earlier production prospects. Most of the decline is in Georgia and South Carolina, the two major southern peach states.

In the middle Atlantic States, July rains benefited fruit sizing, but there was scattered hail damage. In some localities excessive moisture slowed harvest, until over-maturity resulted in heavy cullage. New York growers are harvesting a crop of good size and quality. In Ohio moisture is adequate for maturing late varieties. Frequent July rains limited effectiveness of programs for controlling insects and disease, resulting in some loss of earliest varieties. Michigan's crop is progressing well--early varieties are being picked--warm days are needed to advance maturity.

In the West, harvest is underway in all States. Colorado's crop was reduced by hail, but growers still expect to pick more fruit than last year. Harvest of early varieties was finished by the end of July. Harvest of Standard Elberta, the leading variety, will start about mid-August. California growers are actively harvesting Freestone varieties. Supplies for fresh market will be available through August.

California's Clingstone crop is expected to pick-out 4 percent more than last year. Practically all of these peaches are used for processing. Harvest got underway early in July, but was not active until about mid-month. Quality has been good with no major disease or insect problems.

- Over

THE LIBRARY OF THE

AUG 19 1969

			California,	I' 222°0	1,025.0	1.240.0	notanidasW
2,005.3	T,882,7	6.808,t	Total	0.22	17.6,	6.02	Utah
0.084	0.003	412.0	Freestone	9.08	3.85	€.₽	New Mexico
0 000	,		California,	0.88	0.4r	22.9	Colorado
14.0	0.3	0.11	Oregon California,	105.0	0.82	9°0L	Idaho
10.0	0.12	£.14	Mashington				Western States:
15.0	0.91	13.0	Utah	I,250.2	I.530,I	E.876	IstoT
95.0	9.18	8.9	Colorado	8.8	1.7	3.8	Arkansas
15.0	g . 9	12.1	Idaho	6.8	₹°0T.	8.7	Tennessée
30.0	3.08	8.83	Texas	21.5	1.91	₽°9I	Kentucky
0.2I	10.0	1.01	Oklahoma	0.91	6°9T	8.8	Kansas
12:0	1.3 10.0	0.6	Louisiana	2.63	2.63	8.62	imossiM
0.34	<b>≱.</b> 9€	0.23	Arkansas	15.0	₽°GI	10.3	Iowa
3.71	12.5	9'LT	iqqississiM	8.91	₹.22	13°0	Minnesota
20.0	0.68	0.03	Alabama	62.0	0.89	8 °6₺	Wisconsin
2.6	L.9	1.6	Tennessee	0.007	0.888	0.666	Michigan
9.7I	I6.3		Kentucky	105.0	9.96	6.401	ILLINOIS
0.012	234.5	1.341	Georgia	0.38	0.83	8.4T	snaibnl
320.0	0.00₽	0.171	South Carolina	120.0	130.0	r.tot	Ohio
0.67	8.TT	0.0₺	North Carolina				Central States:
₽.rs	21.6	8.3	West Virginia	2,838,2	<u>2,491.3</u>	2,585.9	IstoT
8.23	0.03	24.5	siniguV	0.8	9.8	6.₽	South Carolina
0.22	20.5	2.8	Maryland	0.032	8.691	1.991	Morth Carolina
_0.₽	3.5	5*₫	Delaware	0.042	8.022	₽.822	West Virginia
3.6	2,8	9.8	Kansas	0.39₽	0 °ETÞ	0,888	virginia
21.6	0.81	₽.GI	imossiM	0.27	3.73	71.3	Maryland
125.0	34.5	9.89	Michigan	14.0	8.01	13.5	Delaware
0,82	0.81	r.rs	ILLINOIS	0.013	0.068	0.638	Pennsylvania
16.0	3.3	S.T	Indiana	0'011	g*00T .	111.3	New Jersey
0.82	TP'0	0.01	Орто	0.088	0.088	2.036	New York
120.0	1.801	₽.88	Pennsylvania	0.T4	6.74	6.44	Connecticut
125.0	100.5	0.03	New Jersey	Z.₽	8.4	<b>₫.</b> ₽	Rhode Island
21.6	0.81	0.8	New York	0.08	8.98	0.86	Massachusetts
6.3	2.9	9 <u>·</u> /T	Connecticut	0.38	8.38	1.84	Vermont
r.	9.	/1	Rhode Island	₫5.0	0.94	₹.63	Mew Hampshire
2.6	2.9	T* /T	Massachusetts	0.0T	0.88	E.73	Maine
I.	. 8.	/1	New Hampshire				Eastern States:
- S	punod uoill	IM -		- spu	noq noilliM	total .	
6961				6961	8961	L96T	State
Indicated	896T	L96T	State	Indicated	8901	HAGE	pue
	Production		04045		Production		Area
***************************************	Peaches			/T do	Commercial Cr	Apples,	
				4			

ing age trees. 1/ Estimates of the commercial crop refer to the total produc-flon of apples in the commercial orchards of 100 or more bear- $\underline{1}$  Production too small to warrant quantitative estimate. 36.0 17.6, 1 1, 025.0 17.6, 1 1, 025.0 1, 025.0 1, 025.0 1, 025.0 1, 025.0 | Vashington 1, 240.0 | Otegon 124.0 | Otegon 124.0 | Otegon 124.0 | Otegon 1248.0 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovinte 2 | Ovi 0.08 0.08 0.023 0.028 0.028 0.028 0.028 0.028 0.028 0.028

UNITED STATES 2, 684.9

1,376.0

Clingstone

California,

Robert B. Schwart, Jr. Burton R. Miller Agricultural Statisticians

7,063,8

1, 708, 0

3, 783, 3

1, 778, 0

Robert H. Moats Agricultural Statistician in Charge

U.S. DEPARTMENT OF AGRICULTURE POSTACE AND FEES PAID

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Production Prospects

**OLLICIAL BUSINESS** 

UNIVERSITY OF ILLINOIS V 3 COPIES

LIBRARY DOCUMENTS DIVISION

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

1 3 3 5 1 1 Colo

FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

September 16, 1969

#### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Apple production in Illinois is expected to be 105.0 million pounds (2,500,000 bushels) up 9 percent from last year, but virtually the same as 1967. Harvest is in progress, but some orchardmen in the southern part of the State are reporting a shortage of labor. There were reports of scab, mite, and weather damage throughout the season, but trees and foliage remained in good shape. Quality of Jonathan apples is reported as good, Delicious and Golden Delicious as fair to good.

PEACHES: Peach production is expected to be 26.0 million pounds (542,000 bushels) up 62 percent from 1968, but 6 percent below 1967. Peach harvest is almost completed.

#### UNITED STATES

APPLES: The U. S. apple crop is forecast at 6.6 billion pounds, 21 percent above last year and 22 percent above 1967. In most States, prospects were unchanged or improved from August 1.

In the East, production prospects are 17 percent above last year and 12 percent above 1967. In New England harvest of early varieties has started, and McIntosh harvest is expected to begin about September 15. Apples have good size and are beginning to color.

Harvest of McIntosh, major New York variety, will be general in the Hudson Valley by September 10. New Jersey growers picked miscellaneous late summer varieties (Opalescent, some McIntosh and Lobo) in late August. The release date for Red Delicious is September 3 in South Jersey. In the Central area Red Delicious is expected in volume near mid-month, and Golden Delicious harvest shortly after mid-month, followed by Stayman and Rome. In Pennsylvania, harvest of summer varieties progressed well in August with a few fall varieties being picked near Labor Day. Size is normal and quality excellent. Maryland fruit size is good and continues to increase. Some early McIntosh were being picked the week of September 4 and Jonathans were expected about September 8. Harvest of Red Delicious is expected to be in volume about mid-September. Virginia growers are harvesting early maturing strains of Red Delicious and expect volume about mid-September. Harvest of Golden Delicious was expected to start September 15 to 18 in the Shenandoah Valley and about a week earlier in southern areas. In West Virginia, North Carolina and South Carolina size and quality are good. Harvest is active in the Carolinas and was expected to become active in West Virginia the second week of September.

In Central States, production is forecast 14 percent above 1968. Dry weather in August affected sizing of late varieties in most localities but production prospects were reduced in only two States--Michigan and Arkansas. In Michigan, the major central State, most areas received less than 1 inch of rain in August. Size and quality are described as good in spite of the lack of rain. McIntosh harvest for Controlled Atmosphere storage is scheduled to start September 2, Jonathan September 21 and Delicious September 25. Harvest of fall varieties is beginning in Ohio and Indiana and is expected to be active by mid-September. In Missouri, most areas are harvesting early varieties but the first part of October will be the most active harvest period.

In the Western States production is expected to be 30 percent above 1968 and 34 percent above 1967. Forecast production remained unchanged from August 1. Weather conditions continued favorable in Washington and Oregon but high temperatures retarded coloring and hastened maturity in Idaho, Utah and in some orchards in Colorado. Harvest of the limited summer crop in Idaho began early in August. Fall varieties were expected to be in volume by September 10. In Colorado and New Mexico, harvest will become active in mid-September. New Mexico growers were color picking the last two weeks of August. Colorado apples were sizing well.

In Washington August weather was almost ideal for sizing, coloring, finishing, and maturing apples. Some Red and Golden Delicious apples were picked and shipped by August 26, but the State's general release date is September 10. Jonathan harvest started about September 1. Fruit size, color, and quality are good to excellent in all districts. Oregon's apple crop continued good development in August and prospects are excellent in all areas. In California harvest of Newtowns is not expected to reach volume before mid-September as growers wait for size and better maturity for storage fruit. Harvest of Gravenstein is complete and picking of Jonathan, Golden Delicious, Red Delicious, and other fall and winter apples is increasing.

PEACHES: The 1969 peach crop is forecast at 3.8 billion pounds, 5 percent above last year, and the largest crop this decade. The Nation's crop, excluding California Clingstones used mostly for canning, is expected to total 1,997 million pounds. This is 6 percent higher than in 1968.

California's expected production of Clingstone peaches at 1,778 million pounds is 4 percent above last year. Temperatures were above normal during August causing the fruit to mature rapidly with smaller size. Picking of the late varieties is in full swing. The harvest of Freestone peaches, forecast at 480 million pounds, is nearly completed. Freestone peach production is 4 percent below last year but 17 percent above 1967. The harvest of Washington's short peach crop, forecast at 10 million pounds, is nearly completed.

Colorado production prospects declined during August. Harvest in Colorado's Western Slope reached full swing during August and was nearly completed by September 1. The harvest of the Michigan crop is well under way with good quality.

In New Jersey, losses were heavy through mid-August as a result of excessive rains. Quality improved as dry weather prevailed during the remainder of the month. Harvest of the Blake variety was completed in Southern Jersey by late August. Pennsylvania's above average crop was in full swing by mid-August. Peach size and quality are good.

In the South Atlantic States, harvest was virtually finished by September 1.

THE LIBRARY OF THE SEP 1.7 1969

					The state of the s	•	
3,775,0	Z*06S*E	6.488,5	United States :	0°095°9	S.154.2	6.468,8	United States :
				2, 456.0	1,888,1	7,058,1	Total
0.877,1	0,807,1	1,376.0	Clingstone :	0°025	620,0	348.0	California :
DAS district friend capture spirot suppos parties approximate contra	and the same and t	nga mana di mana da mana da mana da mana da mana da mana da mana da mana da mana da mana da mana da mana da ma	California, :	0.341	0.78	124.0	Oregon :
0 466 T	T,882,7	6 80E 1	Total	0.088,1	1,025.0	1,240.0	* notgaidssW
0.084	0 *005	412.0	Freestone	22.0	9.71	50°6	tah:
			California, :	30.0	3°98	£.4	New Mexico :
0.81	0°S	0.11	t cgon	0.68	٥°₹۷	22°6	Colorado ;
0.01	27.0	6.14	* notgnidasW	0.201	28.0	9°02	: onebl
0.21	0.01	13.0	: deah	L			Western States: :
0.62	31.6	6.3	Colorado :	1, 200,8	1,052,1	6.876	Total:
0.81	5.5	12.1	Idaho	L°L	1.7	S.8	Arkansas :
30,0	30°5	28,8	Texas :	₱°6	<b>⊅°0</b> I	٤*٨	Tennessee :
12.0	0.01	t.ot	Oklahoma :	21.5	1, 61	₽°91	Kentucky:
0.8	7.3	0°6	Louisiana :	0.81	6°ST	8°9	Kansas :
42.0	₽°98	25°0	Arkansas :	2°65	Z°6S	8°62	: imossiM
2.71	12.5	2.71	† iqqississiM	12.0	†°SI	10°3	i Swoi
20°0	39°0	0°05	* smadalA	20°0	22°4	0.61	Minnesota :
**6	L°9	1 .6	Tennessee:	0.29	0.89	8°67	: misconsim :
\$ 9I	16.3	10,2	Kentucky	0°059	0°999	0°555	Michigan:
0.015	234.5	1,241	Georgia	105,0	9°96	6°†01	ITTINOIS ;
320°0	0°00₽	0.171	5. Carolina	0°58	0°89	8.₽7	i sasibal
0.67	8°44	0.04	N. Carolina :	0.021	130.0	7,101	: ofido
₽.72	21.6	8*\$	W. Virginia			,	Central States: :
52.8	20°0	24.5	: sinigriV	2,903,2	£,194,5	6°585°7	Total ;
22,0	S0° 2	8.2	* bnsfyland	0.8	9.8	6°Þ	South Carolina:
0.4	<u>5°E</u>	₽.5	Delaware :-	250.0	8.691	1,661	North Carolina:
S*6	6.2	3.6	Kansas	240.0	220.8	228.4	* sinigity teaW
<u> </u>	0.81	<u> </u>	inossiM	482.0	413.0	963.0	: sinigriV
125.0	5°₹€	S*89	Michigan :	72.0	23.78	71.3	Maryland :
26,0	0.81	T.TS	: SIONITII	0.41	8,01	13.5	Delaware :
0.21	S°S	7.2	sasibal	0.012	0°068	0°6SE	Pennsylvania :
0.85	0.81	0.01	oidO	0.011	100°2	E, III	New Jersey :
0.051	1,601	₽*8€	Pennsylvania	925.0	0.088	2.026	New York :
125.0	100,5	0°05	New Jersey	0.74	6°24	6***	Connecticut :
21.6	0.81	0.8	New York :	Z.A	8*₽	S*p	Rhode Island
6.3	2°9	9.*	Connecticut :	0°06	£°68	0.86	Massachusetts:
L°	9 *	/ <u>T</u>	Rhode Island	36.0	36.3	1.84	Vermont t
2*9	5*3	1,	Massachusetts	42.0	0°9	**SS	New Hampshire:
F.	8 *0	11	New Hampshire	0.07	0°99	£'29	: saine :
			1				Eastern States: :
	spunod notili	IM -	å	- s]	punod uoilli	W -	;
6961	9057	Iner '		6961	90.67	10 <i>c</i> r	
Indicated	8961	7961	State and U.S.	Indicated	8961	7961	Area and State
	Production		2 11 1- 210.12		Production		12 been 200A
	Реасћез			/ī do	Commercial Cr	Apples,	

1/ Production too small to warrant quantitative estimate.

 $\frac{1}{2}$  Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

Robert H. Moats Agricultural Statistician in Charge

Production Prospects

**OFFICIAL BUSINESS** 

U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Robert B. Schwart, Jr. Burton R. Miller Agricultural Statisticians

POSTAGE & FEES PAID
United States Department of Agriculture

FIBERRY DOCUMENTS DIVISION

UNIVERSITY OF ILLINOIS

10810 JI ANABRU

6338.1 Col.2

# ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 23, 1969

## PRODUCTION PROSPECTS

#### ILLINOIS

Apple production in Illinois is expected to be 105.0 million pounds (2,500,000 bushels) up 9 percent from last year, but virtually the same as 1967.

PEACHES: Peach production is expected to be 26.0 million pounds (542,000 bushels) up 62 percent from 1968, but 6 percent below 1967.

#### UNITED STATES

APPLES: Apple growers are harvesting the largest U. S. apple crop of record this decade. September weather favored harvesting early varieties and coloring late varieties. Size, color and quality of fruit is reported good to excellent. To date, the crop has turned out a little better than early season prospects. Growers now expect to harvest 6.6 million pounds (158,000, 42 pound equivalents), 1 percent more than last month's forecast, 22 percent more than last year and 6 percent more than the large 1964 crop. Compared with last year, production is expected to be up 16 percent in the Eastern States, 14 percent in the Central States and 35 percent in the Western States.

In New England, harvest of McIntosh is active. Frost late in September helped color the fruit. In New York's Lake Ontario region, dry weather during August and September limited fruit sizes. Picking of Wealthy's is complete, but harvest of McIntosh and Greenings is active. In the Hudson Valley, sizes are large, harvest of McIntosh was near complete by October 1, Cortland and Delicious are moving. In the Lake Champlain area, harvest of an excellent McIntosh crop is at peak. New Jersey's harvest was slowed by rain early in September, but weather was ideal for harvest most of the month. Quality and color are generally good. Pennsylvania's growers have enjoyed a good apple year. September weather favored rapid harvest. Picking of Delicious and Golden Delicious is about complete, --York and Stayman are active. Virginia's crop is of good size and color. Picking of Delicious and Golden Delicious will be completed about mid-October. Harvest of Stayman is underway and is expected to peak about mid-month. A few Yorks have been picked in the Piedmont and Shenandoah Valley, but heavy harvest will not start until mid-October and will run into November.

West Virginia's harvest is progressing well--Jonathans are about complete, movement of Delicious and Golden Delicious continues. North Carolina growers are harvesting Staymans and Romes--Delicious is about complete and Golden Delicious is past peak.

In Ohio, harvest of early varieties is complete, and picking late varieties is active. The Indiana harvest is on schedule with Jonathan and Delicious now moving. Michigan's McIntosh harvest is nearing completion—with Jonathan and Delicious well underway. Color is good, size is above normal. Wisconsin has an excellent crop. A heavy set restricted fruit size to some extent but color is excellent. In Kansas, fruit has sized well and color is good—harvest of fall and winter varieties is active.

Harvest of Idaho's bumper apple crop is in full swing--size, color and quality are good. Colorado's harvest is progressing well. The hail-damaged fruit in Delta County is being used by processors. Final outcome of New Mexico's crop will depend largely upon how much of the hail-damaged fruit can be used for processing. Two areas in that State have clean fruit-San Juan County and Mimbres area--other areas were hit by hail. Harvest of Utah's crop is progressing well. There has been light hail damage in Utah County where most of the apples are produced. In Oregon, harvest of Goldens is active and selected picking of Red Delicious is underway. Sizes are good and quality excellent. In California, Gravenstein harvest is complete. In the Sebastopol district, Delicious, Goldens and Jonathans are past peak and picking of Romes is well advanced. At Watson-ville, harvest is on schedule.

Washington State apple growers are harvesting their largest crop of record since 1950, and 2 percent more than the large 1966 crop. Picking is near complete in the Lower Yakima Valley, and progressing well in lower elevations of the Upper Valley. Fruit is well colored, very typey and has good finish. In the North Central area growers have delayed picking, waiting for better color. At the end of September, harvest was about half finished.

PEACHES: The 1969 peach crop is estimated at 3.8 billion pounds, 5 percent above last year and 41 percent above 1967.

Excluding California Clingstones which are used mostly for canning, the Nation's crop is expected to total 2.0 billion pounds, 5 percent more than last year and 51 percent above 1967. The South Atlantic and Western region totaled less than last year, while all other areas were above 1968. Harvest is nearly complete in all areas.

California's Clingstone crop at 1.8 billion pounds is almost 6 percent above 1968 and 31 percent above 1967. There was some problem with fruit sizing, but quality was good. Brown rot following a rain in September caused some fruit loss. Harvest is complete.

THE STATE OF THE S

			6, 641, 6 2, 545, 0	1,888,1 5,431,5	2°96°5	
0,807,1	1,376,0	Clingstone	250°0	620.0	348.0	California :
		California, :				
	6,80E,1	Total	0°579 T	0.520 4	0 001	Oregon :
0*00\$	412.0	Freestone				. notzaińskw
		California, :				Utah
0°S	11.0	Oregon				New Mexico:
		washington .				Colorado:
0.01		· usio	0 201	0.85	9°02	: odsbl
	6.3					Vestern States: :
					£.87e	Total
the same and the same and the same and the same and					S*8	Arkansas :
				₽,01		Tennessee :
C*/				1.61		Кептиску :
			0°91			kansas :
		* Arkansas *	Z°6S	2°69		: imossiM
						: BWOI
						_
		Tennessee :				Minnesota :
		кептиску т	0.000			Wisconsin :
	1.21	Georgia :				Michigan:
0°00₺	171.0	5. Carolina :				: SIONITII
8°44		in. Carolina				: sasibal
21.6		w. virginia	0.021	0.051	7,101	: oidO
0°09		· ILETING				Central States: :
		* DIETATELA				: Total
3*8			0.8			South Carolina:
2.0					1.66.1	North Carolina:
	5 °C 7				\$28.4	West Virginia:
C * FC	C * 00	innos iM		413.0	363.0	: sinigity
	3 09			22.5	71.3	Maryland:
			0.41	10.8		Delaware :
			0.012			Pennsylvania:
		ं ाप0	0.011			New Jersey:
			0.856			
		New Jersey :				New York :
		New York :				Connecticut :
	9.*	Connecticut :				Rhode Island:
	/1					Massachusetts:
	I.					Vermont :
8.0	/ī	Mew Hampshire				New Hampshires
		1	0 02	0-99	£.78	: anisM
banoq noill.	IM -		~ S1	punod uotttra	7 -	Eastem States: :
				, actility	¥	1
	4961			8961	4961	
		State and U.S.				Area and State
Peaches			/ī de	Production CK	earddy	-
	Production 1968 1110n pounds 0.8 2.9 3.5 16.0 106.1 15.0 15.0 16.0 34.5 16.0 34.5 16.0 34.5 16.0 34.5 16.0 34.5 16.0 34.5 16.0	1967   1968   1968   1969	State and U.S.   1967   1968	Indicated   1969   State and U. S.   1967   1968   1969	1968	1967   1968   Indicated   1968   19

 $\underline{1}/$  Production too small to warrant quantitative estimate.

1/ Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

Robert H. Moats Agricultural Statistician in Charge

Robert B. Schwart, Jr. Burton R. Miller Agricultural Statisticians

POSTAGE & FEES PAID United Stores Department of Agriculture

> U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

OFFICIAL BUSINESS

Production Prospects

A 3 COPIES
UNIVERSITY OF ILLINOIS

URBANA IL 61801

IAOTO ET U

7338.1 Ie667

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 21, 1970

### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Illinois apple production for 1970 is expected to be 101.0 million pounds (2, 405,000 bushels, 42-pound equivalents) down 2 percent from the previous year, but up 5 percent from 1968. Illinois has a light set of generally good quality apples.

PEACHES: Peach production in Illinois is estimated to be 18.5 million pounds (385,000 bushels, 48-pound equivalents) down 27 percent from last year, but up 16 percent from 1968.

Cold, wet spring weather and a snowy, icy winter did cause some tree problems for growers.

#### UNITED STATES

APPLES: The Nation's 1970 commercial apple crop is expected to be 4 percent below the quantity utilized last year, but 19 percent above the 1968 crop. July 1 prospects are for 6.5 billion pounds (154 million, 42-pound equivalents) available for harvest this summer and fall. Washington continues to lead production, followed by New York, Michigan, California, Pennsylvania, and Virginia. Of these 6 leading States, Washington, Pennsylvania, and Virginia expect smaller crops, but New York, Michigan, and California expect larger crops than last year.

Production from the Eastern States is forecast about the same as last year. Central apple States expect about the same amount of apples as last year. Michigan and Minnesota expect larger crops, but the other central States expect smaller production, except Iowa and Missouri where production will about equal last year. Freezing and near-freezing temperatures in late April and early are duced the set in some areas of the central region. But growers, generally, expect larger sizes to nearly offset the reduced fruit numbers. In Ohio, Red Delicious seem hardest hit by frost, but later varieties suffered little or no damage. June conditions favored growth; quality and size are good. Indiana growers expect larger sizes to offset a heavy June drop. They plan to harvest some Lodi the second week of July. Although most Michigan orchards were not seriously freeze-damaged, some apple blossoms-especially Delicious-were injured in the southern areas. In Wisconsin, near freezing temperatures and cool, rainy weather hampered pollination. Apple production in the western States is expected to be 10 percent below last year.

Washington's apple prospects are down considerably from last year. In the Yakima Valley, return bloom, after last year's heavy crop, was poor, drop was heavy and spring frost damaged some orchards. There is much variation between orchards. Golden Delicious are light in all areas. In north-central Washington, production is expected to be less than last year, mainly because trees are continuing to die from last year's cold weather damage. Set was heavy, drop was heavy and thinning sprays were used extensively. Hand-thinning was reported much lighter than usual. For the State as a whole, Golden Delicious and Winesap crops are expected to be slightly less than last year—the big drop is in Delicious. Winter and spring freeze-damage reduced Oregon's prospects. Most California orchards have a good set in spite of scattered frost damage in the Sebastopol area.

PEACHES: The July 1 forecast of the Nation's peach crop is 3, 128 million pounds, 15 percent less than last year and 13 percent below 1968. Excluding California's Clingstone crop, used mostly for canning, production is forecast at 1,650 million pounds—12 percent below 1969. Only New Hampshire, Massachusetts, Michigan, and Washington expect more than last year. Prospects generally declined from a month earlier. Nine of the 34 peach States showed decreases, and only Tennessee, Alabama and Utah recorded increased prospects.

The 9 Southern States expect to produce 623 million pounds—about the same as a month earlier—15 percent below last year and 27 percent below the 1968 crop. Recent high temperatures hastened maturity of Georgia peaches. The Ft. Valley area is finishing up Southland, Redglobe and Loring varieties. Harvest of South Carolina's peaches has moved into all areas of the State and volume is running slightly ahead of last year. The North Atlantic States expect 18 percent less peaches than last year. Prospects declined during June in the North Central States with expected production now forecast at 174 million pounds, 9 percent below last year. Michigan, the largest producer in the region, expects to harvest 3 percent more peaches than last season in spite of the frost on May 5 and 6.

The set was lighter than normal in Colorado peach orchards and current expectations fall short of last season's output by 9 percent. However, Washington expects an excellent crop. Harvest of fresh market varieties is underway in the Maryhill area on the Columbia River and should start July 11 in the Yakima Valley. Harvest of Freestone peaches in California continues to increase with Redhaven, Gemfree, Cornonet and Redglobe varieties currently being harvested. Harvest of early Elbertas is just beginning. Harvest of the regular and Faye Elbertas will get underway in late July. Size and Quality are excellent.

California Clingstone prospects declined during June and prospects now are for 1,478 million pounds, 18 percent below last season. Weather varied in June--temperatures were above normal the first and last weeks and below normal the second and third weeks. Growers have started to green drop to meet their 10 percent green drop requirements. Harvest of the early Fortuna and Loadel varieties got underway in the Bakersfield area in early July. Picking in the Marysville and Modesto districts will start about mid-July.

- OVER -

THE LIBRARY OF THE

3, 128, 5	₹999'8	2°065 ε	United States	6,463,3	8,127,8	6°144'S	nited States
				2,366.0	5°629°7	S.868,1	Total
0.874,1	0,008,1	0.807,1	Clingstone 1/	0°099	0°0 <del>1</del> /S	620.0	California
			California,	113.0	0.781	0.78 :	Oregon
S 0S9 I	1,865.4	1,882,7	Total	1,485.0	0°S79°T	1,025.0	Washington
0.044	0.084	0°00\$	Freestone :	0°0ħ	45.0	0.82 :	Utah
			California, :	0.85	54,9	36.5	New Mexico
12.0	0.81	0.5	• nogero	0.07	0.77	۵°۴۷ :	Colorado
0.85	8°ħ	27.0	Washington ;	0.09	134.0	9.82	Ідзуо
0.51	0.81	0,481	Utah			:	estern States:
30.0	32.8	31.6	Colorado :	1,276,3	1,273.0	1,052,1	Total
0.11	12°0	S*9	i odaho	2,7	1 6	1.7	Arkansas
30.0	8 ° ZE	30.2	Texas	<b>₽.</b> 8	10.4	\$ .01 :	Tennessee
S*6	12.0	0.01	Oklahoma :	0.71	6.02	1.61	Кептску
S*9	S ° Z	۲.3	Louisiana	13.5	₽ <b>°</b> ₽I	6°S1 :	Kansas
0°0Þ	0°Z⊅	₹*98	• Yıkansas	2.62	2.92	Z*6S :	imossiM
0.01	S°41	12.5	: iqqississiM	0.81	0°SI	₽ *SI :	Swol
0.04	0 °0\$	0.68	: smsdsIA	25.0	I . 6I	₽.SS. 4	
7.7	ϰ6	<b>4</b> °9	Tennessee :	0.09	0.89	63.0	Minnesota
12.5	_ S*9ī	16.3	кептиску:	0.027	0°027		Wisconsin
0°S†I	175.2	Z.45.S	Georgia	0.101		0.555	Michigan
290°0	338.0	0.004	5. Carolina :		102.9	9 96	SIONITI
0.84	0.98	8 * 4 4	N. Carolina	0.28	0.06	28°0	Indiana
25.0	27. 4	0.12 9.75	. Siniginia . W	135.0	0.741	0.051	oidO
0.04	∠ * <del>∀</del> ₹	0.02	: sinigriV W	2,821,0			entral States:
21.0	22.0	20.5	Maryland	13.0	6,818,5	2,491,3	Total
3.0	0°₽	3 °E			0.8	9.8	South Carolina
9.8	S ° 6	2.8	Kansas Delaware	212.0	204.0	8,691	North Carolina
1.02	21.6	0.81	4	232.0	560,0	8,022	West Virginia
0.001	0.76	3.4s	imossiM	431.0	472.0	413.0	Virginia
2,81	Z°SZ	16.0	Michigan	0.89	72.0	S.72	Maryland
0.01	0.11		ITTINOIS	13.0	14.0	8.01	Delaware
0.71	28.0	S*S	Indiana	0°009	225.0	390.0	Pennsylvania
0.48	120.0	0°SI	- oido	120,0	7,611	100,5	New Jersey
0°S6	2°*01	1.001	Pennsylvania	0°\$06	0.858	0.088	New York
0.81		100,5	New Jersey	0°₹\$	2.84	6°Zħ	Connecticut
	8.02	0.81	New York	0.8	0.₽	8 ° p	Rhode Island
9°S	6.3	5,2	Connecticut	0.301	0.001	£ .e8	Massachusetts
	۷*	9.	Rhode Island	42°0	0.88	\$ .36 \$	Vermont
4.0	5,6	2,9	Massachusetts	23°0	38.0	0.04	New Hampshire
6.0	1,0	8.0	New Hampshire	0,13	0.18	0.99 :	Maine
- sr	unod uoill	IIVI -		- enn	nod worrer	8	astern States:
0261				0Z61	noq noilliM	-	
Indicated	6961	8961	State and U.S.	betseted	6961	8961	21910 575 90-7
	Production		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Production		Area and State
	Peaches			/T dai:	Commercial (	Apples	

pounds): 1968-172.6; 1969-228.0,  $$^{1}{}$  Includes culls and cannery diversions as follows: (million

½/ Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

Robert B. Schwart, Jr. Douglas Murfield Agricultural Statisticians

Robert H. Moats Agricultural Statistician in Charge



U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Production Prospects

OFFICIAL BUSINESS

THE PRINCE OF THE DIAISION OF THE PRINCE OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF T

(+338.1) I+666 COVILLINOIS

CEPIELINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

September 15, 1970

#### PRODUCTION PROSPECTS

#### ILLI NOIS

APPLES: September 1, 1970 indicated apple production for Illinois was 96 million pounds (2,286,000 bushels, 42-1b. equivalent). This is down 5 million pounds from the August 1, 1970 indication of 101 million pounds, and down 6.9 million from September 1, 1969.

Growers in the southern third of the State indicated some minor disease and weather problems but overall expected a good apple crop. Growers elsewhere in the State reported insect and disease problems plus some adverse effects resulting from last winter's weather.

Harvest was active for Jonathans between August 28 and September 23, Golden Delicious between September 7 and October 8, 1970, and Delicious between September 1 and October 5.

PEACHES: Indicated Illinois peach production for September 1, 1970 is 18.5 million pounds (385,000 bushels, 48-lb. equivalent) the same as the August 1 indication, but down 6.7 million pounds from the September 1, 1969 figure. Orchardmen in the Southwest District of Illinois indicated a good to excellent peach crop was developing. Over the rest of the State, the effects of a hard winter are still present. Fruit size is reported as slightly smaller than normal in a few areas. Some growers have reported adverse effects of heat and humidity.

#### UNITED STATES

APPLES: U. S. apple production is forecast at 6.4 billion pounds, 5 percent below last year but almost 17 percent above 1968. Prospects in the Eastern States were unchanged or lower than last month except in Pennsylvania and West Virginia. In the New England States dry weather reduced crop prospects in some areas. McIntosh set is light but the fruit is sizing nicely. Harvest should be underway by mid-September in most of the New England States. In New York State general showers, at the end of August, brought relief to dry fruit areas in eastern New York. In the Hudson Valley harvest of Early McIntosh and Wealthy started about mid-August. In western New York, the crop is heavy with generally large sizes. Early McIntosh were moving in light volume at the end of August. Limited quantities of Wealthies and Wellingtons were also available. In New Jersey, harvest of late summer varieties is active. The release date for earliest strains of Red Delicious was set for September 8, about five days later than last year. Golden Delicious harvest is expected to begin the last week of September. In Pennsylvania, moisture has been adequate for good sizing and the crop is coloring well. Picking summer varieties made good progress in August. Growers expected to harvest a few fall varieties after Labor Day. Maryland apple trees are in good condition and fruit development is normal inspite of limited rainfall in some areas. General harvest of Red Delicious was expected to begin in mid-September. Virginia apples sized well in August with adequate rainfall in most of the fruit areas. Harvest of early strains of Red Delicious started September 1. Volume movement is expected about mid-September in the north and about a week earlier in the southwest. West Virginia growers are harvesting Jonathan and Red Delicious. Harvest was active in the Carolinas by September 1.

Production prospects in the Central States were unchanged or slightly lower because of dry weather in some areas. Harvest of fall varieties got underway in southern Ohio in late August and was expected to be active by mid-September in northern Ohio and Indiana. In Michigan, the major central apple State, harvest of summer varieties neared completion by September 1 and McIntosh harvest was beginning in the Southwest. Fruit size is average in the two major producing areas, Southwest and West Central. Six weeks of almost rainless weather have reduced the 1970 Wisconsin apple crop prospects. By September 1, Missouri and Kansas growers had begun limited harvest of their main variety, Jonathan. Red Delicious should follow a week or two later in Missouri and begin in late September in Kansas.

Production prospects declined from last month in the Western region. Reductions in Washington and New Mexico more than offset improved prospects in Oregon. In Idaho, fruit set and condition are generally normal. Harvest of summer varieties is complete and fall harvest is expected to be in full swing by mid-September. In Colorado, harvest of Jonathans should begin in mid-September and reach volume about September 25. Picking of Golden Delicious was expected to begin the first week of September in Washington's earliest orchards. Red Delicious harvest should be general by mid-September. The State's general release date is set at September 10. Growers expect most of the apples to be of medium size with few large apples. In late August, Yakima Valley harvest of Tydeman Reds was finished, but summer apple harvest continued into September in north-central Washington. In Oregon, fruit is sizing well and starting to color. Sizes are expected to run smaller than last year. In California, picking of Gravenstein is nearly complete and harvest is progressing to Jonathan, Delicious, Pippin and other varieties.

PEACHES: The 1970 peach crop is forecast at 3.1 billion pounds, 16 percent below last year. U. S. peaches (excluding California Clingstones used mostly for canning) are expected to total 1,645 million pounds, 12 percent less than last year.

California's estimated production of Clingstones at 1, 450 million pounds is 19 percent below last year. Harvest of extra late varieties is in full swing. The harvest of Freestone peaches is virtually complete and estimated at 440 million pounds, but is 8 percent less than last year and 12 percent below 1968. Harvest of Washington's peach crop, estimated at 27 million pounds, has gone well and late varieties are now being picked.

Colorado's crop, estimated at 24 million pounds, is down 27 percent from 1969. Harvest in Colorado's Western Slope was expected to peak in early September and be completed by mid-month. The Michigan harvest was past half-way by September 1. In New Jersey, August weather favored harvest. Harvest of the Blake variety was nearly completed by September 1. Harvest was in full swing by mid-August in Pennsylvania, where peaches have sized well and quality is good.

In the South Atlantic States, harvest was virtually finished by September 1.

SEP 1 & 19 :

UNIVERSITY OF ILLUNUIS
AT URBANA-CHAMPANIS

Washington   17,5   77,0   68,0   Wichigan   34,5   97,0   Washington   34,5   72,0   68,0   Washington   34,5   72,0   68,0   Washington   34,5   72,0	8°12′40 6°144 'S'S	,8,127,6	1,255,1	UNITED STATES	7,062,8:	3,665.4	1 °S60 °E
Virginia         18.0         413.0         472.0         431.0         Missouri         18.0         21.6           Worth Carolina         169.8         204.0         226.0         235.0         260.0         245.0         3.5         4.0           South Carolina         169.8         204.0         226.0         22.0	6°679°7 5°868°1:	6.629.5	2,229,0	Calif., Clingstone 1/	0.807,1:	0,008,1	1,450.0
Virginia         18,0         43,0			0.098	Total	7,588,1:	₹°598°1	1,845,1
West Virginia         13.0         472.0         431.0         Missouri         18.0         21.6           West Virginia         1.50.8         260.0         245.0         265.0 <td></td> <td></td> <td></td> <td></td> <td>0.008</td> <td>0.084</td> <td>0°0<del>1</del>1</td>					0.008	0.084	0°0 <del>1</del> 1
Virginia         413.0         472.0         431.0         Missouri         18.0         21.6         Missouri         18.0         21.6         Missouri         18.0         21.6         23.6         Missouri         18.0         21.6         23.6         3.5         4.0         23.6         3.5         4.0         4.0 <td>0.840,1 0.850,1</td> <td>0°S\$9'T</td> <td>0°058 'T</td> <td>Oregon</td> <td>0°S ;</td> <td>0.01</td> <td>0.01</td>	0.840,1 0.850,1	0°S\$9'T	0°058 'T	Oregon	0°S ;	0.01	0.01
Virginia         18.0         472.0         431.0         472.0         431.0         472.0         431.0         472.0         431.0         472.0         431.0         472.0         431.0         472.0         431.0         472.0         431.0         472.0         431.0         432.0         43.0 <t< td=""><td></td><td></td><td></td><td>Washington</td><td>0°42 ;</td><td>8.4</td><td>27.0</td></t<>				Washington	0°42 ;	8.4	27.0
Virginia         18.0         413.0         472.0         431.0         Missouri         18.0							13.0
West Virginia         #13.0         472.0         431.0         Missouri         #8.0<				Colorado			24.0
Virginia         18.0         473.0         473.0         473.0         475.0         431.0         Missouri         18.0         21.6         23.3         Alabama         18.0         21.6         22.0         23.3         3.5							0/01
Virginia         413.0         472.0         431.0         Missouri         18.0         21.6         24.0         31.0         Missouri         18.0         26.0         24.0         26.0         24.0         31.0         Missouri         3.5	0 101	Okci	0 09		:		0,0,
Virginia         : 413.0         472.0         431.0         Missouri         : 18.0         21.6           West Virginia         : 220.8         260.0         245.0         Kansas         6.2         9.5           Worth Carolina         : 16.9         20.4         226.0         245.0         26.0 </td <td>0°5/2°T T°200°T:</td> <td>0°5/2°T</td> <td>T OFZ T</td> <td>ı exas</td> <td>2.0E :</td> <td>E * ZE ·</td> <td>33°0</td>	0°5/2°T T°200°T:	0°5/2°T	T OFZ T	ı exas	2.0E :	E * ZE ·	33°0
Virginia         1413.0         472.0         431.0         Missouri         18.0         21.6           West Virginia         220.8         260.0         245.0         Kansas         3.5         9.5           Worth Carolina         16.9         200.0         226.0         226.0         226.0         226.0         226.0         3.5         4.0           Couth Carolina         18.6         13.0			C*0			0.21	0.6
Virginia         1413.0         472.0         431.0         Missouri         18.0         21.6           West Virginia         220.8         260.0         245.0         Kansas         256.0         245.0         4.0           Morth Carolina         16.9         200.0         226.0         226.0         226.0         226.0         226.0         35.0         4.0           Couth Carolina         16.9         200.0         226.0         226.0         226.0         226.0         4.0         226.0         4.0 <td></td> <td></td> <td></td> <td>romaiana</td> <td></td> <td>S*/.</td> <td>S*9</td>				romaiana		S*/.	S*9
Virginia         1413.0         472.0         431.0         Missouri         18.0         21.6         Missouri         18.0         21.6         226.0         245.0         26.						0.54	0.04
Virginia         13.0         472.0         431.0         Missouri         18.0         21.6           West Virginia         220.4         226.0         245.0			0.21				0.01
Virginia         18.0         A72.0         431.0         Missouri         18.0         21.6           West Virginia         220.8         26.0         245.0			2,00			0.06	0 00
Virginia         18.0         A72.0         431.0         Missomria         18.0         21.6         Missomria         18.0         21.6         Ansasmia         18.0         20.0         245.0         24.0         24.0         24.0         24.0         24.0         24.0         24.0         24.0         24.0         25.0			0.601			₽°6	8 9
Virginia         : 413.0         472.0         431.0         Missouri         : 18.0         21.6           West Virginia         : 220.8         260.0         245.0         26.0			0.62				12.5
Virginia         18.0         A31.0         Missouri         18.0         21.6           West Virginia         220.8         260.0         245.0         Kansas         6.2         9.5           Morth Carolina         169.8         204.0         226.0         226.0         226.0         33.0           Total         20.4         226.0         13.0         13.0         13.0         4.0           Total         15.491.3         2,818.9         2,818.9         2,818.0         20.0         22.0           Total         15.0         135.0         135.0         135.0         40.7         135.0           Ohio         15.0         135.0         135.0         135.0         135.0         22.0           Mathiana         150.0         147.0         135.0         135.0         17.8         56.0           ILLINOIS         156.0         102.9         96.0         90.0         85.0         175.8         175.8           Michiana         155.0         102.9         96.0         105.0         175.0         175.2           Michiana         155.0         105.0         105.0         105.0         175.0         175.5			0.00	[		2 7,	
Virginia         18.0         413.0         472.0         431.0         Missouri         18.0         20.0         275.0         Missouri         18.0         20.0         27.0         338.0           West Virginia         120.0         226.0         226.0         226.0         226.0         338.0         4.0           Total         2.818.9         2.818.9         2.818.9         2.818.9         2.0.5         22.0         22.0           Total         3.20.0         130.0         135.0         135.0         40.0         40.0         338.0           Indiana         58.0         90.0         85.0         338.0         338.0         338.0           Intlivois         102.9         96.0         90.0         85.0         338.0           Intlivois         102.9         96.0         90.0         838.0         338.0			0.82	veorgia .	C*#52 ‡	7°C/T	0.241
Virginia       : 413.0       472.0       431.0       Missouri       : 18.0       21.6         West Virginia       : 220.8       260.0       245.0       8.0       256.0       3.5       4.0         Morth Carolina       : 18.6       8.0       13.0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>290.0</td></td<>							290.0
Virginia       : 413.0       472.0       431.0       Missouri       : 18.0       21.6         West Virginia       : 220.8       26.0       245.0       Carolina       : 6.2       9.5         South Carolina       : 169.8       204.0       226.0       Delaware       3.5       4.0         Total       : 2,491.3       2,818.9       2,886.0       Maryland       20.5       22.0         Central States:       : 2,491.3       2,818.9       2,886.0       West Virginia       20.0       44.7         Ohio       : 130.0       147.0       135.0       West Virginia       21.6       27.4							51.0
Virginia       : 413.0       472.0       431.0       Missouri       : 18.0       21.6         West Virginia       : 220.8       26.0       245.0       Kansas       6.2       9.5         North Carolina       : 169.8       204.0       226.0       A.0       3.5       4.0         Total       : 2,491.3       2,818.9       2,886.0       Maryland       20.5       22.0         Central States:       : 2,491.3       2,818.9       2,886.0       4.0       44.7							23.0
Virginia       : 413.0       472.0       431.0       Missouri       : 18.0       21.6         West Virginia       : 220.8       260.0       245.0       Kansas       6.2       9.5         North Carolina       : 169.8       204.0       226.0       13.0       Delaware       3.5       4.0         Total       : 2,491.3       2,818.9       2,886.0       Maryland       : 20.5       22.0	0.751	O ZVI	0 251	Virginia			0°S†
Virginia       : 413.0       472.0       431.0       Missouri       : 13.0       4.0         West Virginia       : 220.8       26.0       245.0       Kansas       6.2       9.5         Morth Carolina       : 169.8       204.0       226.0       25.0       25.0       3.5       4.0	C'OYO'R C'YO'R	C*Oro fm	0.000 2				0.55
Virginia       : 413.0       472.0       431.0       Missouri       : 18.0       21.6         West Virginia       : 220.8       260.0       245.0       Kansas       6.2       9.5         North Carolina       : 169.8       204.0       226.0       3.5       3.5	0 018 6 2 101 6						3.0
Virginia       413.0       472.0       431.0       Missouri       18.0       21.6         West Virginia       220.8       260.0       245.0       Kansas       6.2       9.5				Delemene		0 1	.0 6
0.15 0.81 i imossiM 0.184 0.574 0.814 sinigniV				v sus se	2°0 ;	S*6	9*8
							20.1
				Michigan		0.76	0°S6
			0.09				2.81
Pennsylvania : 390.0 525.0 525.0 Indiana 5.5 15.0 Delaware : 10.8 14.0 25.2							0.01
						0 11	0.71
			0.021	9140	0 31	0 30	0 4,
				E CHUISATASIII S	T *00T #	0.021	0.4.0
							0.56
						9.02	2.61
							⊅°S
1						1.0	9.
						0.2	0°ħ
	0.19 0.39	0.19	0 09				6.0
Eastern States: . 0.8 G.1	•			oridormpH wold	80 1	1 0	0 0
unod uoilliM - : - spunod uoilliM - :	nog nollliM -	spunod uoil	-		IIW -	punod uoil	- sī
9961 8961 9061 8961 91e32			0761		8961	6961	Indicated 1970
Area Production State		1	Potosibal	State		Production	
Apples, Commercial Crop 1/			/ī dor			кевсиев	

1/ Includes culls and cannery diversions as follows: (million pounds): 1968--172.6; 1969--228.0.

 $\underline{1}/\ln$  orchards of 100 or more bearing trees.

Robert B. Schwart, Jr. Douglas Murfield Agricultural Statisticians

Robert H. Moats Agricultural Statistician in Charge

Old 2334 & 30A7209 Old 2334 & 30A7209

U. S. DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Production Prospects

OFFICIAL BUSINESS

A 3 COPIES

JOHN M LITTLEWOOD

JOHNA LITTLEWOOD

LIBBARA L DOCUMENTS DIVISION

LIBBARA LL 61801

Lebbe Cop. 2

# ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT

NW NE
W C E
WSW ESE
SERVICE SW SE

ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 16, 1970

### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: October 1, 1970 indicated apple production for Illinois was 96 million pounds (2,286,000 bushels, 42-lb. equivalent). This is the same as September 1, 1970 indication of 96 million pounds, and down 6.9 million from October 1, 1969. Harvest was active for Jonathans between August 28 and September 23, Golden Delicious between September 7 and October 8, 1970, and Delicious between September 1 and October 5.

PEACHES: Indicated Illinois peach production for October 1, 1970 is 19.5 million pounds (406,000 bushels, 48-lb. equivalent) up one million pounds from September 1 indication, but down 5.7 million pounds from the October 1, 1969 figure.

### UNITED STATES

APPLES: U. S. apple production is forecast 6 percent below last year at 6.3 billion pounds. Prospects declined slightly from last month primarily because of smaller fruit in Western States and wind damage in Washington and Colorado. The Western States are expected to produce 18 percent less than last year, Central States 3 percent less, but Eastern States are expected to exceed 1969 by almost 4 percent. High temperatures in the East in mid-September bleached color from mature fruit and delayed coloring of later varieties. However, the return of cool nights in late September improved condition of most of the fruit.

In New England, size is at least normal and defects few. Despite some instances of heavy drop, generally drops have been few. In New York apples sized well in September, but lack of color delayed movement into CA storage. Hudson Valley growers expect a large crop of Delicious, Cortland, and McIntosh. In western New York—main area for processing apples—processors may not be able to utilize the large crop. In New Jersey by mid-September Red Delicious apples were moving and at the end of the month some Golden Delicious had begun to move. Harvest of Stayman and Rome varieties is expected underway before mid-October. In Pennsylvania, apples have good size and quality is good to excellent. Cool nights in late September advanced coloring after the mid-September hot spell. Hot, dry weather reduced crop prospects in Delaware. In Maryland record breaking temperatures September 21-27 slowed harvest of Red varieties. Growers waited for cooler weather to improve color. Some growers reported an early drop due to high temperatures.

Heat has delayed Virginia picking about a week. York harvest was beginning by the end of September in the Valley and Piedmont areas. Stayman harvest was expected to start October 6-12 in most areas. Winesap should follow in about ten days. Fall apple harvest is in full swing in West Virginia. Harvest was more than half complete by October 1 in North Carolina. Growers are actively picking Stayman and Rome varieties. Harvest in South Carolina neared the 80 percent mark October 1. Size and color were reduced by hot, dry weather.

Harvest in Indiana is on schedule. Growers are picking Jonathan and Delicious, and McIntosh harvest is nearly over. More than half the Illinois crop has been harvested. In Michigan, the most important Central State, the season is at least a week ahead of normal. Recent rains have helped sizing and most varieties are coloring nicely. Wisconsin apples matured and colored rapidly because of cool nights and mild days, and harvest is progressing into later varieties. Harvest in Missouri should near completion by mid-October. Growers in Kansas and Kentucky are harvesting fall and winter varieties.

Idaho apples have good quality and color. Harvest of early varieties is complete and picking of Delicious, the main variety, about half complete. Colorado apple harvest is behind schedule because of slow fruit coloring and sizing. High winds blew a substantial amount of fruit to the ground September 24 in the Delta County area. In New Mexico, a considerable amount of the crop is expected to be left unharvested, but in Utah apple color is good, despite the small size. Harvest moved rapidly in Oregon with favorable harvest conditions. Despite a late start, harvest is expected to be completed one to two weeks ahead of schedule. Small sizes reduced prospects. California apple harvest is on schedule, and picking in the two main districts was more than half complete. Production is running below early season expectations due to smaller sizes.

In Washington, September was generally ideal for coloring and finishing fruit, but sizes are running smaller than last year. On October 1, growers were well along with Red and Golden Delicious harvest. In the Lower Yakima Valley harvest was in full swing by September 15, and picking of Red Delicious virtually complete by October 1. Some growers lost apples when high winds hit on September 11 and 12. In the Upper Yakima Valley harvest had not become active by October 1, but in North Central Washington harvest reached its mid-point. Harvest of Reds and Goldens was expected to be nearly complete by October 10. Rome and Winesap harvest was expected to begin the week of October 4.

PEACHES: The 1970 peach crop is estimated at 3.0 billion pounds, 17 percent below last year and 15 percent below 1968. Excluding California Clingstones, which are used mostly for canning, the Nation's crop is expected to total 1.6 billion pounds, 14 percent less than last year and 15 percent below 1968. All regions totaled less than last year. Harvest is nearly complete in all areas.

California's Clingstone crop at 1.4 billion pounds is 20 percent below 1969 and 16 percent below 1968. Both fruit quality and size were very good this season. Harvest is now complete.

- OVER -

THE LIBRARY OF THE

UNITED STATE	6°177 'S:S	8,127,8	9*302*9	UNITED STATES	۷*065 '٤٠	₹ \$99 €	3,040,5
Total	S*868'I:	2,629,9	2,145,0	Calif., Clingstone	0.807,1:\1	0.008,1	1,442.0
California	0.029 :	0°07S	0°07S	Total	7,288,1:	₱°S98'I	2.892,1
Oregon	0°48 :	0.751	0.211	California, Freeston	0.002 : 50	0.084	0.004
Washington	1,025.0	0°S79°I	1, 300, 0	Oregon	0°S ;	0.01	10.0
Utah	0.82 :	0.5¥	0.SE	Mashington	. 27.0	8°ħ	28.0
New Mexico	36.5	54.9	30°0	Utah	0.01 :	0°SI	13.0
Colorado	٠٠٤٤ :	0.77	0*89	Colorado	9,18 :	32.8	24.0
oyep	: 28.0	134°0	0°09	Idaho	<b>S*9</b> :	12°0	0 * 6
estern States:	:				*		
Total	1,052,1	1,273.0	1,237.6	Texas	S.08 :	5.25	0.88
Arkansas	I.7 :	1.6	S*9	Окјанота	0.01 :	12.0	0°6
Tennessee	₽.01 :	₹°01	⊅°8	Louisiana	£ .7 :	S°Z	S*9
Кептиску	1.61 :	50°0	0.71	Arkansas	₽°98 :	4Z.0	0.04
Kansas	6°SI :	Þ*ÞI	12.5	iqqississiM	12.5	S*4I	0.01
Missouri	Z*6S :	Z*6S	2.02	smada IA	0°68 :	0°09	0 °07
EWO	₱°SI :	0.81	0°SI	Tennessee	٤٠9 :	⊅°6	8*9
Minnesota	\$ 22°¢	1.61	52°0	Kentucky	£.81 :	S°91 .	12,5
Wisconsin	63.0	0*59	0.88	_	:		
Michigan	0.888 :	720.0	725.0	Georgia	3.4.5	175.2	145.0
SIONITI	9°96 ;	102.9	0°96	South Carolina	0.004 :	0.888	0°06Z
Indiana	0.88 :	0°06	0.88	North Carolina	8.77 :	0°9\$	0.12
oidO	0.081 :	0°271	135.0	West Virginia	3,12 :	27°4	20.0
entral States:	:			Virginia	20°0	∠°ÞÞ	0°57
Total	5,491,3	2,818,9	2,923.0	Maryland	20.5	0,52	23.0
South Carolina	9*8 :	0.8	13.0	Delaware	S*E	0°ħ	0.8
North Carolina	8.691 :	204°0	226.0			0.84	0.00
West Virginia	8.022 :	260,0	245.0	Kansas	2.9	S°6	0.8
sinigiiV	0.814 :	472.0	431.0	imossiM	18.0	21.6	20°1
Maryland	S°2S :	72.0	0.89	Michigan	<u>9.46</u>	0.76	0°56
Delaware	8.01 :	14.0	12,0	ITTINOIS	0.91	Z.SZ	S°61
Pennsylvania	0.098 3	0.828	225.0	Indiana	S*S :	11.0	0.01
New Jersey	100°2	7,911	120.0	ाम०	0.81	0.82	0.71
New York	0.088 :	0.528	0 * 596	271224762772	*****	0.077	0.**0
Connecticut	6°27 3	Z.84	52.0	Pennsylvania	1.901	120.0	0.48
Rhode Island	8.₽ :	0.4	0°4	New Jersey	100.5	S**01	0°06
Massachusetts	£ . 88 ;	100.0	0.801	New York	U 0,	20.8	2,61
Vermont	8 36.3	0.88	0.04	Connecticut	2.9	£ * 9	†°S
New Hampshire	0.84	0.88	23°0	Rhode Island	9° ;	2°2	O*₽
Maine	0.88	0.13	0.09	Massachusetts	5.9		
astern States:	*			New Hampshire	8.0	1.0	6°0
	N - :	unod uollli	- sp		IIIM -	unod uoil	- sī
State	8961	6961	0261		8961	6961	Indicated 1970
and		Production	Indicated	State		Production	F 1E 8
sərA	rddy.		Æ dosa			Беасћеѕ	
	faaA	es, Commercial	(I don)			sadacaq	

1/ Includes culls and cannery diversions as follows: (million pounds): 1968--172.6; 1969--228.0.

 $\underline{1}$ /In orchards of 100 or more bearing trees.

Ropert B. Schwart, Jr.

Robert H. Moats Agricultural Statistician in Charge

Robert B. Schwart, Jr. Douglas Murfield Agricultural Statisticians Production Prospects

OFFICIAL BUSINESS

U. S. DEPARTMENT OF ACRICULTURE P. O. Box 429, Springfield, Illinois 62705

TIBERST - DOCUMENTS DIAISION OF A STORY W LITTENCOD STORY W LITTENCOD STORY ST

WOTCTA!

POSTACE & FEES PAID United States Department of Agriculture

TOSIO EL VIV

'(

2338 ( T/665 C. 2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 16, 1971

#### PRODUCTION PROSPECTS

#### ILLINOIS

APPLES: Illinois apple production for 1971 is expected to be 106.0 million pounds (2, 524,000 bushels, 42-pound equivalents) up 13 percent from the previous year, and up 3 percent from 1969. Illinois has a relatively heavy fruit set. Fire blight is reported to be a problem in some varieties.

PEACHES' Peach production in Illinois is estimated to be 26.0 million pounds (542,000 bushels, 48-pound equivalents) up 33 percent from last year, and up 3 percent from 1969. Most areas have a heavy fruit set with very little disease or insect problems.

#### UNITED STATES

APPLES: The Nation's 1971 commercial apple crop is expected to be 1 percent below the quantity utilized last year and 9 percent below the 1969 crop. July 1 prospects are for 6.2 billion pounds (147 million 42-pound equivalents) available for harvest this summer and fall. Washington continues to lead production, followed by New York, Michigan, Pennsylvania, Virginia, and California. Of these six leading States, Washington and California expect smaller crops, but Michigan, Pennsylvania, New York, and Virginia anticipate larger crops.

Production from Eastern States is forecast 4 percent above last year. All of the Eastern States except Production from Eastern States is forecast 4 percent above last year. All of the Eastern States except North Carolina are expecting larger crops than were utilized last year. June weather was generally favorable in the eastern areas; however, more moisture will be needed in July and August. In New England, the bloom was later than normal. The June drop was later than usual in New York. Overall set is generally good with only a few varieties on the light side. Some localized hail damage occurred the last week of June. New Jersey prospects are favorable. The set was generally heavy. Light picking of the earliest summer varieties began in late June. In Pennsylvania, bloom was 1 to 2 weeks later than normal. The blooming period was unusually long with cool temperatures in most areas. Maryland and Delaware fruit development is normal, although some hail damage occurred. In Virginia, the crop has excellent size. Moisture is good in all fruit areas. Hail damage occurred in all fruit areas with a few orchards suffering heavily, but overall damage was minimal. Harvest of Yellow Transparent was expected to begin July 5 and Rambo harvest about August 4. West Virginia's prospects are good. There was a minimum of winter damage to trees. In North Carolina, freeze damage on May 3 caused considerable reduction in the apple crop. South Carolina's bearing surface continues to expand and the crop is in good condition.

Central States expect a larger crop than was utilized last year. All States increased from last year, except Minnesota which is the same, and Iowa which is down. Most areas escaped winter injury; however, there were spring freezes in some areas. In Indiana, bloom was later than normal. Cool weather caused a lengthier bloom. Harvest of Lodi and Transparent is expected to begin around July 15-20. Michigan apples generally came into bloom later than any previous year. Dry weather at bloom time was favorable for good pollination except in the northwest Lower Peninsula where cool, wet weather limited bee activity. In Wisconsin, cool weather delayed bloom about one week. The later bloom avoided much frost damage.

Apple production in the Western States is expected to be 12 percent below last year. Colorado, Idaho, Utah, and Oregon expect larger crops than in 1970. California, Washington, and New Mexico prospects are below last year, more than offsetting the increases in other Western States. In Idaho, pollination was excellent and set heavy. Washington's apple prospects are down considerably from last year caused by a spotted bloom. The Sebastopol area of California experienced a poor fruit set; however, prospects in the Watsonville area are better and an average crop is expected there. Some frost damage occurred in mountain counties which cut prospects there. Harvest of a few Gravensteins will get underway in late July with increased volume shortly thereafter. The season is about 7 to 10 days later than normal.

PEACHES: Production is forecast at 2,921 million pounds as of July 1. This is 3 percent less than was sold or utilized in 1970 and a fifth smaller than the 1969 crop. Excluding California's Clingstones, which are used mostly for canning, production is expected to total 1,555 million pounds--slightly below 1970.

Production in the 9 Southern States, now estimated at 506.4 million pounds, is 18 percent below the 1970 crop and 31 percent under 1969. Declines from June 1 in North Carolina, South Carolina, Georgia, Alabama, and Texas dropped the current estimate for the 9 States 7 percent below the June forecast. In Georgia, split pits and hail damage have resulted in heavy cullage. Harvest of Keystone, Ranger, Redglobe, Loring, and Southland varieties was active in late June. Prospects continue favorable in Virginia, West Virginia, and Maryland. Picking early varieties is underway—due to start on Redhavens in the Roanoke area of Virginia about July 20 with Sunhighs a week later. Most States in the North Atlantic region expect more peaches than a year ago. Current prospects indicate peach production in North Central States slightly below the June forecast. Prospects continue favorable in northwest Michigan but dry weather in southwestern and west central Michigan has limited sizing. Hot weather in late June speeded rivening. and west central Michigan has limited sizing. Hot weather in late June speeded ripening.

In Colorado, prospects improved during June. Washington peaches have developed well. Harvest of California early maturing Freestone peaches continues. Weather has been favorable and fruit size is large. Picking of the major varieties--Regular and Fay Elbertas--will start in late July. California Clingstone peaches developed well during June and fruit size is reported good. Growers have started to green drop to meet the 15 percent diversions requirement. Fruit diverted and to be diverted is excluded from the estimate. Maturity is about 1 week behind normal in all areas. Harvest of the early Fortuna and Loadel varieties will get underway in the Bakersfield area about mid-July. Picking in the Marysville and Modesto districts will start about July 20.

- over -

THE LIBRARY OF THE

8,026,5	4,110,8	₹ 899 €	United States	6,162,9	6, 222, 5	8.127,8	nited States
1,366,0	1, 442,0			0.648,1	2,111,0	5,659,9	Total
0 998 1	0 600 1	0,008,1	Clingstone 2/	420.0	0.002	0.048	Cali fornia
8.488,1	₱°695°1	1,865,4	California,	1,100.0	0.511	0.761	Oregon
380.0	0.004	0.084	Total	30.0	1,320.0	0.2549,1	Mashington
0 000	0 007	0 087	Freestone	0.81	27.5	45.0	Մէզի
0.81	0.01	0.81	California,		52°2	54.9	New Mexico
34.0	40.0	8.4 0.31	Oregon 1	0.06	0.50	0.77	Colorado
0.61	13.0	0.21	notgnidseW	0*06	0 09	134.0	oyep
25.0	20.5	32.8 32.0	Utah 1/	1,312,5	0.077.57	•	estern States:
15.0	0.6	15.0	Colorado	S.8	1,220,0	1, 273,0	Total
0.21	33.0	32,3	Idaho 1/	⊅°6	7.7	1.6	Arkansas
₽.8	0.6	12.0	Texas	0.81	0.6	10.4	Tennessee
0.7	S*9	2.7	Oklahoma 1/	0.81	16.4	50.9	кептску
42.0	0.04		Louisiana 1/		9,11	p*p1	sesuex
0.21	0.01	42.0	Arkansas	0°25 9°81	2.98	2.92	imossiM
0.72	0.04	17.5	1 iqqississiM		14.0	0.21	owa
<b>5.</b> 8	8*9	0.08	smsds IA	52°0	52.0	1,91	Minnesota
2.81	12,5	<b>₹</b> *6	Tennessee 1/	0.09	28°0	62.0	Wisconsin
125.0		S.9I	Kentucky 1/	0.027	710,0	720,0	viichigan
235.0	0.001	175.2	Georgia	0,001	1.46	6,501	SIONITI
32.0	42°0 270°0	338.0	S. Carolina	0.06	0.58	0.06	ndi ana
26.0	0.4.0 0.4.0	0.95	N. Carolina	0.001	135.0	0.741	oidC
42.0	45.5	27.4	siniginia .W	F. T.O.O. C.	0.17.00.78	; 	entral States:
0.12	23.0	∠*ÞÞ	sinigniV	15,00 15,0	2,168,5	6,818,5	Total
0.4	0.5	4°0 55°0	Maryland		13.0	0.8	South Carolina
8 °S	0.8		Delaware 1/	172.0	223.0	204.0	North Carolina
21.5	20.1	S*6	Kansas 1	265.0	242.0	560.0	West Virginia
0.201	0.87	21.6	Missouri 1	0.012	463.0	472.0	Virginia
26.0	2.91	0.76	405:40:44	0,17	0.69	72.0	Maryland
0.11		25.2	SIONITI	0.41	12.0	14.0	Oel aware
0.85	8.5	0,11	1 sasibal	230°0	210.0	\$25.0	cnnsylvania
0.801	0.71	28.0	/I 0140	120.0	0 *66	7,911	Vew Jersey
0.011	0.48	120,0	Pennsylvania	0.076	0°S76	0.528	Vew York
20.0	**98	104.5	New Jersey	23.0	₹ °0S	48.2	Connecticut
	<u> </u>	20.8	New York	₱°9	<b>₹</b> •S	0*7	Rhode Island
0°4	↑°S	6.3	Connecticut 1/ :	0.801	8.701	0.001	Massachusetts
0**		2.2	Rhode Island 1/	0.44	0.88	38.0	Vermont
Z*0	0.4	2.6	Massachusetts 1/:	0.88	6°1S	0.88	New Hampshire
2 0	6 <b>°</b> 0	1.0	New Hampshire1	0.07	62,0	0.10	Maine
- sp	unod uoilli	w -		- spu	nod noilliM		astern States:
1261				1261	- 111174		
Indicated	07.61	6961	toto pur carea	Indicated	07.61	6961	
	Production		State and U.S.	14 - 1	Production		rea and State

<u>1</u>970-196.0, Estimates are not based on current indications but are carried forward from previous report.  $\frac{2}{2}$  Includes culls and cannery diversions as follows (million pounds): 1969-228.0; 1970-196.0,

<u>1</u> Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

Marlowe L. Schlegel Douglas Murfield Agricultural Statisticians

Robert H. Moats Agricultural Statistician in Charge

POSTAGE & FEES PAID
United States Depertment of Agriculture

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P, O, Box 429, Springfield, Illinois 62705

OFFICIAL BUSINESS

Production Prospects

- 99 3 COPIES
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS
URBANA IL 61801

(,

338,1 C66f ILLINOIS COOPERATIVE CROP REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898 ESE ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE August 20, 1971 PRODUCTION PROSPECTS ILLINOIS APPLES: Illinois apple production is expected to be 106.0 million pounds, (2,524,000 bushels), 13 percent above 1970 and 3 percent above 1969. Most areas indicate a good crop is in prospect. Localized areas indicate that size may be smaller due to dry weather. PEACHES: Illinois peach production is expected to be 26.0 million pounds, (542,000 bushels), 33 percent above 1970 and 3 percent above 1969. Harvest began in mid-July but progressed rather slowly as cool weather slowed fruit development. UNITED STATES APPLES: Prospects for the Nation's apple crop increased slightly during July. Expected production is 6.2 billion pounds, 1 percent smaller than last year. Of the total, 3.0 billion pounds are in Eastern States, 1.3 billion pounds in Central States, and 1.9 in Western States. Prospects for all varieties except Cortland, Delicious, and Stayman are down from last year. Production of Delicious, the major variety, is forecast at 1,774 million pounds, up 1 percent from last year. Golden Delicious, the second leading variety, is expected to total 753 million pounds, down 6 percent from last season. McIntosh output is expected to reach 706 million pounds, 2 percent below last year while Rome Beauty is forecast at 494 million pounds, down 5 percent. Jonathan production at 410 million pounds is down 1 percent from a year ago. Other expected production changes from last season are: Cortland up 3 percent; Gravenstein down 31 percent; Rhode Island Greening down 1 percent; Stayman up 7 percent; Winesap down 23 percent; Yellow Newtown down 10 percent; York Imperial down 2 percent; and other varieties down 2 percent. Prospects improved or remained unchanged from last month for all Eastern States. Moisture conditions are generally adequate as a result of rain the last week of July. The New York apple crop developed favorably during July as ample moisture promoted sizing. Drop of some varieties was later than usual due to the delayed season. In New Jersey, marketing of the summer crop continues with the fruit generally of good size. Apples in Pennsylvania are sizing well and early varieties were being picked on a limited basis by the 12th of July. In Virginia, apples made good growth during July. Harvest of Lodi, Rambos, and Williams Red is now in full swing. West Virginia is expecting a good apple crop. Although there was a shortage of surface moisture, subsurface moisture was the best in years. The moisture supply in North Carolina was plentiful during July. Fruit size is generally good and cool, moist weather has produced the best solid color in many years. Fruit size is generally good and cool, moist weather has produced the best solid color in many years. In Central States, prospects declined during July. The decrease occurred in Michigan and Missouri with the other Central States unchanged from the July 1 forecast. Growers generally reported smaller sizes in Ohio, Michigan, Indiana, and Illinois because of dry conditions. Prolonged dry weather in Michigan has been unfavorable for apples in the west-central district and the southern portion of the northwest fruit district. Heavy rains during July replenished soil moisture in much of southwestern Michigan. Size of late summer apples was reduced by earlier dry weather but moisture supplies appear ample for sizing the fall and winter crop. In Wisconsin, some Lodi are being harvested on limited basis with Dudley and Duchess about ready for picking. Western apple prospects remained unchanged except in Colorado where crop prospects increased. Western production is now expected to be 12 percent below last year. In Idaho, fruit development has been normal. July weather in Colorado was excellent for fruit development and quality and size of apples are above average. Hot, dry weather throughout Oregon during the latter half of July slowed coloring and sizing and caused sunburning on exposed fruit. In California, harvest of Gravenstein apples is underway with good sizes reported.

In Washington, apples continued to grow well. However, by the end of the month some growers were beginning to be anxious about sizing and sunburn if hot weather continued very long into August. Harvest of Lodi apples was nearing completion by August 1, with harvest of Tydeman Reds expected to start August 10 and Beacons shortly after.

PEACHES: The 1971 peach crop is expected to total 2.8 billion pounds, 7 percent below last year and 23 percent below 1969.

Excluding California's Clingstone crop, used mostly for canning, production is forecast at 1.6 billion pounds, slightly below 1970. Prospects improved from last month in New Jersey, Maryland, and Washington, but declined in Michigan and PEACHES: Colorado and for California Clingstones.

In the Middle Atlantic States, harvest was active for mid-season varieties such as Sunhaven and Jerseyland. In Maryland, the Redhaven harvest started about August 1, about 1 week behind last season.

In Michigan, the most important Central State, heavy July rains come too late for peaches in the southwestern counties. In Berrien County, harvest began the last week in July.

In the West, harvest was underway by the last week of July in all States. Marketing order regulations in Colorado now in effect are expected to limit the marketable quantity to 21.0 million pounds. Prospects improved in Washington. Redhaven and Dixired harvesting is underway and Elbertas and Hales will follow. In California, picking of Freestone peaches continues active, with Suncrest, Hale, Fortyniner, and Babcock being harvested. The reduction in the forecast this month for California's Clingstone peach crop results from an additional green drop for unsold fruit under provisions of the State Marketing Order regulations tions.

Early Clingstone peach harvest is gaining momentum with deliveries to canners expected to peak in late August. Fruit size and quality are generally good.

			1/ Estimates are no		urent indications		1 Estimates are no
8,813,8	3,011.4	₹*\$99 €	UNITED STATES	6.871,8	6,222,5	8°152'9:	UNITED STATES
				1,851.0	2,111,0	6°659°7:	Total
1,260,0	1,442,0	0,008,1	Clingstone 2/				
			California .	450°0	0°00\$	0.048 :	California
1,553,8	₱°695°I	1,865.4	Total	125.0	0.811	0.761:	Oregon
				0.001,1	1,320.0	0.278,1:	Washington
0.088	0*00₺	0.084	Freestone	30.0	27.5	. 45°0	Utah 1/
			California .	0.81	S2°2	: 54°6	New Mexico 1
0.81	0.01	0.81	. \lambda unganO	0.89	63°0	0.77 :	Colorado
0.88	0°07	8°₽	: notgnington	0°06	0°09	0.481 :	Idaho
0.81	0.61	12.0	Utah 1			:	Western States
0.15	S0°2	32.8	Colorado			:	
0.81	0°6	12.0	: \I odsbl	1,279,5	1,220,0	1,273,0	Total
0.21	0.88	32,3	TexaT				
₽°8	0°6	12.0	Oklahoma 1/	2.8	L*L	1.6 :	Arkansas 1
0.7	S*9	S°L	Louisiana 1/	<b>⋫</b> °6	0°6	p *01 :	Tennessee 1/
45°0	0°07	42°0	Arkansas 1/	0.81	₽°91	6,05 :	Kentucky 1/
12.0	0.01	17.5	: \1 iqqizzizziM	0.21	9.11	<b>₽°₽</b> Ⅰ:	Kansas 1/
27.0	0°07	0°09	: \1 smsdslA	0°#S	2.92	Z * 6S :	inossiM
S.8	8*9	<b>₹</b> *6	Tennessee 1/	13.6	0.41	0.81 :	_ \1 swol
2.01	12.5	S*9I	Kentucky 1	0.25	0.25	1.91 :	Minnesota 1/
125.0	0.001	175.2	: \ <u>\</u> sigroəd	0.09	0.88	0°\$9 :	Wisconsin
235.0	270.0	338.0	South Carolina 1/ :	720.0	0.017	: 720°0	Michigan
32.0	45.0	0.98	North Carolina 1/ :	0.301	1.46	6.501 :	ITTINOIS
26.0	24.0	27°4	West Virginia :	0.06	0.88	0.06 :	Indiana
42.0	45°2	<b>∠°</b> ₩	• siniziiV	160.0	132.0	0.741 :	Ohio
22.0	23.0	22.0	Maryland			:	Central States
0.4.0	3.0	0.4	Delaware 1/				
8.2	0.8	S*6	Kansas 1/	3,048,4	2,891,5	6.818,5:	Total
2.15	20°1	21.6	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 0,00	_ ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	:	
100.0	75.0	0.76	Michigan :	0,21	13.0	0°8 :	South Carolina 1/
26.0	2.61	25.2	: SIONITI	172.0	223.0	\$ 204°0	North Carolina
0.11	2.8	0.11	: \1 sasibal	265.0	242.0	\$ 260.0	West Virginia
0.85	0.71	0.85	Opio 1	0.012	463.0	6.574 :	Virginia
0.801	0.48	120.0	Pennsylvania :	0.87	0.69	72.0	Maryland
0.211	<b>≯.</b> 08	104.5	New Jersey	14.0	12.0	14.0	Delaware 1/
20.0	2.91	8.02	New York :	0.048	0.012	252.0	Pennsylvania
0.7	⊅ °S	6.3	Connecticut 1/	120.0	0.66	7,611 :	New Jeizey
7.	0. A 3	1.	Rhode Island 1/	0.200,1	0°S₹6	0.858	New York
0.4	0.4	2°e	Massachusetts 1/	334.4	315.5	2.685	New England
1.	6°		New Hampshire 1/:	1 166	2 216		Eastern States:
	shauoq noil		11	- s	punod uoill	iM -	
1791	0261	6961		1791	07.61	6961	State
Indicated	roduction		State	Indicated	Production		pue
				/2 doz	Commercial C	saiddy	ьэтА
	Peaches			/ ¿ doi	) loionommo)	oo farr A	

forward from previous report, 2/Includes culls and cannery diversions as follows (in million pounds): 1969-228,0; 1970-196,0,

carried forward from previous report.  $\frac{2}{2}$  In orchards of 100 or more bearing age trees.

6,871,8	6,222,5	8,127,8	0.301	0°96	102,9	Total
2,590.2	2,521,7	2,519,3	7.11	2.11	12,6	Other
157.3	20 <b>4</b> °6	261,3	2°1	e.1	2.2	Winesap
€ * \$ 6 ₹	8.712	6°07S	₫*₽	5°8	S.₽	Rome Beauty
410°3	I°SI†	8°444	30° 2	6°97	31.5	. Sonathan
752°5	802°2	9*888	35.9	T.1E	31.5	Golden Delicious
1,774,3	2,097,1	6*60'7	54° 4	21.1	0.ts	Delicious .
		- spunod	aoilliM -			•
Indicated 1971	0261	6961	Indicated 1971	0261	6961	Variety
	UNITED STATES			SIONITII		
		TION	PRODUC		muutaa logava	
	.2 .U GMA SIC	ETTES FOR ILLING	Y SELECTED VARI	RCIAL CROP 1/ BY	APPLES, COMME	7

Robert H. Moats, Agricultural Statistician in Charge 1/ Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age

Marlowe L. Schlegel, Douglas Murfield, Agricultural Statisticians



U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

OFFICIAL BUSINESS

Production Prospects

LIBBARY - DOCUMENTS DIVISION URBANA IL 61801 UNIVERSITY OF ILLINOIS JOHN M LITTLEWOOD SEIHOD & 66

4338.1 I e666 ESPLIANOIS COOPERATIVE CROP REPORTING

### ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

## FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 20, 1941
NOV 23 19/1

#### APPLE PRODUCTION PROSPECTS

#### ILLINOIS

Illinois apple production is expected to be 106.0 million pounds, (2,524,000 bushels), 13 percent above 1970 and 3 percent above 1969. Most areas indicate a good crop is in prospect. Despite dry weather, fruit size is reported to be generally good. Fall apple picking is well underway in most areas of the State.

#### UNITED STATES

U.S. apple production is forecast at 6.2 billion pounds, 1 percent below last year. Prospects declined slightly from August primarily because the Washington crop is smaller than expected earlier.

Output is expected to be up 8 percent from last year in the Eastern States, up 5 percent in the Central States but down 17 percent in the Western States.

In New England, size and quality are generally excellent although a noticeable number do not have good color. In New York, rainy, hot, and cloudy weather retarded McIntosh ripening and coloring. In the Hudson Valley spot picking of McIntosh began September 10 and heavy harvest September 20. Harvest of Delicious and Cortland was underway the week of September 20. In western New York, where McIntosh are maturing later than last year, harvest began September 27 and will peak by October 2. Harvest of Delicious, Cortland, and R. I. Greening began the first week of October and size and quality are generally good. In New Jersey, Red Delicious were being harvested by mid-September, with Stayman and Rome varieties not expected in any great quantities before mid-October. In Pennsylvania, coloring has been slowed by above-normal temperatures and cloudy weather. Moderate picking of Golden Delicious is in progress. In Maryland, harvest is behind schedule as fruit matured late and rains slowed picking. Harvest of the Virginia apple crop is about 5 to 7 days behind normal. Picking of Golden and Red Delicious started near mid-September in southern and central areas and about a week later in the Winchester areas. West Virginia has had a rather good year for apples. With plenty of moisture, fruit has sized nicely but warm, humid weather hindered coloring. In North Carolina, where most of the Red and Golden Delicious crop had been harvested, picking was active on Stayman, Rome and other late varieties.

Harvest of fall and winter varieties in Indiana is about 7 to 10 days behind normal. Growers are currently picking Jonathan, Delicious, and McIntosh. September rains helped winter apples to size in southwest Michigan and in the extreme southern sections of the west-central fruit area. Soils remain dry in much of the west-central area. Favorable weather in Wisconsin has brought good color to most of the crop but moisture shortages in the southern portion has prevented good sizing, particularly in the Gays Mills area. Harvest of McIntosh in the Door County area was getting underway in late September.

In Idaho, September weather was ideal for coloring and apples gained additional size. Jonathan harvest is in full swing. Red Delicious is restricted mostly to color picking but will increase in the next 2 weeks.

The West Slope apple crop in Colorado experienced continued hot weather through August and early September with hail in scattered areas. Quality and color are excellent as cooler temperatures prevailed the last half of September. In the Hood River area of Oregon, harvest of good-sized Golden Delicious and Newtown varieties was well underway by the end of September. Red Delicious picking should start during the first week of October. The California Gravenstein harvest in the Sebastopol area is complete. Harvest of Delicious in Sonoma County is nearly complete while picking of Romes is just starting.

Harvest of Red and Golden Delicious got underway in the early areas of Washington the first part of September. Harvest became active the week of September 27. Apples have been slow to mature in North Central Washington. Sunburn does not appear to be a serious problem. Quality is good at present and much of the current harvest is going into controlled atmosphere storage. Apples are expected to be one size larger than last year.

OCT 22 1971
UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

VPPLES, COMMERCIAL CROP 2

664 '941	148, 156	ZSZ '09I	6,152,9	6, 222, 5	8°151'9	UNITED STATES;
2, 143 429 429 429 429 429 429 429 429 429 429	1,429 000,1 607,600 655 1,429 2,738 11,905 50,263	061 'E 68' 1 926 'E 188 '6E 000 'I 565 758 '21 900 'E	0.09 0.81 0.000,1 0.024 0.000,1 0.127,1	60.00 63.0 5.5.5 1,320.0 115.0 500.00 2,111,0	6°6S9'7 0°829'1 0°529'1 0°57'0 6°72 0°24'	MESTERN STATES  Idaho  Colorado  New Mexico 1/  Utah 1/  Washington  Oregon  California  Total Western States
018, £ 01	2, 240 1, 976 2, 240 2, 240 390 390 393 412 412 412 413 413 413 413 413 413 413 413 413 413	005, £ 008, £ 641, 71 024, 2 842 842 844 845 845 845 845 846 846 847 847 848	\$ 182 'I	0,2521 0,282 0,017 1,49 0,82 0,41 0,22 0,82 0,41 0,22 0,82 0,41 0,22 0,82 0,41 0,22 0,82 0,41 0,82 0,41 0,82 0,41 0,	0,741 0,741 0,09 0,057 0,09 0,09 0,09 0,09 0,09 0,09 0,09 0,0	CENTRAL STATES Ohio Indiana ILLINOIS Michigan Misconsin Minnesota 1/ Missouri Kansas 1/ Kentucky 1/ Tennessee 1/ Total Central States
8, 129 8, 25, 000 8, 20, 000	- 2,513,7 - 2,500,252 5,500,525 5,100,111 5,000,111	6, 886 6, 190 6, 190	\$41.46 0.050,1 0.050,0 0.012 0.012 0.012 0.012 0.013 0	2,218 2,218 2,00 2,00 2,00 2,00 2,00 2,00 2,00 2,0	2,685 2,685 2,685 3,00 3,0	Mew England  New Fngland  New Jorey  New Jersey  Delaware 1/  West Virginia  West Virginia  Worth Carolina  South Carolina  South Carolina  I   I   I    Total Eastern States  Total Eastern States
lndi - cated 1791	Pound equival	6961		onnoq noilliN	6961	Area and State

 $\underline{1}$ / Estimates are not based on current indications but are carried forward from previous report.

 $2\sqrt{\ln \text{ orchards}}$  of 100 or more bearing age trees.

Robert H. Moats Agricultural Statistician in Charge

Marlowe Le Schlegel Douglas Murfield Agricultural Statisticians

POSTAGE & FEES PAID United States Department of Agriculture

**OLLICIVE BUSINESS** 

U, S, DEPARTMENT OF ACRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

Production Prospects

URBANA IL 61801 LIBBARY - DOCUMENTS DIVISION UNIVERSITY OF ILLINOIS 10HM W FILLFEROOD 66 3 COPIES

F R U I T WE SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

F R U I T WARRENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

THE LIDBARY OF TH

ESE

February 1, 1972

THE LIBRARY OF TH

1971 PRODUCTION REPORT

FEB 4 1972

#### **ILLINOIS**

APPLES: Commercial apple production in Illinois totaled 106.0 million pounds, (2,524,000 bushels), 13 percent above 1970 and 3 percent above 1969. Most areas harvested a good crop with only localized areas reporting small size due to dry weather. Golden Delicious was the leading variety accounting for 31 percent of the total. Jonathan ranked second with 29 percent while Red Delicious (Red Strains and Standard) was third with 22 percent. These three varieties accounted for 82 percent of the total crop produced in 1971 compared to 83 percent in 1970.

PEACHES: Illinois peach production at 26.0 million pounds, (542,000 bushels), was 33 percent above 1970 and 3 percent above 1969.

#### UNITED STATES

APPLES: The Nation's 1971 apple crop, at 6.1 billion pounds sold or used, was 3 percent less than last season and 9 percent below the large 1969 crop. Smaller output in Washington and California accounted for most of the decrease from last year.

About one-fifth of the 1971 crop sold or used was grown in Washington, 15 percent in New York, and 12 percent in Michigan. Pennsylvania, Virginia, and California followed with smaller shares, ranking fourth, fifth and sixth, respectively. Compared with last year, production was up 1 percent in the Eastern States and 5 percent in the Central States, but down 12 percent in Western States.

Apple production, including economic losses, stood at 6.4 billion pounds. Delicious was the leading variety, accounting for 28 percent of the total production. Fortyone percent of the Delicious were produced in Washington. Golden Delicious ranked second, accounting for 13 percent. Washington produced 38 percent of the Golden Delicious. Other leading varieties and their percent of total were: McIntosh, 12 percent; Rome Beauty, 8 percent; Jonathan, 6 percent; York Imperial, 6 percent. These six varieties accounted for 73 percent of the total production.

Estimates of production by varieties are based on total production including economic losses. About 4 percent of prospective 1971 crop was abandoned because of low prices, inadequate storage facilities, processing, packing, etc., and labor shortages. Most of the losses were in the Eastern States.

PEACHES: The 1971 peach crop, at 2.9 billion pounds, was down 4 percent from last year and 21 percent less than the 1969 crop.

California's Clingstone crop (used mostly for canning) totaled 1.3 billion pounds, down 11 percent from last season and 29 percent below 1969. The crop accounted for 44 percent of total U.S. peach production.

Production excluding California's Clingstones was 1.6 billion pounds, up 3 percent from last season but 13 percent below 1969. Production in the Southern States was down from last year with Georgia accounting for most of the decline. The Eastern Central, and Western regions had larger crops.

-over-

NITED STATES	1,538,8	6,431,4	8,995,8	UNITED STATES	₹ 3' 665,4	3,011,4	2,893,6
	0 0			California-	0.008,1:	1,442.0	1,278.0
Total Western	0'769'2:	2,185,0	0.916,1	TOTAL ABOVE	1.865.4	₹°695°1	1,615,6
	:	0 20/ -		Freestone	0.084	0.004	0.414.0
simolils.	0.048	0.002	0,00₽	-simotifs	*		
regon	0.701 :	112.0	130.0	Oregon	0.01 :	0.01	0.41
Vashington	0.869,1:	1, 392, 0	0,001,1	Mashington	8*₺ :	0,04	0.14
ltah	0.12 :	0.85	26.0	Utah	0.21	0.81	13.0
lew Mexico	0.7s :	0.72	12.0	Colorado	32.8	S0°2	22.9
olorado	0.08 :	0.63	0.89	Idaho	12.0	0.6	12.0
oyep	0.481 :	0.08	0°06	Texas	32,3	33.0	0.8
	***************************************	···		Окјароша	12.0	0.6	<b>₽</b> °8
Total Central	1,282,2	1, 224,4	8,818,1	Louisiana	S°Z :	S*9	S*9
				Arkansas	0.54	40.0	43.0
пкапзаз	1.6	T, <u>T</u>	9 8	iqqississiM	5.71 :	0.01	12.0
ennessee	10.4	0.6	₱°6	Alabama	0.08 :	0,04	27.0
entucky	: 21.5	0.71	20°0	Tennessee	₱°6 :	8.3	2.8
sesue	0.91	12.5	12.0	Kentucky Kentucky	: 175,2 : 175,5	15.5	5°SI
inossit	Z*6S :	2.98	2005	South Carolina	338.0	0.091	0,611
OWa	0.21	0.41	13.6	North Carolina	0*95 :	42°0 270°0	32.0
Visconsin Ainnesota	65.0	28°0 28°0	65.0 55.0	West Virginia	\$*\Z\Z :	24.0	26.0
Aichigan	720.0	0.017	0.027	Virginia	∠°₽₽ :	42.5	42.0
SIONIT	0.801 :	0.86	0.801	Maryland	22.0	23.0	23.0
sus ibn	0.06	0.88	0*06	Delaware	0.4	3.0	0.4
ory	0.001	132*0	0.001	Kansas	S 6	0.8	0.8
-1-10	0 03	0 301	0 091	Missouri	21.6	1.02	1.02
Total Eastern	5,885.9	3,022,0	3,165,0	Місһівап	0.76	0.27	0.28
	3000	0 000 0	0 391 6	ITTINOIS	2.25	S.91	26.0
outh Carolina	0.8 :	13.0	15.0	Indiana	0.11	S*8	0.11
forth Carollina	323.0	234.0	0.061	0140	0.85	0.71	0.82
Vest Virginia	\$ 265.0	245.0	0.082	Pennsylvania	1500	0.48	0.901
irginia	0.484 :	0°S4	0.012	New Jersey	S.401 :	<b>▶</b> °98	0,911
elaware-Maryland		0.08	0.28	New York	8.02	19.2	20.0
ennsylvania	0.255 :	0°07S	0.042	Connecticut	6.3	₽°9	0.7
iem Jeizek	137.2	0.011	130.0	Rhode Island	L* :	9*	9*
lew York	0.228	0°\$66	1,050.0	Massachusetts	2.6	0**	<i>₽</i> * <i>₽</i>
lew England	7.e8s :	324.0	365.0	New Hampshire	I* ' :	6*	0.1
	IM - :	nod aoill	- spi		W -	unod uoilli	- spi
State	6961	1970	1761		6961	0761	1461
pus		Production		State		Production	
891A	Apples	Commercia	T CLOP I			Peaches	

1/In commercial orchards of 100 or more bearing age trees.

1/Over the scale tonnage includes culls and cannery diversions as follows (in million pounds): 1969-228.0; 1970-196.0; 1971-122.0, These quantities are excluded for computing production of value.

8 * 66 £ ' 9	\$ °16\$ '9	6,862.1	0.801	0°96	102.9	Total
2,681.0	0,1661,0	2,629,6	12.7	11.5	12.6	Other
₽.281	212.6	261.3	۲.۵	6°T	2°1	Winesap
£*0#S	2.028	6 <b>°0</b> ₱S	7.8	5°6	<b>5.</b> ₽	Коте Везиту
402°3	1.014	8°44 <i>t</i>	30.7	56.9	3.15	Jonathan
9.808	9.618	9*888	32.9	7.15	31.5	Colden Delicious
1,802,2	6.108,1	6°860'Z	23°3	1.15	21.0	Delicious
		- spunod uoi	IIIIM -			0 0 0
1761	0761	6961	1791	0791	6961	,
LES	UNITED STA			SIONITI		Variety
		DUCTION	PRC			
•	TTINOIS AND U. S	VARIETIES FOR II	SK SEFECLED	ERCIAL CROP 1/1	APPLES, COMMI	

age trees. 1/ Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing

Agricultural Statisticians John Unger Douglas Murfield Marlowe L. Schlegel

DATES POSTAGE & PEES PAID United States Department of Agric

Agricultural Statistician in Charge Robert H. Moats

U, S, DEPARTMENT OF AGRICULTURE STATISTICAL REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705

OFFICIAL BUSINESS

1971 Production Report

LIBBARY - DOCUMENTS DIVISION UNIVERSITY OF ILLINOIS JOHN M LITTLEWOOD SHIdOD & 66

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

February 22, 1973

### 1972 PRODUCTION REPORT

#### **ILLINOIS**

APPLES

Commercial apple production in Illinois totaled 100.0 million pounds, (2, 381,000 bushels), 3% below the 1971 production. Most areas harvested a good crop. Golden Delicious was the leading variety accounting for 31% of the total. Jonathan ranked second with 30% while Red Delicious (Red Strains and Standard) was third with 24%. These three varieties accounted for 85% of the total crop produced in 1972 compared to 82% in 1971.

PEACHES

Illinois peach production at 12.0 million pounds, (250,000 bushels), was 48% below 1971. During December 1971, temperatures were high enough to encourage fruit bud emergence, but the freezing temperatures that followed in January 1972 severely damaged these buds and drastically cut the 1972 crop.

#### UNITED STATES

APPLES

The Nation's 1972 commercial apple production at 5.8 billion pounds, is 4% less than last season and 7% below 1970. Lower production in the Eastern States, down 13% from 1971, accounted for most of the decline although the Central States are also down 3%. Production in the Western States is up 8%.

Washington, accounting for one-fourth of the Nation's crop, has a 21% larger harvest than in 1971. New York, which produced 13% of the Nation's crop, has a 19% smaller crop than last year.
Michigan, the third ranking State, With LIBRARY OF 700 million pounds is the same as the previous year. MAR

Harvest this year turned out smaller spring and summer resulted in a lighter than expected fruit set. Size was also reduced. Quality this year is above normal. Production in the Central States turned out as expected. Cloudy weather in the fall delayed harvest and a freeze in September resulted in some loss. Apple production in the Western States other than Washington and California, was severely reduced by spring frost and poor pollination weather.

PEACHES

The 1972 crop at 2.4 billion pounds is down 15% from last year and 18% less than 1970.

California's Clingstone crop (used mostly for canning) totaled 1.2 billion pounds, down 4% from last season and 15% below 1970. Harvest started two weeks ahead of normal. Hot weather in July hastened maturity and fruit did not size well. California's Clingstones accounted for one-half of the Nation's peach harvest.

Production excluding California's Clingstones was 1.2 billion pounds, 6 19down 23% from last year and 21% below 1970. In the nine Southern States, prothan originally forecast in the Eastern Resity of ILLINUSTION totaled 586 million pounds, 10% States. Rainy weather during the ALURBANA-CHAMP TOTAL Spring freezes practically wiped out the 1972 crop in Idaho, Colorado and Utah and caused moderate to severe losses in Washington and Oregon.

LIBRARY - DOCUMENTS DIVISION URBANA IL 61801 NOTIVERSITY OF ILLINOIS JOHN M LITTLEWOOD - I-LHBD-IN 2 CORIES

1972 Production Report

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62705 P. O. Box 429 STATISTICAL REPORTING SERVICE

UNITED STATES
DEPARTMENT OF AGRICULTURE

James R. Kendall Agricultural Statistician in Charge

JIAM.2 J

UNITED STATES
DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

ior-RDA

Robert B. Schwart, Jr. John Unger Richard D. Allen Agricultwal Statisticians

6°88'S 1°1/26'9 /°968'9 0°001 0°001 0°001 : IBDD	 garing of more bearing	001 to sbradoro	es in the commercial	oduction of apple	efer to the total pr	mmercial crop	oo əft to	gge trees.
	6°588'S	1.178,0	۷°96ε′9	0.001	0.801	0.201		Total

0.201	0.801	0.001	۷*96٤ '9	1.178,8	6°588'S
12.6	T.S1	0.01	2°689°3	2,672,5	2, 191.4
S° 1	۲°۲	2.0	212, 3	1.66.1	₽°29I
<b>3.</b> 8	٤•٢	0.8	7.913	Z°68S	8°83°8
₽°67	30°2	0°08	0°60 <del>7</del>	402° 6	353°3
9*78	35°3	0.15	6.718	7,108	934°5
1.es	23°3	24°0	2,108,1	0.687,1	1,735.8
		oillim -	- spunod u		
0261	1791	1972	07.61	1791	1972
	ITTINOIS	GOVII	NOTIO	UNITED STATES	
VPPLES, COMM	T TO TO THE OWNER		The state of the s	*e *o and eto	
	1970 1,62 5,6 4,62 5,2 1,52	1701   0701   1011	PODPOTO	1970   1972   1970	### DITINOIS  ### TITINOIS  ### TITINOIS  ### TITINOIS  #### TITINOIS  #### TITINOIS  #### TITINOIS  #### TITINOIS  ##### TITINOIS  ##### TITINOIS  ##### TITINOIS  ###################################

	**	10 01711 0101	PRODUCTION	<del> </del>			
	*S	U GNA SION	ED VARIETIES FOR ILLIN	I/BX SEFECA	SCIAL CROP	FES' COMMEE	H <b>q</b> V
	°0°021-2/	61 (0°771-1/	61 :0°961-0261 :spunod				
uommu ur '	US SE IOTIOMS	mery diversio	1 Includes culls and can	ecaan age	Surrean arn	III IO OOT TO CDI	1 In commercial orcha
2,443,0	2,862,9	8°486°Z	ONITED STATES				
0 0// 0	0 000 0	0 200 0	· STEATS CETIMI	2,828,3	9 080 9	₱°ZSZ <b>'</b> 9:	UNITED STATES
0.022 (1	0.10.17.57	0.0077 67	/T correct System	2,076,0	1,926,0		Total Western States
1, 226,0	1,278,0	1,442.0	: \language \lan	0.094	0.004	200°0	California
		,	California-	0°66	152.0	: 112.0	Oregon
1,217,0	6°†85°I	1,545,8	. 74004 74 707	0.024,1	1,200.0	0.065,1:	Mashington
352.0	0.404	0,004	TOTAL ABOVE :	0°7	52.0	: 57.5	Utah
0 636	U VUV	0 000	Freestone	2,0	12.0	\$ 52.5	New Mexico
0.5	0.41	C *C	: California-	0.11	0.47	63.0	Colorado
0.82		8°2	: nogero	0.02	0°06	0.09 :	odebl
S*I	9°0₹	40°0	: notgnington	COLOTALL	/ * TOZ * T	*******	Western States
0.7	13.0	13.0	Utah	1,218,5	1,251,7	1 661 1	Total Central States
2.0	55°6	20.5	: Colorado	9.8	9 6	۲.8 :	Arkansas
0.65	12.0	0.6	: oqepi	9,2	₱°6	0°6 ;	Tennessee
	0°9	0 00	Texas	14.4	p.e1	5.91:	Kentucky
2.0	8,7	S*8	Oklahoma :	12.0	15.0	12.1	Kansas
0°4	0°b	0.0	Louisiana	0 09	26.2	: 26.2	imossiM
45.0	43.0	0 00	Arkansas .	13.3	9.01	13.0	EWOI
0.71	10.4	7.11	; iqqississiM	26.0	23°2	: 52.0	Minnesota
30.0	0.01	20.0	: smsdsfA	0.20	0.59	\$ 28°0	Wisconsin
9.8	8,2	8*9	: Lennessee	0.007	0 0007	0°069 :	Michigan
0.8	S*SI	12.5	Kentucky:	0.001	0,501	6,501 :	ITTINOIS
0.061	120.0	0 02 .	Georgia	0.27	0°06	0.87 :	Indiana
240.0	290°0	270,0	south Carolina	135.0	0.021	130.0	oidO
Z2°0	32.0	45.0	North Carolina				Central States
13.0	26,0	24.0	* West Virginia	2,533,8	2,902,9		Total Eastern States
22.0	38.0	0.88	: sinigriV	20.0	0,21	0,81	South Carolina
15.5	23°0	23°0	: basiyland	250,0	185.0	: 223,0	North Carolina
0.1	0.4	3°0	Delaware :	216.0	520.0	: 220.0	West Virginia
7.1	0 9	0,8	Kansas	0 000	0.084	: 463.0	Sinigil
20.1	20°1	, 00	: imossiM	0.10	0°69	0°69 :	Maryland
10°0	82,0		Michigan	0.51	12.0	12.0	Delaware
12.0	23,3		: SIONITII	0,00₽	0.202	0.012	Pennsylvania
<b>*</b>	0,11		i susibul	0°06	0.011	0.66 :	New Jersey
0.1	28,0	THE RESERVE AND PARTY AND PARTY AND PARTY.	s oidO	0.027	925.0	0°S76 :	New York
0.08	0.201		Pennsylvania	30.0	45. 2	45°6	Connecticut
52.0	125.0	0.16	New Jersey	3.2	0.4	6°\$ 8	Rhode Island
0.71	0.61	16.5	New York	0.16	0.801	8,701 8	Massachusetts
₽°Z	8.4	7.5	Connecticut	9*0%	7.04	0.88	Vermont
2°	8 *	Ď* :	Rhode Island	22.0	0.20	1 22°0	New Hampshire
Z.,Z	<b>*</b> ***********************************	0** :	Massachusetts :	0.27	92.0	0°SL 8	ərisM
L°	L°	9* :	New Hampshire			1	Eastern States
~ spui	nod uoilli	- W		- spu	nod uojį	ITW -	
S721	1261	0761	21210	1972	1761	0761	State
	Production		State		Production		bas
	Реасћеѕ			Crop 1/	Commercial	Apples, C	891A

TLLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE. DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 27, 1973

#### PRODUCTION PROSPECTS

#### ILLINOIS

#### APPLES

Illinois apple production for 1973 is expected to be 85 million pounds (2,024,000 bushels, 42-pound equivalents), down 15% from the previous year, according to the Illinois Crop and Livestock Reporting Service. A severe freeze during April damaged many buds in some areas of Southern Illinois, accounting for the decrease in production.

#### PEACHES

Illinois peach production for 1973 is estimated at 7.0 million pounds (146,000 bushels, 48-pound equivalents) down 42% from 1972 and down 70% from the relatively normal year of 1971. The severe frost in April, when fruit buds were out, killed these buds in many southern areas, resulting in almost one-fourth of a crop. This is the second year in a row that a frost has severely damaged the crop.

#### UNITED STATES

The Nation's 1973 commercial apple production is forecast at 6.1 billion pounds (144.1 million 42-pound equivalent). This is 4% above last year's 5.8 billion pounds, but 5% less than the 6.4 billion pounds produced in 1971. Utilized production last year was 5.8 billion pounds, and 6.1 billion in 1971. In the five leading apple States, a larger crop than last year is expected in Washington and Pennsylvania, but New York, Virginia and Michigan expect smaller crops.

Total production in the Eastern States is forecast at 2.5 billion pounds, down 2% from 1972. In New England, the bloom was heavy, but rainy weather during pollination resulted in a lighter set than expected. New York apple orchards had a heavy June drop. In western New York, and particularly for the processing varieties, the set is light, compared with the Hudson Valley.

Production in the Central States at 0.9 billion pounds is down 25% from a year ago because of heavy spring freezes. Severe frosts damaged the Indiana and Illinois apple crops. In Michigan, record low freezing temperatures for the middle of May hit while apples were in full bloom. In Wisconsin, rain, hail and a light set are responsible for a smaller crop than last year. Iowa and Missouri apple crops were also reduced by rain, hail and spring freezes.

In the Western States, total production is forecast at 2.6 billion pounds, up 29% from last year. Washington is expecting a record crop of 1.7 billion pounds-slightly exceeding the 1969 crop.

The U.S. 1973 peach crop is forecast at 2,649 million pounds, a 10% increase over last year but 7% below the 1971 utilized production of 2,863 million pounds. Excluding California Clingstones, utilized mostly for canning, the crop may total 1,309 million pounds, 10% above last season.

Production in the nine southern States is estimated at 489 million pounds, up 2% from the June 1 forecast, but off 13 and 8% from 1972 and 1971 crops, respectively. Harvest of the North Carolina crop was very active by July 1. Picking Redhaven, Sun High, and Southland varieties is now getting underway. In South Carolina, scattered hailstorms during June caused some minor damage but the crop is progressing ahead of last year's pace. The peach harvest in Georgia is nearly half complete. Although a small crop, the quality and size is superior to last year. Excessive rain in Arkansas required extra spraying and dusting to control insects and disease. Growers report good quality fruit in most orchards. The Texas crop sized well and improved over the early season prospects. Harvest is well underway.

Most States in the North Atlantic region expect more peaches than a year ago.

Except for a small gain in Michigan production in the North Central States is unchanged from the June 1 forecast.

Above normal temperatures in major California Clingstone producing areas during June accelerated development of fruit. Sizes are generally above normal.

2,648,6	2,414,0	2,862,9	UNITED STATES :	6'150'9	0,018,8	9 080 9	UNITED STATES:
9 879 6	0 111 6	0 690 6	· 24TAT2 GaTHAL	2,631,0	2,032,0	1,926,0	: IsloT
1,340,0	1,224,0	1,278,0	Clingstone	0.094	0 064	400,0	Cali fornia
0 0/2 1	0 100 1	0 826 1	California-	0.251	105.0	152.0	• Oregon
1,308,6	0.001,1	C.FOC.1	1 [610]	0.007,1	0.078,1	1,200,0	* notgnington
9 802	0.525	6°485°1 0'404	Freestone	0.88	0°b	52.0	։ Անհե
0 028	0 636	0 101	California-	0.04	2.0	12.0	New Mexico :
0.11	S **	0.41	Oregon 3/	0,16	0.11	0.47	Colorado :
36.0	27.5 2 A	S *07	. notgataseW	120.0	0.08	0.06	i daho
	2°1	13.0	1 / <u>E</u> 451	0 001	0 03	0 00	Western Statess :
10.0		22.9	Colorado :	932°4	1,248,2	1,251,7	: IstoT
0.98	2°0 7°0	0.21	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0.8.	9.8	9 6	Arkansas :
1.0			Texas:	0.4	2.6	<b>⊅</b> *6	Tennessee
20°0	0.62	0*\$		10.0	14.1	4,91	Kentucky
5,6	6.2	8.7	Oklahoma 3/		12.0	0°SI	Kansas
S*9	0.7	0 *\$	Louisiana 3/	12°0		2.68	: inuossiM
36.0	42.0	43.0	Arkansas *	20°0	0°09		: EWOI
10.0	0.71	10° v	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	10.4	13,3	9°01	Minnesota :
0.71	24.0	0.81	smadalA	27.0	26.0	23.5	
3°2	9*8	S.8	Tennessee $\overline{3}$	0.88	0.23	0°99	Wisconsin
0°b	0°S	s°sī	Kentucky 3/ :	0°00s	730.0	0.007	Michigan
0.001	0.061	120.0	Georgia :	0.28	10000	103.0	Trinois
0.092	220.0	0.062	South Carolina:	0°09	0.87	0°06	: sasibal
30.0	52°0	35.0	North Carolina:	0.011	135.0	0.021	oidO
0.01	0.81	0.88	West Virginia :				Central States:
24.0	22.0	0.85	: sinigitV	2,488,5	8,623,5	2,902,9	Total
0.41	15°2	23.0	: _ bnslytsM	0.81	20,0	0.81	South Carolina :
6"2	0.1	0.4	Delaware 3/	0 <b>.</b> 045	245.0	185.0	North Carollina:
0°9	L°1	0.8	Kansas 3/	210,0	215.0	250,0	West Virginia :
0.8	20° I	1.02	: \£ invossiM	0.014	450°0	0.084	: sinigniv
0.08	0.01	0.28	Michigan :	0°99	0°99	0°69	: bandyand
0.7	12.0	23° 3	: SIONITI	0.51	0.11	12.0	Delaware :
3°0	<b>₽</b> °	0.11	i \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	452°0	0 °00₺	0*505	Pennsylvania :
0.8	0.1	28°0	: /ह ०१५०	102°0	0.88	0.011	New Jersey :
0.18	0.08	0.201	Pennsylvania :	720.0	0.077	925.0	New York :
0.201	52°0	152.0	New Jeisey :	0.78	30°0	<b>₹2°5</b>	Connecticut:
0.21	0.71	0.61	New York :	3°2	3°E	0.4	Rhode Island
S.4.	2.4	8.4	Connecticut 3/ :	0.78	0°16	0.201	Massachusetts :
W 7	2.	£ °	Rhode Island 2/ :	36.0	9°0b	L*0₽	Vermont :
3"0	Z.S	₽°₽	Massachusetts 3/ 1	0°47	0.88	0°59	1 stillsqmaH wall
3 0	7.	Z.*	New Hampshire 2/1	0.87	0°SZ	92°0	Maine :
	£4	2	1	1			sastem States: 1
- spt	nod wolli	W -	1	- S	punod uoilli	W -	1
1973	2791	1461		1973	1972	1261	
Indicated	/I P	osilhU		Indicated	/S pa:	THPO	
	Production		State and U. S.		Production		Area and State
	Реаспея			/I (	commercial Crop	Apples, C	

from previous report. 1/ Excludes unharvested production and excess cullage (million pounds): United States 1971-18,3; 1972-2.0, except California and cannery diversions, 1971-122.0; 1972-120.0. 2/ Estimates discontinued for 1973, 3/ Estimates for 1973 are carried forward from previous report.

1/ In orchards of 100 or more bearing age trees, 2/ Excludes United States 1971-290, 5; 1972-11, 3,

Steven D. Wilson Richard D. Allen Agricultural Statisticians

James R. Kendall Agricultural Statistician in Charge



UNITED STATES

DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

SPRINGFIELD, ILLINOIS 62703 P. O. Box 429 STATISTICAL REPORTING SERVICE DEPARTMENT OF AGRICULTURE

UNITED STATES

OFFICIAL BUSINESS

#8 Fruit Production Prospects

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 20, 1972

#### PRODUCTION PROSPECTS

#### ILLINOIS

#### **APPLES**

1464

Illinois apple production for 1972 is expected to be 100 million pounds (2,381,000 bushels, 42-pound equivalents), down 3% from the previous year. Scattered winter damage and heavy rains during the pollination period in some areas of Illinois contributed to the slight drop from the 1971 production.

#### **PEACHES**

Illinois peach production for 1972 is estimated at 12.0 million pounds (2,857,000 bushels, 48-pound equivalents), down 48% from 1971. Severe winter damage to premature buds accounted for this sharp decrease. Last December, unusually warm days caused the fruit buds to develop early and subsequent cold weather killed a high percentage of these buds.

#### UNITED STATES

#### APPLES

The Nation's 1972 commercial apple production is forecast at 6.2 billion pounds (148.8 million 42-pound equivalents). This compares with 6.1 billion pounds utilized from the 1971 crop and 6.3 billion pounds from the 1970 crop. Total production in both 1970 and 1971 was 6.4 billion pounds.

Production from Eastern States is forecast at 2.9 billion pounds, virtually the same as the quantity utilized from the 1971 crop. In New York pollination weather was good to excellent; however, set was lighter than expected south of Ridge and in the Hudson Valley. In Pennsylvania pollinating weather was mostly wet and cool in southern sections but favorable in the North and West. June drop has been heavy. In Virginia the crop has sized well.

Production in the Central States is expected to total 1.2 billion pounds. In Ohio some orchards sustained frost damage; however, overall damage was light. Indiana orchards had winter damage and a spring freeze the first of April caused additional harm. In Michigan, pollination weather was generally favorable.

Apple production in the Western States is expected to total 2.1 billion pounds. Washington and California prospects are above last year while those in other Western States are down. In Idaho crop prospects were severely reduced by frost in April and poor pollination weather. Colorado production is limited this year to late blooming varieties.

#### **PEACHES**

Production is forecast at 2,555 million pounds, 12% below last year and 15% below 1970. Excluding California's Clingstones, which are used mostly for canning, the U. S. crop may total 1,255 million pounds, 22% less than last season.

Production in the nine southern States is estimated at 587.2 million pounds, 7% above the 1971 crop but 5% below the 1970 crop. Improved prospects in Alabama and Texas during June were more than offset by a decrease in Georgia. In South Carolina rain and winds from tropical storm Agnes caused some loss in quality and increased cullage; however, the needed moisture will help the fruit to size. Harvest in Georgia is active but frequent rains the past 2 weeks could cause some brown rot.

Most States in the North Atlantic region expect fewer peaches than a year ago. June drop in Colorado ranged from light to heavy and generally the remainder of the crop is of good quality. The crop is about 2 to 3 weeks ahead of normal. Harvest in Washington is expected to begin during the second week of July in the Yakima Valley and during the third week of July in the Wenatchee area. In California harvest of Freestones continues active with picking of Elbertas getting underway. Picking of the major varieties, Regular and Faye Elbertas, is now in progress and volume will be heavy through July.

California's Clingstone peaches had generally favorable weather during most of June.

2, 555, 1	2,888,9	3,016,0	UNITED STATES :	2,845,6	1,926,0	2, 181,0 6, 293,9	Total :
0.000.17		1,442,0	Clingstone 2/	440.0	0.004	0,002	California
1,300,0	0,875,1	O CAA !		0.76	125.0	115.0	Oregon
******			Total : California-	1,500.0	1, 200.0	0.095,1	* motgainstem
1,255,1	6,019,1	0°745°I		0.002 1	25.0	27.5	Utah
0.025	0.404	0,004	Freestone	2°0 3°0	12.0	25.5	New Mexico
		0.107	California-				Colorado :
0°S	14.0	10.0	: \language none	0.0	0.47	0.69	
32.0	S*07	40°0	* notaninaseW	0.84	0.06	0°09	s catalo massa
2.0	0.81	13.0	: \1 detU				: La to T
0,8	22.9	20.5	: obsrolo2	1,228,5	1,270,7	1, 220,0	
2°0	0.21	0.6	: \1 odsb1	6°Z	9*8	T, T	* Arkansas
0.62	0°9	93.0	Texas	S*8	₹6	0°6	Tennessee :
S.8	<b>₽°</b> 8	0°6	Oklahoma 1/	12°2	19.4	16.4	Kentucky:
0*8	0°9	<b>9°2</b>	Louisiana 1	0°6	0.21	9,11	Kansas :
45.0	43°0	0°0ħ	Arkansas s	0°SS	26.2	5.65	: hwossiM
0.71	12.0	0,81	: \1 iqqississiM	9.41	9.01	0.41	: BWOI
0°0b	0.72	0.04	: amsdelA	26.0	23.5	52°0	Minnesota:
1.8	8.2	8*9	Tennessee 1	0,78	0°S9	0.88	Wisconsin :
0°9	S°SI ·	12.5	Kentucky 1/ :	720.0	720.0	0.017	Michigan :
190.0	120.0	0.001	Georgia :	100,0	103.0	1**6	SIONITI
230.0	0.062	270.0	South Carolina :	0.07	0°06	0.88	: sasibal
52.0	32°0	42°0	North Carolina :	135.0	120°0	135.0	: oidO
0.71	26.0	24.0	West Virginia :				entral States: :
25.0	4Z°0	45°2	* sinigit !	2,926,0	2,913,4	2,892,9	Total:
0.21	23.0	23.0	Maryland :	20,0	0.21	13.0	South Carolina
2.0	0 °Þ	3°0	Delaware 1	230.0	182°0	223.0	North Carolina:
7.1	0.8	0.8	Kansas 1/	230.0	275.0	242.0	* sinigniv resW
20.1	20° 1	20°1	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0°09 <del>b</del>	0.084	463°0	* sinigity
0.81	0.28	0°S4	Michigan 8	0.09	0°69	0°69	Maryland:
12,0	23°3	S . e1	ITTINOIS :	12.0	12.0	12.0	Delaware :
Z.	0.11	2.8	Indiana 1	0.084	0°505	210.0	ennsylvania :
0.8	28.0	0.71	F OFFO	105.0	0.011	0.66	New Jerzey :
0.08	0.201	0.48	Pennsylvania	0.086	925.0	0°576	New York
0°SE	125.0	0.16	New Jersey	0.42	2.12	**0S	Connecticut
	20.0	2.61	New York 1	0.8	₽.2	8.8	Rhode Island
0.81			Connecticut 1/ 1	0.211	104.2	8.701	Massachusetts
8°S	0.7	<b>₹</b> *S	The state of the s			0.88	Vermont
₱°	9 *	9	Rhode Island 1	0,08	7,04	6.12 0.85	New Hampshire
S.E	₱ °₽	0.4	Massachusetts 1/ 1		₱°6S		
1.1	0.1	6* .	New Hampshire 1/1	0.78	Z.97	62.0	saine mass
- sr	unod uoill	- w		- sī	unod uoilli	w -	setern States:
1972	1461	0761		1972	1761	0261	
Indicated		0201	1010 000	Indicated		0201	name number was
	Production		State and U.S.		Production		ea and State
	Peaches			(F do	Commercial Cr	(earddy	

 $\underline{1}/$  Estimates for 1972 are carried forward from previous report,  $\underline{2}/$  Includes culls and cannery diversions as follows (in million pounds): 1970--196.0; 1971--122.0

1/Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

Robert B. Schwart, Jr. John Unger Douglas Murfield Agricultural Statisticians James R. Kendall Agricultural Statistician in Charge



UNITED STATES
DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
P. O. Box 429
PRINGFIELD, ILLINOIS 62705

OFFICIAL BUSINESS

Production Prospects

NEBVAR IT 61801 PIBBARY - DOCUMENTS DIVISION JOHN M LITTEWOOD TOTAL S COPIES ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illiuois 62705 - Phone: Area Code 217, 525-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 17, 1972

#### PRODUCTION PROSPECTS

#### ILLINOIS

#### APPLES

Illinois apple production for 1972 is expected to be 97 million pounds (2,310,000 bushels, 42-pound equivalents), down 6% from the previous year. The Golden Delicious forecast at 32.5 million pounds --down 1% from 1971--is Illinois' main apple variety. The Jonathan indicated at 24.3 million pounds--down 21% from 1971, remains the number 2 variety. The Delicious remains the number 3 variety, with an indication of 23.3 million pounds --unchanged from last year. In some areas, fruit sizing is smaller because of the dry weather.

#### PEACHES

Illinois peach production for 1972 is estimated at 12.0 million pounds (2, 857, 000 bushels, 48-pound equivalents), down 48% from 1971. Severe winter damage to premature buds accounted for this sharp decrease.

Last December, unusually warm days caused the fruit buds to develop early and subsequent cold weather killed a high percentage of these buds.

#### UNITED STATES

#### APPLES

Total production is forecast at 6, 258 million pounds, compared with last year's total crop of 6,400 million pounds and a utilized crop of 6,110 million pounds. The difference between total and utilized production equals quantities not harvested for economic reasons and excess cullage of harvested fruit.

ety, is forecast at 1,891 million pounds to be more than last year. Golden Delicious, 1/8/4 The 1972 peach crop is expected to total 2.6/billion pounds, 13% below last year and 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/billion pounds, 2.6/b total 888 million pounds, up 10% from 700 2 16% below 1970. Excluding Camornia's 1971. McIntosh production is expected to 2 10% persons crop, used mostly for canning, reach 735 million pounds, 3% less than production is forecast at nearly 1.3 billion last year. Rome Beauty, forecast at 450 production is forecast at nearly 1.3 billion pounds, is down 17% and the Jona-May rowed from last month in South Carolina, which is a south total 359 million pounds, down 11%.

Production in the Eastern States is forecast at 2,925 million pounds. Total production last year was 3, 150 million pounds with 2,913 million pounds utilized. Rainy weather in July prevailed in New England causing a heavier than normal fruit drop. In New York, the crop is developing adequately. Some early varieties, such as Lodi, are being picked. The Pennsylvania crop is sizing well and beginning to show good color on early apples. Lodi and Transparent varieties were being picked during the latter part of July. In the Central States, prospects are for 1,237 million pounds production. Last year total production was 1,316 million pounds of which 1,271 million pounds were utilized. The Ohio crop is sizing

well with good quality. Indiana growers have had few problems with disease and insects, and quality is better than normal. Michigan's crop is sizing well and summer apples are being harvested in the southwest

Western apple production is forecast at 2,096 million pounds. Total production last year was 1,934 million pounds, and 1,926 million pounds were utilized.

production is forecast at nearly 1.3 billion but declined in New Jersey, Michigan, Virginia, West Virginia, Colorado, and California. In the Middle Atlantic States, harvest was active for midseason varieties such as Sunhaven and Redhaven. In Pennsylvania, harvest of early peaches is underway. In Michigan, the most important Central State, damage to peaches last January has turned out to be even worse than anticipated. Practically no peaches are for harvest in the important Berrien County area. In the West, harvest was underway by the first week of August in all States. Harvesting of California's Clingstone peach crop started about two weeks ahead of normal. Hot weather in July hastened maturity and fruit did not size as well as expected earlier. Picking of Freestone continues active. Regular, Fay Elbertas, and Rio Oso Gems are being harvested.

Peaches   Peac								
11   17   17   17   17   17   17   17	2,522,1	2,888,9	3,016,0	UNITED STATES:				
1701   1701				:	2.096.0	0.926.1	0.181.5	: IstoT
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1,260,0	1,278,0	1,442,0					
1,					0.044	0°007		: California
1, 1	1,262,1	6,019,1	0.472.1		0°66	125.0	115.0	
1,	32000	0.404	0.004		1, 500.0	1, 200.0	0,098,1	
1.1   0.1   0.2   0.00   0.0				: California-				Utah:
1	0.8	0.41	0.01	Oregon 1/				: New Mexico :
Production   Pro								Colorado :
State Brind States   State Brind States   State Brind Brin	0.5							: oyepi
1761   1761					0 27	0 00	0 03	
1970   1970					C*052 1	/°0/2'I	0.052,I	
100   100					3 366 \$	2 020 ,	0 000 7	•
State   Stat								
10   10   10   10   10   10   10   10								
1								
1970   1971   1972   1973   1974   1975								
Production   Pro								
1761   1761						2°95		
1					9°71	9.01	0.41	
Production   Pro					26.0	23.5	0.82	: Minnesota :
State and State   State and State   State and State   State and State   State and State   State and State   State and State   State and State   State and State   State and State   State and State   State and State   Stat					0.89	0°S9	0*89	* Wisconsin :
1970   1970						720.0	0.017	Michigan :
State and State   State and State   State and U.S.   State and U.S.   State and U.S.								: SIONITII
1970   1971   1972   1972   1973   1974   1975								
State and State   State and State   State and State an								
State and State   State and State and State and U.S.   State and U.S.						0 011		
State and State   State and State   State and U.S.   State and U.S.   State and U.S.   State and U.S.					0°526°2	5,913,4	5,892,9	
State and State   State and State   State and U.S.   St						, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0 000 0	•
Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Production   Proposition   Proposition   Proposition   Proposition   Production   Proposition   Proposition   Proposition   Proposition   Proposition   Production   Proposition   Proposition   Production   Production   Production   Proposition   Proposition   Proposition   Production   Production   Proposition   Production   P	1.02							<u>-</u>
State and State   State and U.S.   State and U.S.   State and U.S.   State and U.S.   Indicated   In	10.0							
State and State   Production				1				
State and State   Production    S.	0.11	8*2	: \1 sasibal	230.0				
Area and State         Production         Production         Production         Production         Production           Eastern States:         1970         1971         1972         1972         1972           Eastern States:         1972         1972         1972         1972           Mew Fork         1972         1972         1972           Mew Jork         105.0         105.0         105.0         105.0           Mew Jersey         19.2         20.0         18.0           Mew Jersey         19.2         25.0         18.0           Mew Jersey         19.2         25.0         25.0	3.0	0.82	0.71		420°0			
Area and State         Production         Production         Production         Production         Production           Eastern States:         1970         1971         1972         1972         1972           Eastern States:         316.9         337.4         333.0         Massachusetts 1/2.         4.0         4.4         3.5           New York         316.9         99.0         110.0         105.0         100.0         Connecticut 1/2.         5.4         7.0         5.8           New Jersey         19.2         20.0         18.0         28.8           Pennsylvania         510.0         505.0         465.0         108.0         18.0	0.08	105.0	0.48					
Area and State         Production         Production         Production         Production         Production           Eastern States:         1970         1971         1972         1972         1972           Eastern States: <td< td=""><td>52°0</td><td>152.0</td><td>0.19</td><td>New Jersey:</td><td>12.0</td><td></td><td></td><td></td></td<>	52°0	152.0	0.19	New Jersey:	12.0			
Area and State         Production         Production         Production         Production           Eastern States:         1970         1971         Indicated           Eastern States:         - Million pounds -         Million pounds -         Million pounds -           Mew England Wew York         333.0         Massachusetts I / 3.0         4.0         4.4         3.5           New York         000.0         110.0         100.0         100.0         5.4         7.0         5.4           New Jersey         000.0         000.0         000.0         000.0         0.0         5.4         5.4         7.0         5.4	0.81	0.02	2.e1	New York :	0°S9b		0.012	
Area and State and State and U.S. Upoduction Production   Production		0.7	₱°S	Connecticut 1/ :	0.201	0.011	0.66	New Jersey :
Area and State  1970  Production  Production  1970  1971  1970  1970  1972  - Million pounds -  Restern States:    Mew Hampshire 1/: 1				Khode Island 1/ :	1,000,0	925.0	0.546	New York :
Area and State and State and U.S. Upoduction Production   Production	3*8	₽ °₽	0.p.			₽*/88	6*918	New England
Area and State and U.S. Upoduction Production   Production   Production   Production   Production   Production   1972   1972   1972   1972   1972   Production   1972					}	, 200	0 370	
Area and State and U.S. Indicated Indicated 1972 1971 Indicated 1972 1971 Indicated 1972	• •			:		* selection of a sele		*
Area and State and State and U.S. Indicated Indicated Indicated Indicated	- sī	banoq aoil	IIM -	8	- sp	nuoq noilli	M -	:
Area and State and State and U.S. Indicated Indicated Indicated	1972	TIGI	OLCI		1972	TIGI	OVET	
Area and State and U.S. Production	Indicated		0263				0701	
Apples, Commercial Crop 1/ Peaches		Production		State and U.S.		Production		Area and State
1 / too Jejesom of sejany		т васиба			/T do	COMMERCIAL CE	'sənddy	
		T-100-d			/, 40	31-1-1-1-1	,	

 $\underline{1}/Estimates$  for 1972 are carried forward from previous report,  $\underline{2}/Includes$  culls and cannery diversions as follows (in million pounds): 1970--196,0; 1971--122,0

 $\underline{1}\sqrt{Estimates}$  of the commercial crop refer to production of apples in the commercial orchards of 100 or more bearing age trees.

glas Murfield,	Schwart, Ir., Doug	Robert B.				James R. Kendall
arvested fruit.	excess cullage of h	nic reasons, and	rvested for econon	and quantities not ha	d or utilized,	Includes quantities sold
6,257.5	1,011,6	6 * 563 * 6	0°46	0.801	0*96	cotal :
2,512,7	8,382,8	2,522,9	11.2	7.51	2.11	: Toh
157.3	1.66.1	212.6	2,3	۲ <b>.</b> 2	e.1	desəu
S*6**	6.652	8.022	₽°€	۲°٤	6.2	me Beauty
3.828	402.6	416.1	24.3	7.08	6*97	: uediei
1.888	8.018	9,618	32.5	32.9	7.15	i sucioiled nabl
₽°168'I	6°208'I	6,108,1	23.3	23.3	1.12	icious
		- spunod	aoilliM -			:
Indicated 1972	1761	0761	Indicated 1972	1461	0761	Variety
	UNITED STATES	NOLLOI	)(IOVI	ITTINOIS		
	S'N DNA SI			ERCIAL CROP 1/BY	PLES, COMM	[qA

Agricultural Statisticians Agricultural Statistician in Charge



OFFICIAL BUSINESS SPRINGFIELD, ILLINOIS 62705 P. O. Box 429 STATISTICAL REPORTING SERVICE DEPARTMENT OF AGRICULTURE

CHITED STATES

Production Prospects

URBANA IL 61801 LIBRARY - DOCUMENTS DIVISION UNIVERSITY OF ILLINOIS 10HM W FILLIFEMOOD - I-THRU-IV 3 COPIES

ILLINOIS COOPERATIVE CROP REPORTING SERVICE
P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

October 20, 1972

#### APPLE PRODUCTION PROSPECTS

#### **ILLINOIS**

Illinois apple production is expected to be 100.0 million pounds, (2, 381, 000 bushels), 3% below 1971 but 6% above 1970. Crop quality and size

13381

varies across the State. Fruit size is reported to be generally fair to good. Fall apple picking is well underway in most areas of the State.

#### UNITED STATES

Total U. S. apple production is fore-cast at 5,956 million pounds, compared with last year's total crop of 6,400 million pounds and a utilized crop of 6,110 million pounds. Prospects declined from August in the North Atlantic States and the Northwest States.

Production in the Eastern States is forecast at 2,650 million pounds. Total production last year was 3,150 million pounds with 2,913 million pounds utilized. In New England apples have not sized as anticipated although color is generally good.

In the Central States prospects are for a total production of 1, 244 million pounds, compared with a total production of 1, 316 million pounds in 1971 of which 1, 271 million pounds were utilized. The Ohio crop is late and sizing is a problem with some varieties. Indiana apples are sizing but harvest has been de-universal layed because of continued rains and insufficient color. Cloudy Michigan weather during August and September has retarded both coloring and sizing of the crop. Wisconsin apples are mostly of good quality except in orchards with hail damage.

Western apple production is forecast at 2,063 million pounds. Total production last year was 1,934 million pounds, of which 1,926 million pounds were utilized.

In Idaho all of the Jonathan and most of the Golden Delicious crops have been picked. Harvest is in full swing on Red Delicious and starting with Romes.

Colorado apples have excellent size; however, the crop is short as a result of spring freezes.

Harvest of Red and Golden Delicious began the first of September in Washington. Red Delicious were picking short of earlier expectations because of smaller sized fruit. Jonathan and Winesap apples have not sized well as a result of cool temperatures.

Oregon growers report Red Delicious are not yielding as earlier expected. Newtowns and Golden Delicious are yielding about as earlier forecast.

In California sizes have been good in all major areas and color has improved significantly in the last 4 to 6 weeks.

APPLES, COMMERCIAL CROP 2/


_							
**	018,141	185,481	149,855	1°9\$6'\$	1.011,6	6*562*9	UNITED STATES
	811,64	42, 858	626 15	2,063.0	0,926,1	0,181,5	Salbio Miales M. Mac.
	10,952	₽28 <b>'</b> 6	506'11	0.094	0.004	0.008	Total Western States
	2, 357	946 '7	2° 738	0°66	125.0	0.211	. California
	34, 524	272,82	33,095	0°0Sb 'I	1, 200.0	1,390,0	Oregon
	611	\$6S	922	0.2	0.85	S*7S	Mashi ngton
	17	585	<b>409</b>	3.0	12.0	S2°2	Utah 1/
	143	1,762	1,500	0.8	0.47	0.59	New Mexico 1/
	<b>2</b> S6	2, 143	1, 429	0.04	0.06	0.09	Colorado
					0 00	0 09	Idaho
	4006.00	,					WESTERN STATES
	Z09 '6Z	30, 255	S≯0 °6Z	1,243.5	1,270,7	0,052,1	Total Central States
	881	502	183	6°L	9*8	7.7	Arkansas 17
	202	224	214	8*2	<b>▶</b> *6	0.6	[cunessee 1]
	698	462	390	S'SI	₱°61	p.01	Kentucky 1/
	1, 429 114	327	276	0°6	12.0	9,11	/T sesue y
	848	1, 338	1, 338	0°09	26,2	2.95	Missouri
	619	525 200	333	9.41	9.01	0.41	Lowa 1/
	\$17,1	842 'I	S6S	26,0	23,5	\$ 52°0	Minnesota 1/
	£41,71	561,71	1,381	72.0	0°59	0.88 :	Wisconsin
whites	2, 381	2,452	16,905	720.0	720,0	0.017 :	
	1,786	2, 143	979,1	0.001	0.501	1.46	
	3,214	172,5	3, 214	75.0	0.06	0.88 :	Indiana
	,,,,	Pau L	V 1 C E	135.0	120.0	: 132.0	oidO
						:	CENTRAL STATES
	63,085	898 '69	188 '89	9*6+9*7	2,913,4	6.268,5	233 HAO 11 1030 HT MAD
	9∠₹	327	310	20.0	0.81	0.81	Total Eastern States
	2,952	S07 '7	S, 310	250°0	0.281	223.0	South Carolina 1/
	000 's	8ħS '9	292 'S	210.0	0.875	242.0	North Carolina
	10,714	6Zi 'II	11,024	0.024	0.084	463.0	West Virginia
	1, 357	1,643	1,643	0.72	0.69	0.69	Virginia
	585	585	586	12.0	12.0	12.0	Maryland
	9,524	12,024	12, 143	0.00₽	0.202	0.018	Delaware 1/
	2,262	5,619	2, 357	0°S6	110.0	0.66	Pennsylvania
	20, 238	22,024	22, 500	0.028	925.0	0.246	New Jersey
	7, 276	8, 033	945 'L	9°508	<b>₽.7</b> £€	6.816	New York New England
					, 200	0 370	EASTERN STATES
****	2791	- stinu 000,1 -				:	PASTERN STATES
	pages	LIGI	0.4.47	S721			
	- ibai	1761	07ei	cated	1791	0261	
-		pound equivalen	71	-ibul			Area and State
-		- Laning Panod		S)	bunoq nollliM		
-				Produc			
			/3	EKCIPT CROP	APPLES, COMM		

L'Estimates for current year carried forward from earlier forecast.

 $\frac{2}{2}$  In orchards of 100 or more bearing age trees.

Robert B. Schwart, Jr. John Unger Agricultural Statisticians

James R. Kendall Agricultural Statistician in Charge



Production Prospects

- I-THRU-17 3 COPIES
UNRARANA IL 61801
UNIVERSITY OF ILLINOIS
UNRARANA IL 61801

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 15, 1973

#### PRODUCTION PROSPECTS

#### ILLINOIS

#### APPLES

Illinois apple production for 1973 is expected to be 85 million pounds (2,024,000 bushels, 42-pound equivalents), down 15% from the previous year. The Golden Delicious forecast at 28.0 million pounds-down 10% from 1972--is Illinois' main apple variety. The Jonathan variety-estimated at 21.0 million pounds, down 30%, remains the Number 2 variety. The Delicious variety held its Number 3 position with 20.0 million pounds, 17% less than last year.

#### UNITED STATES

#### APPLES

The nation's 1973 commercial apple crop is forecast at 6.1 billion pounds, 4% more than last year's 5.8 billion pounds, but 5% below 1971's 6.4 billion. Utilized production was 5.8 billion pounds in 1972, and 6.1 billion in 1971. The leading apple States, Washington, California and Pennsylvania expect larger crops, but New York, Virginia and Michigan expect smaller ones.

Production of Delicious, the major variety, is forecast at 2,057 million pounds, 21% more than last year. Golden Delicious, the Number 2 variety, is expected to total 944 million pounds, up 3% from 1972.

McIntosh production is in third place, at an estimated 557 million pounds, off 15% from last year. Rome Beauty is forecast at 457 million pounds, nearly the same as the 1972 crop. Jonathan variety is expected to total 325 million compared to 361 million pounds last year.

Eastern production is slated at 2.5 billion pounds. Total and utilized production last year was 2.5 billion pounds.

In the Central States, prospects are for 0.9 billion pounds, 25% below the 1972 total. Ohio apples progressed well with adequate moisture supplies and normal July temperatures. Heavy early freeze damage and poor pollination caused more than normal deformities in the Michigan crop. Harvest has started on early varieties in the southwest. In Missouri, summer varieties are being harvested and

#### **PEACHES**

Illinois peach production for 1973 is estimated at 7.0 million pounds (146,000 bushels, 48-pound equivalents), down 42% from 1972. This is the second year in a row that frost damage has hurt the peach crop. In December 1971, warm weather brought out the fruit buds and a subsequent cold snap killed many of them, cutting the 1972 crop in half from the "normal" crop of 1971. Last April, a killing frost hurt the exposed buds, resulting in only a half crop from 1972 and a quarter of the 1971 crop.

the crop is of high quality. No serious disease or insect problems are evident.

In the West, total apple production is forecast at 2.7 billion pounds, up 31% from 1972.

#### **PEACHES**

Peach production is forecast at 2,646 million pounds, 10% more than last year, but 8% below 1971. Excluding California Clingstones, used mostly for canning, the crop is expected to weigh in at 1,306 million pounds, 10% above last season.

In New York, the crop progressed well during July. The fruit is signed well and quality is good. The New Jersey crop is more than 4 times larger than the storm damaged 1972 crop. Harvest is now progressing rapidly. The crop has sized well. Picking of Red Haven is well advanced in the important southern producing area and increasing in the central areas. Harvest of Blake, a major mid-season variety is expected around August 10; however, the set is relatively light in some orchards. Picking of Rio-Oso-Gem, the major late variety, should begin the end of August. Michigan has a good crop of Cling peaches, but the condition of other varieties varies.

California's Freestone peach harvest was active on August 1. Harvest of Regular and Fay Elbertas, the major canning varieties, was approaching peak activity. Picking of the Elberta varieties will soon be over, but other varieties will be available into October. By August 1 Clingstone harvest was ahead of last year with most early varieties harvested.

			pounds): United States is a	age million	excess call	годистои вис	Excludes unharvested particles 1971
ullage (milli	and excess c	ted production	1/ Excludes unharves		ge trees.	ore bearing a	In orchards of 100 or m
2,645,6	2,414.0	6.238,2:	UNITED STATES	6°550'9	0.018.2	9*080*9	INITED STATES
9 179 6	0 / / / 0	:	1	2,656.0	2,032,0	0,926,1	Total Western States
1,340,0	1,224,0	1,278,0	Clingstones	0.018	0.004	0.004	California:
0 0/0 /	0 700 7	:	California-	140.0	102*0	152.0	: nog910
			, ,,,	1,700.0	1, 370,0	0,002,1	* notgaintse W
1°302°0	0.091.1	6 785 1: 3	TOTAL ABOVE	0*88	0°Þ	S2*0	: १ह प्रदेश
0.078	352.0	0.404 :	Freestone	0°0⊅	2°0	12.0	New Mexico 3/
0 020	0 676	:	California-	0.19	0.11	0.47	Colorado
0.11	S*₹	0.41 :	Oregon 3/	120.0	0°09	0.06	: outbl
0.04	2.72	S*0ħ	Washington	0 00.	0 01		estern States
10.0	S.1	13.0	्रि पष्टम	\$°986	1,248,2	1,251,7	Total Central States:
32.0	0.7	525.9	Colorado	0.8	9.8	9 6	Arkansas 3/
0.1	2.0	0.21 :	Idaho 3/	0*₽	Z*6	₱°6	Tennessee 3/
20°0	0.62	0°S :	1 6x32 3/	10.0	1.41	₽.el	Кеппску <u>3</u> /
2°6	2.8	8.7 :	Oklahoma 3/	15.0	12.0	0.21	Kansas 3/
S*9	0.7	0.4 :	Louisiana 3/	0.12	0*09	2.95	imossiM
0.88	42.0	0.64 :	Arkansas 3/	10.4	13.3	9,01	TOWE 3/
10.0	0.71	\$ *01 :	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\				Minnesota 3/
	24.0	0.81 :	\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	0,72	26.0	S3°2	Wisconsin
0.71			Tennessee 3/	23°0	0°29	0°59	Michigan
3*2	9*8	8.2	· · · · · · · · · · · · · · · · · · ·	0*00\$	730.0	0.007	TINOIS
0°\$	0.8	S'SI :	Kentucky 3/	0°\$8	0,001	0 201	sasibal
0.001	0.061	120.0	Georgia 3/	0°09	0°SZ	<b>0°</b> 06	oidO
260,0	220.0	0.062	South Carolina	112°0	135.0	120.0	entral States
30°0	S2°0	32*0	North Carolina 3/				Total Eastern States:
0.01	13.0	se°0	West Virginia	2,463,5	8,652,5	0 000 0	
24.0	22°0	0.88	sinigniv	15,0	20,0	0,21	North Carolina 3/ 3
0.41	15.5	. 23°0	Maryland	225,0	245,0	182.0	West Virginia
_6°Z	_0°L	0.t	Delaware 3/	210.0	512.0	0.025	i siniziiV
0°9	7.1	0°9	Kansas 37	0.014	450°0	0.084	Maryland .
0,8	20.1	1 02 :	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0*99	0°99	<b>0</b> *69	Delaware 3/
0.02	10.0	0.28	Michigan	12.0	0.11	12.0	ennsylvania
0.7	12,0	: 23,3	ITTINOI2,	452°0	0°00Þ	0°509	
3,0	<b>₽</b> •	0,11	Indiana 3/	0.011	0.88	0,011	New Jersey :
0°9	0.1	: 58°0	√ε oidO	720,0	0.077	0°\$76	Yew York :
0,18	0,08	0.801 :	Pennsylvania	34.0	30.0	42°S	Connecticut :
102°0	52°0	125.0	New Jersey	3*2	3.2	0°Þ	s purished filand
12.0	0.71	0.61	New York	0.48	0.19	105.0	Massachusetts
S **	2° 4	8°₽ ;	Connecticut 3	32.0	9*01/	Z°0₽	Vermont
	2.	£ * :	Rhode Island 2/	0°47	0°SS	<b>0°</b> S9	1 91hampshire 1
3.0	Z°Z	⊅*Þ ↓.	Massachwetts 3/	0.07	0°54	0°76	Maine
	L* .	L° :	New Hampshire 2/				stern States
- spun	od nollli	W ~ :		- spu	nod uoili	IW -	1
	1972	1461		£791	1972	1461	
1973				Indicated	the same of the sa	zili:U	State
Indicated	/ <u>1</u> bəzi	111411	State	1 11 1		-:1:-11	- pue
	Production				Production		Атеа
	Peaches			\I qoiD	[sizrammo]	Apples, C	

1/ Excludes unharvested production and excess cullage (million pounds): United States 1971-18, 3, 1972-2,0, except California and cannery diversions. 1971-122,0, 1972-120,0, 2/ Estimates discontinued for 1973, 3/ Estimates for 1973 are carried forward

 $\frac{1}{2}$  In orchards of 100 or more bearing age trees.  $\frac{1}{2}$  Excludes unharvested production and excess cullage million pounds United States 1971-290,5; 1972-11,3,  $\frac{3}{2}$  Estimates for current year carried forward from previous report,

. [	0 501	0.001	0.28	9 080 9	0 018 2	6 550 9
Other :	<b>4°</b> 6	0.01	12.0	2,382.0	2,213,7	2,083,8
. desəniW	Z°2	2°0	0.1	1.991	160,3	7.881
Rome Beauty	۲•٤	3°0	0.8	239.2	₱ <b>°</b> SS₱	£°25\$
! Sonathan	∠°0€	30°0	0.15	402° 6	2°09٤	324.7
Colden Delicious	35°6	0.18	0.85	7.108	913°3	<b>⋫</b> ° <b>⋫⋫</b> 6
: Delicious	23* 3	24°0	20°0	0.687,1	9.307.1	0,750,2
			noilliM -	- spunod t		
	1791	1972	Indicated 1973	1791	1972	Indicated 1973
Varlety		ITTINOIS			UNITED STATES	
				NOTTON		
	APPLES, COMME	RCIAL CROP 1	BY SELECTED VAR	SIETIES FOR ILLIN	OIS AND U. S.	

from previous report.

age trees.	Agricultural	Statistician in Charge	Steven D. Wilson,	John R. Unger, Ric	hard D. Allen, Ag	r. Statisticians
1/ Estimates of th	commercial	crop refer to the total	production of appl	es in the commerci	of to standards of 10	gairsed erom to (
Total	0.501	0.001	82°0	9 080 9	0°018'S	6*\$\$0*9
nine.						

POSTAGE AND FEES PAID
UNITED STATES
DEPARTMENT OF AGRICULTURE

JIAM.S D

IOI-RDA

UNITED STATES
DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
P. O. Box 429
SPRINGFIELD, ILLINOIS 62705

OLLICIAL BUSINESS

Fruit #8 Production Prospects

1

008 17 000 0042620 PLEED3
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS
UNIVERSITY OF ILLINOIS

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898

FRUIT

NW NE
W C E
WSW ESE
G SERVICE SW SE

ILLINOIS DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

January 28, 1975

#### 1974 PRODUCTION REPORT

#### ILLINOIS

#### APPLES

Commercial apple production in Illinois totaled 80.0 million pounds, (1,905,000 bushels), 6% below the 1973 production. An early season freeze cut production in some areas. Golden Delicious was the leading variety, accounting for 35% of the total. Jonathan ranked second with 29% while Red Delicious (Red Strains and Standards) was third with 21%. These three varieties accounted for 85% of the total crop produced in 1974, the same as in 1973.

#### PEACHES

Illinois peach production at 3.5 million pounds, (73,000 bushels), was 50% below 1973. A killing frost in April damaged the exposed buds, resulting in only half the size of crop produced in 1973 and 29% of the 1972 crop.

#### UNITED STATES

#### APPLES

The 1974 commercial apple crop at 6.4 billion pounds was 2% more than 1973 and 9% above the 1972 crop. This production was the largest utilized crop since the 6.7 billion pound crop of 1969. Higher production in the Eastern and Central States in 1974 offset lower output in the West.

It was a good year for the McIntosh variety--up 45% over 1973 while Cortlands were up 16%, and Rhode Island Greening increased 71%. Smaller percentage gains were registered for the Golden Delicious, Gravenstein, Northern Spy, and Stayman varieties. Major decreases occurred in the York Imperial variety, down 25%, and the Yellow Newtown variety off 15%. Smaller decreases occurred in the Delicious, Jonathan, Rome Beauty and Winesap varieties.

James R. Kendall Agricultural Statistician in Charge

#### **PEACHES**

The 1974 utilized crop at 2.7 billion pounds was up 12% from the previous year and 19% above two years ago. The increase over 1973 is largely attributed to the large California Clingstone crop. At 1.6 billion pounds the total California Clingstone crop was up 23% and the largest crop since 1969. Peach production excluding the California Clingstone crop dropped 2% from 1973.

South Carolina and Georgia--the two major southern peach States--recorded decreases of 12% and 55% respectively.

Thomas L. McKean John R. Unger Richard D. Allen Agricultural Statisticians

LIBRARY UNIVERSITY OF ILLIN UNIVERNTS DIVISION UNERANA 10819 1-SIONI 803578 TI 800

000 0045620

#8 1974 Production Report

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62703


P. O. Box 429 STATISTICAL REPORTING SERVICE

DEPARTMENT OF AGRICULTURE

pue

State

BULK THIRD CLASS



7

SETATE GETINU

age trees. L/Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing Total 0 °00T 2'881'3 0.08 0.38 6, 238, 5 7 .698 ,8 Other 15.0 0 °0T 0.8 2, 197, 6 2, 407,3 2'464'5 Rome Beauty 3°0 3°0 3°0 6'119 8.694 L°LLT Jonathan 53°0 0.42 30.0 326.0 8.678 362,5 Golden Delictous 31.0 0.82 0.82 9.976 3°226 I' 042'4 Delicious 2000 24°0 0°4I T' 158° P 5'020'₹ 2,174,2 spunod noilliM **3461** EL61 EL6I ZL6I \$L6I ₹L6I Variety ILLINOIS UNITED STATES APPLES, COMMERCIAL CROP 1/ BY SELECTED VARIETIES FOR ILLINOIS AND U.S. 1/ Discontinued after 1972. 2,881,3 United States L'868'9 6,238,5 United States 2,728.4 2, 442,9 2,288,5 1,860.0 1,860.0 225.0 89°0 212°0 393°0 7° 420° 0 1° 420° 0 330° 0 Wisconsin Clingstone 1° 104° 0 1, 132, 0 West Virginia Wisconstr 0'9bb'I California virginia 420.0 Total above 1,310,9 T' 184'2 1,283,4 4.4 20.02 9.0 37.0 37.0 Vermont Washington West Virginia 1.5 22.0 27.5 13.0 **₹**5° 2 28°0 23°0 16.0 0°₽ Utah 3.7 15.0 20.0 20.0 1.8 5.1 58.0 16.0 32.0 26.0 Tennessee sinigu'V 3.3 Rhode Island South Carolina Utah 215.0 4.0 18.0 8.6 9.8 TEXAS Tennessee 770.0 135.0 135.0 100.0 720.0 212.0 100.0 167.0 500.0 Pennsylvania Oregon
Pennsylvania
Rhode Island 1/
South Carolina
Tennsylvania 120°0 220.0 245.0 Oregon 135.0 OPTO 0.0 9.2 12.0 81.0 0.7 0.08 120.0 North Carolina 0.11 New York 2.5 Oklahoma 0.006 7. 25.0 17.0 25.0 1.0 14.0 ohio 26.0 60.0 65.0 88.0 2.0 0°93 0°07 0°07 0°07 0°07 0°07 0°07 North Carolina 100°0 100°0 10°0°0 10°0°0 New Jersey New Mexico 91.0 92.0 15.0 30.0 New Hampshire 1/ New York : Исм Натрыйс IMOSSIW Minnesota 0.01 0.07 0.07 0.08 1.7 5.0 7.0 12.5 10.0 17.0 17.0 Mississippi İmossiM 20.0 0.03 0.01 0.08 15.0 0.01 0.08 0.08 0.01 0.01 Michigan 0°0L\$ 130.0 Michigan 0.65 70.0 76.0 0.16 0.85 Massachusetts Massachusetts Maryland Maryland Ž\*71 Maine Louisiana 6.3 0.7 0.01 0.01 6.8 10.0 Kentucky 0.8 Kentucky Kansas 3°0 0.88 0.63 0.61 15.0 Kansas 12.4 63.0 11.3 enstbal 100.0 13.3 IOWA 12.0 ITTINOIS Indiana 0°2 0°06T 0°0 Georgia Idaho 0°0T ILLINOIS 23.1 4.5 2.9 100.0 93.0 130.0 0.03 1.2.1 2.2 Delaware 7.0 Connecticut 8.6 530.0 11.0 30.0 11.0 75°0 30°0 112°0 480°0 9°0 13°2 41°0 42°0 Delaware Freestone Colorado Connecticut 462.0 **450**°0 322.0 Colorado California Arkansas California 440.0 9°0 0.8 36.0 45.0 Arkansas 0 91 Alabama - spunod nojjijw - spunod nollliM .s.U .S.U **761** T613 1972 ₽L6I ELGI

bns

State

Total production

PEACHES

Total production

APPLES

TLUGE

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

### FRUIT

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 525-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

January 17, 1974

#### 1973 PRODUCTION REPORT

#### **ILLINOIS**

#### **APPLES**

Commercial apple production in Illinois totaled 85.0 million pounds, (2,024,000 bushels), 15% below the 1972 production. A freeze in April cut production in some areas. Golden Delicious was the leading variety, accounting for 33% of the total. Jonathan ranked second with 28% while Red Delicious (Red Strains and Standards) was third with 24%. These three varieties accounted for 85% of the total crop produced in 1973, the same as in 1972.

#### **PEACHES**

Illinois peach production at 7.0 million pounds, (146,000 bushels), was 58% below 1972. A killing frost in April damaged the exposed buds, resulting in only half the size of crop produced in 1972 and a quarter of the 1971 crop.

#### UNITED STATES

#### **APPLES**

The 1973 commercial apple crop at 6.1 billion pounds, was 3% more than in 1972 but nearly the same as the 1971 crop. Higher production in the Western States more than offset decreases caused by cold, wet spring weather in the other states.

Washington, the leading apple state with nearly 30% of the U.S. production, had a record crop of 1.8 billion pounds up 29% from 1972. New York the second ranking state with a utilized production of 720 million pounds was off 6%. Michigan, hit hard by a spring freeze during pollination, was down 40% from 1972 output.

The Delicious variety, accounting for slightly over one-third of the total production, was up 23% from 1972. Golden Delicious, accounting for 15% of the total and rank second, was up 2%. Other leading varieties next in order of importance and percentage changes from last year are as follows: McIntosh down 27%, Rome Beauty up 8%, Jonathan unchanged, and York Imperial up 15%.

#### **PEACHES**

The 1973 utilized production at 2.6 billion pounds was up 8% from the 1972 crop but down 9% from the 1971 output.

The California Clingstone crop totaled 1.3 billion or one-half of all peaches picked in the U.S. This production, used mostly for canning, was up 6% from last year and 1% more than 1971. Peach production excluding California Clingstones rose 11% above 1972 but declined 17% from the 1971 crop.

Production in the nine Southern peach States totaled 468.7 million pounds, 16% less than in 1972 and 12% below 1971. All of these States recorded decreases except North Carolina, South Carolina, and Oklahoma.

- OVER -

THE LIBRARY OF THE

SEP 1 9 1974

UNIVERSITY OF ILLINOIS AT URBANA-CHAMPAIGN

r fotal	0.301	100.0	8		1.178		5,881.3	0.830,0
;	12.7	0.01		°0°0	572.5		2,245.0	S°266'I
desəu	2°2	2°0		0.1	1.991		162,3	163,7
me Beauty	Z°E	0.8		0°8	2.985		8*657	8°967
: nsthan	30° 2	30°0	2	0 ° ħ	105° 6		362,5	7.535
olden Delicious	32°6	0.18	2	0*8	7.108		922.2	9°686
: suoisile	23.3	54°0	2	t 0.0	0°684		1,729.5	2,121,7
	1461	1972		anod aoillin	- sp		1972	1973
Variety		ITTINOI		PRODUCTIO		INO	TED STATES	
1	APPLES, CO	WWEKCIAL CR	OP 1/BY SEL	CTED VARIETII		ITTINOIS	AND U. S.	
0				II Discontinue	- 1		· · · · · · · · · · · · · · · · · · ·	
itted States	1.175,0	£,188,2	0°890'9	United States	8	2,188,2	2,418,5	2,631,1
est Virginia :	522°0	0212°0	20°0 20°0	California Clingstone	\$	1,278.0	1,224,0	1, 294,0
ashington ;	1, 206,0	1, 393.0	0.008,1		2			
sinign	0°00S	450.0	400°0	Svods LatoT		1,603.2	S.461,1	1,337.1
i inomia	0°5₺	45°2	28.0	West Virginia	:	26.0	13.0	0.01
: qr:	₽°6 ₽°6	2°6 ₹°0	2°0 28°0	Virginia notgninas W	:	38.0 43.0	22°0 28°2	50°0
uth Carolina	12.0	0.0S	0.71	Utah		13.0	2.1	12.0
s basisi sbor	₱ <b>*</b> ₱	6.8	0 °Þ	Texas	1	0°S	0.62	12.0
nnsylvania :	0°075	0°00 <del>7</del>	0.014	South Carolina   Tennessee	:	2°8	0.022 8.6	3°5 °C
: noge:	125.0	105.0	0.871	Rhode Island	:	٤.	S.	/ī
i our	0°091	135.0	100°0	Pennsylvania	:	102.0	0.08	0.18
ew York :	0°080'1	0.077 0.052	720°0 210°0	Ohio Cregon		28.0 7.8 14.0	1.0 6.2 7.0	0.2 0.2 0.2
; obixeM we	12.5	2°0	0 °0⊅	North Carolina	:	0.85	SS.0	0°S 0°08
ew Jeisey	125.0	0.88	100.0	New York	:	0°61	0.71	12°0
: saintsquard we	6*89	22.0	0°44°0	New Jersey	*	136.0	7. 25.0	105.01
innesota truossi	20°52	0°92 9°09	20°0 21°0	Missouri   New Hampshin	3	1.02	20° 1	0.8 \1
i negidəi	730,0	730,0	0 °0ÞÞ	Michigan Mississippi	:	82°0	0,01	0°01 20°0
assachusetts	0.211	0.19	0 *94	Massachusetts	:	ħ°ħ	2.2	0.4
aryland:	72.0	.0*99	0.88	Maryland	\$ .	23.0	15.5	12.0
sine sine	20°02	0.21 0.27	10°0 22°0	Kentucky	ğ.	0°t	0°2 2°0	S*9 O**
;	0 00	0.21	0 01	Kansas	:	0.8	7.1	10.01
sesue	S°SI	12.4	12.0	Indiana	:	0.11	₹*	3°8
snsib wa	9°01/ 0°06	0.27 £.£1	0.83 10.4	SIONITII    oyepi	1 2	15.0 24.0	2,0	8°
SIONIT	106.0	100.0	0.58	Georgia	:	120.0	0.061	0.001
oye	0.06	0.02	130.0	Delaware	1	0.4	0.1	5°6
atp MRTS	O. C. T.	0111	0.177	Connecticut		8.4	2.4	<b>6°</b> ₽
elaware onnecticut	0°61 0°05	30.0	30.0 12.0	Freestone Colorado	9 0	404°0	352°0 8°0	420°0 420°0
olorado	0.47	0.11	10000	California	:			
rkansas alifornia	0°007 9°6	0°08S	0.018	smadalA sasnasia	8	16.0	45°0	0.71
		nnog noilli			\$		nod nollili	
.s.u	1761	27e1	£261	.s.u		1461	1972	£791
. State bas	L	notabord lato		State and			Total Productio	u
-4-42		APPLES		-4-2			PEACHES	

1/ Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing

Steven D. Wilson, John R. Unger, Richard D. Allen Agricultural Statisticians James R. Kendall Agricultural Statistician in Charge age trees.

US.MAIL

AGR 101 UNITED STATES
DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

#8 1973 Production Report

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62705

P. O. Box 429 STATISTICAL REPORTING SERVICE

DEPARTMENT OF AGRICULTURE

LITTLEWOOD, JOHN M UNIVERSITY OF ILLINOIS URBANA IL 61801 d= RLSE03 000 0045620 TI 800

9338.1 Ill661 (op.2

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898

# FRUIT

NW NE
W C E
WSW ESE
SERVICE SW SE

ILLINOIS DEPARTMENT OF AGRICULTURE, BUREAU OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 22, 1974

PRODUCTION PROSPECTS ILLINOIS

#### APPLES

Illinois apple production for 1974 is expected to be 80 million pounds (1, 905, 000 bushels, 42-pound equivalents), down 4% from the previous year, according to the Illinois Cooperative Crop Reporting Service. The Golden Delicious forecast at 29.5 million pounds--up 5% from 1973--is Illinois' main apple variety. The Jonathan variety--estimated at 22.0 million pounds, down 8%, remains the Number 2 variety. The Delicious variety held its Number 3 position with 18.0 million pounds, 10% less than last year.

### PEACHES

Illinois peach production for 1974 is estimated at 3.5 million pounds (75,000 bushels, 48-pound equivalents), down 50% from 1973. For the third year in a row, an early season freeze killed many of the peach buds, and did some tree damage also. The 3.5 million pounds represent only about 15% of a "full" crop.

### UNITED STATES

#### APPLES

The nation's 1974 commercial apple crop is forecast at 6.2 billion pounds, down slightly from the July 1 estimate and 1% less than last year, but 5% more than the 1972 utilized crop. Increases from a year ago are expected in the Eastern and Central States while the Western States expect smaller crops.

The Eastern States production is now slated at 2.6 billion pounds, down 2% from last month but 4% above last year. The condition of New York's apple crop remains favorable although quality has been reduced in some areas due to hail damage. The Pennsylvania crop is sizing well and color appears good on early varieties. Production prospects in the New England States continue to be above a year ago. A dry spell in late July in southern New England caused some dropping of fruit and slowed sizing of apples. The Virginia crop developed normally in July. Mildew and fire blight have been more of a problem than in recent years.

In the <u>Central States</u>, production of 1.1 billion pounds is expected. This total represents a 4% increase over last month and is 34% above 1973. Michigan's apples sized well during July and prospects improved from last month. In Ohio, July rainfall was light, but the crop was not significantly affected.

The Western States production is forecast at 2.4 billion pounds, unchanged from last month but 15% less than last year.

In Washington, near ideal conditions encouraged rapid growth of apples in July. Overall quality is rated high although production is down from last year's record crop. Harvest of California's Gravenstein apples began during late July in Sonoma and Santa Cruz counties. Crop development of later varieties continue to make good progress.

#### PEACHES

United States production is forecast at 2,892 million pounds, down 2% from July 1 but 11% more than 1973. Excluding California clingstone peaches, total production is forecast at 1,312 million pounds, 1% less than last month but virtually the same as last year.

California clingstone production is now forecast at 1,580 million pounds, down 2% from last month but 22% above 1973. Rains during the early part of July resulted in brown rot disease in the early varieties, which accounts for the lower forecast this month. The California freestone crop is expected to total 470 million pounds, unchanged from last month but 12% more than last year. Harvest was very active the first of August with picking expected to continue until October.

The South Carolina peach crop at 215 million pounds is unchanged from last month but 12% below last year. Harvest was complete in all areas except the Piedmont which is expected to be complete by August 20. The Michigan crop is sizing well. In Washington, growing conditions during July were good.

- OVER -

THE LIBRARY OF THE

SEP 1 9 1974

UNIVERSITY OF ILLINOIS AT URBANA-CHAMPAIGN

1 268 2		Z 408 S	INITED STATES :				
0°085 1		1,224.0	California-Clingstone:	6,166,3	6, 205, 0	0*028 49	UNITED STATES
1,312.4		1,184,5	1 svodA IstoT				
23.0	0.01	13.0	* sinigniv 359W	0°S9	0°0\$	0°\$9	Wisconsin
30°0	43.0	S.TS	: notgnińseW	180.0	225.0	215.0	West Virginia
32.0	20°0	22,0	: sinigilV	0.020,1	0.028,1	0.098,1	Mashington
0.01	12.0	1,5	: √Z detU	0.028	0°00₽	420°0	sinig1iV
0.01	12.0	0°67	Texas 2/	45.0	0.82	9*0₺	Vermont
0°t	3.7	9°8	Tennessee 2/	34.0	25°2	0°b	Utah 3/
215.0	245.0	220°0	South Carolina	₽°Z	1.8	2°6	Tennessee 3/
		S.	Rhode Island 3	0.02	0.71	S0°0	South Carolina 3/
0.001	0.18	0 08	Pennsylvania :	0°b	0°Þ	3.2	Rhode Island
0.11	12.0	0°L	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0 °047	0.008	0°00₺	Pennsylvania
ន្ធ*	5°5	6.2	Oklahoma 2/	0°551	0°491	0.201	Oregon
15.0	0°9	0.1	: \sum_\subseteq oidO	0.081	0.001	132.0	ойо
20,0	30°0	S2°0	North Carolina 2/ :	0.072	0.015	S42°0	North Carolina
0.81	12°0	0.71	New York ;	820°0	720.0	0°044	Ием Тотк
<b>0°</b> \$6	95°0	22°0	New Jersey :	0°9	0.88	0°Z	New Mexico 3/
		L°	1 New Hampshire 3/	0.001	0.001	0.88	New Jersey
3°0	0.8	20° 1	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0°2S	0 °bb	0°SS .	New Hampshire
0°6	10.0	0.71	: \ <u>\\\S</u> iqqizalaziM	0.12	0"15	0°09	imossiM
0.08	20°0	0.01	Michigan :	S2°0	0°0Z	26.0	Minnesota 3/
2°0	0 °₽	Z°Z	* Massachusetts 2/	0 049	0°0bb	730.0	Michigan
2,81	7.41	12,5	* _ bnslytsM	0°06	0.97	0.16	Massachusetts
9 °S	S *9	0 ° 2	Louisiana 2/	0 09	0.07	0°99	Maryland
0°S	0 *₺	0 ° S	Kentucky 2/	0.07	0°99	0.27	Maine
0 *7	0.01	7.1	Kansas 27	0.81	8*6	14,1	Kentucky 3/
2,0	S *E	⊅ °	: \S ensibul	0.11	12.0	12.0	Kansas 3/
S°8	0.7	12.0	ITTINOI2	6.11	10.4	13,3	Iowa 3/
10.0	8 *	2°0	Idaho 2	0.59	0.59	75.0	Indiana
0°Sħ	100,0	0.001	Georgia 27	0.08	0,68	0.001	SIONITII
2.0	2°6	1.0	: Delaware S/	0°S6	130.0	0°09	_ odabl
8.8	S°ħ	2° ¢	Connecticut 2/	12.5	12.0	0.11	Delaware 3/
17.0	23.1	0.7	Colorado *	0°0₺	30°0	30.0	Connecticut
0°047	450°0	352.0	California-Freestone :	0°S₹	0.211	0,11	Colorado
27.0	36.0	42.0	* \\\\Z\ sansas\\\\Z\	0 094	0.012	0.058	California
12.0	0.7	0.81	: \S amadalA	S*2	0.8	9*8	Arkansas 3
- s	punod uoil	TIM -	8	- en	nuoq noil.	E T YAT -	
<b>7261</b>	1973	1972	ſ	₹26I	1973	1972	
adicated		əzilitU T		Indicated		ezilhU 6701	
	Production	******	State	1 .41			State
					Production		21343
	з <b>ә</b> цо	Бея		/T doi:	Commercial C	Apples,	

California-Clingstone: 1,224,0 1,294,0 1,590,0 1,500,0 UNITED STATES: 2,408,5 2,604,9 2,892,4 for current year carried from earlier forecast, 2/Estimates and cannery diversions, 1972-120,0, 1973-162,0, 2/Estimates and cannery diversions, 1972-120,0, 1973-162,0, 2/Estimates and cannery diversions, 1972-120,0, 1973-162,0, 2/Estimates and cannery diversions, 1972-120,0, 1973-162,0, 2/Estimates and cannery diversions, 1972-120,0, 1973-162,0, 2/Estimates and cannery diversions, 1972-120,0, 1973-162,0, 2/Estimates and cannery diversions, 1972-120,0, 1972-120,0, 2/Estimates discontinued after 1972,0, 1973-162,0, 2/Estimates discontinued after 1972,0, 1973-162,0, 2/Estimates discontinued after 1972-162,0, 1973-162,0, 2/Estimates discontinued after 1972-170,0, 1973-162,0, 2/Estimates discontinued after 1972-170,0, 1973-170,0, 2/Estimates discontinued after 1972-170,0, 1973-162,0, 2/Estimates discontinued after 1972-170,0, 1973-162,0, 2/Estimates discontinued after 1972-170,0, 1973-170,0, 2/Estimates discontinued after 1972-170,0, 2/Estimates discontinued after 1972-170,0, 2/Estimates discontinued after 1972-170,0, 2/Estimates discontinued after 1972-170,0,

1/In orchards of 100 or more bearing age trees. 2/Excludes United States 1972-11,3; 1973-13,5, 3/Estimates for current United States forward from earlier forecast.

0,09 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8	100,0	: Total
0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0,01	Other
2.541 6.761 162.5	2°0	: Minesap
3°60 5°2 460°8 615°3 440°6	0.8	Rome Beauty
24.0 22.0 362.5 372.4 371.0	30°0	: nathanol
28.0 28.5 2.52. 0.8S	0.15	Colden Delicious:
2.0.0 18.0 1,729.5 2,167.6 2,058.2	24°0	Delicious :
- spunod uoilliM -		•
1973 Indicated 1974 1972 1973 Indicated 1974	1972	
ITTINOIS ONLIED STATES		Variety
WERCIAL CROP 1/BY SELECTED VARIETIES FOR ILLINOIS AND U.S.	WILLES COM	

I) Estimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

James R. Kendall, Agricultural Statistician in Charge Thomas L. McKean, John R. Unger, Richard D. Allen, Agr. Statisticians



POSTAGE AND FEES PAID
UNITED STATES
UNITED STATES

101-95A

OFFICIAL BUSINESS

#8 August Fruit Production Prospects

STATISTICAL REPORTING SERVICE P. O. Box 429 SPRINGFIELD, ILLINOIS 62703

DEPARTMENT OF AGRICULTURE

008 17 000 0042620
LIBRARY
UNIVERSITY OF ILLINOIS
DOCUMENTS DIVISION
POCCHAENTS DIVISION
POCCHAENTS DIVISION
POCCHAENTS DIVISION

2338,1 T166f C-2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898

FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 28, 1975

#### PRODUCTION PROSPECTS

#### ILLINOIS

#### APPLES

PEACHES

Illinois apple production for 1975 is expected to be 112 million pounds (2, 667, 000 bushels, 42-pound equivalents), up 42% from the previous year, according to the Illinois Cooperative Crop Reporting Service. The Golden Delicious forecast at 36.0 million pounds--up 29% from 1974--is Illinois' main apple variety. The Jonathan variety--estimated at 32.0 million pounds, up 39%, remains the Number 2 variety. The Delicious variety held its Number 3 position with 25.0 million pounds, 47% more than last year.

Illinois peach production for 1975 is estimated at 27.0 million pounds (563,000 bushels, 48-pound equivalents), up 771% from 1974. For the first year in four, spring freezes were minor in most areas of the State.

UNITED STATES

#### **APPLES**

The Nation's 1975 commercial apple crop is forecast at 7.3 billion pounds, virtually unchanged from the July 1 forecast, 13% above the 1974 utilized production and 17% above 1973. Increases from a year ago are expected in all States except Minnesota, New Jersey and Oregon.

The Eastern States production is expected to total 3.2 billion pounds, about the same as last month and 16% above last year. Production prospects in the New England States continue above a year ago. Sizing of apples is still 10-15 days ahead of 1974. Hail in Connecticut and a heavy drop reduced crop prospects. Growing conditions in Maryland have been favorable with little damage from weather, disease or insects. Crop prospects in New Jersey declined from July because of hail and excess water. New York's crop is developing normally although a small portion of the crop was hit by hail.

In the Central States, production of 1.3 billion pounds is expected, 17% above last year's utilized crop. Above average temperatures and lack of moisture during July stressed the Michigan crop but early August rains should help crop condition. Set of apples is adequate for most varieties and harvest of summer varieties is well underway.

The Western States production is forecast at 2.8 billion pounds, 9% above last year. In Washington, prospects for a record crop continued bright. Hot weather early in July caused occasional sunburning. The crop is sizing very well, with sizes running well ahead of normal.

Harvest of California's Gravenstein apples was just beginning on August 1 in Sonoma and Santa Cruz Counties. Development of other varieties is good. Weather has been favorable for sizing in Idaho.

#### **PEACHES**

United States production is fore-cast at 2,961 million pounds, nearly the same as July 1 but 3% more than 1974. Excluding California clingstone peaches, total production is forecast at 1,441 million pounds, virtually the same as last month but 12% above last year's utilized production.

California clingstone production is forecast at 1,520 million pounds, unchanged from July 1 but 5% below the 1974 crop. Harvest of the clingstone crop is about a week behind normal. Extra early varieties are about half picked while harvest of other early varieties is getting underway. No substantial brown rot problems have been reported. The California freestone crop is expected to total 400 million pounds, unchanged from last month but 12% below last year's utilized crop. Harvest was very active the first of August and is expected to continue into October. Cullage is more than normal because of split pits and slab-sided fruit.

- OVER -

8 000 0	, ,00 0	0		1	2 0 0		•
0.022 0.04 0.05 0.05 0.05 0.05 0.05 0.05 0.05	0.16 0.16 0.02 0.02 0.02 0.03 0.03 0.03 0.03 0.03	0,22 0,08 0,08 0,02 0,21 0,21 0,21 0,21 0,21 0,21 0,21	New Jersey New York North Carolina 1/ Ohio 1/ Oklahoma 1/ Oregon 1/ Pennsylvania South Carolina Tennessee 1/ Usah 1/ Virginia Washington Washington Total Above Total Above	0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.084 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091 0.091	0.02 0.02 0.02 0.02 0.03 0.03 0.03 0.04 0.03 0.04 0.03 0.04 0.03 0.04 0.03 0.04 0.03 0.04 0.03 0.04 0.03 0.04 0.03 0.04 0.04	28° 0 20° 0 38° 0 210° 0 38° 0 210° 0 30°	New Mexico I/ New Mexico I/ North Carolina North Carolina Oregon Pennsylvania Ponth Carolina I/ Tennessee I/ Tennessee I/ Tennessee I/ Tennessee I/ Washinginia Washinginia Washinginia
23.0	3.0	8.0	MississiM I/ \I inossiM	0.40	93°0 23°0	0°75 0°19	Missouri : New Hampshue :
0.08 0.7	0.07 0.7	70°0 20°0	Michigan	24.0 63.0	52.0	20.0	Minnesola 1/
8*#	3.0	4.0	Massachusetts 1/	720.0	0.078	0°04₽	Michigan
23.0	₽.61	7,21	Maryland	110.0	0.16	0.97	Massachusetts :
2.5	6.3	9*9	Louisiana I/	0.97	0°99	0.07	: bnatyland
16.5	0°9	0 ° \$	Kentucky 1/	0.08	0°69	0.68	: suish
10.0	0.6	10.0	Kansas T	22.0	₽*₽Т	8*6	Kentucky 1/
10.0	2°0	3.5	I snaibnī	0.TI	12.7	16.0	Kausas 1/
0.72	3.5	0.7	ITTINOIS	11.11	8.01	₹01	: \langle kwol
10.0	10.0	8.	Georgia 1/	0.88	38.2	0.69	indiana:
0°96	0.34	100.0		112.0	0°6 <i>L</i> 0°6 <i>L</i>	0.081 0.88	: ottebi
3° ¢ 0° 9	2.1 2.2	6°7 7°₽	Connecticut 1/ Delaware 1/	0.81	12.5	12.0	Delaware IV
18.0	13.7	23.1	Colorado	0.74	45.0	30.0	Connection
0°00*	452.0	420.0	Calif-Freestone	0.301	45.0	0.811	Colorado :
32°0	20.0	36.0	Arkansas IV	0°09₽	0.044	0.064	: California :
3.8	0.6	0 °L	\1 smadal A	9.6	3.T	0.9	Arkansas 1/
- \$P	unod uojj	IIIM -		- sp	unod uoj		6
Indicated 1975	roduction d 2 d	ozillize Erei	State	Indicated 1975	noticubor 13/ 1974	basilitu Erei	State
<del></del>	Реаспея			rop 2/	ommercial C	V pples, Co	
National Control of the Control of t							

L/Estimates for current year carried forward from earlier forecast. 2/Excludes unharvested production and excess cullage (million pounds): United States 1973-16,2, 1974-8,9; except California Clingstone which is over the scale tonnage and includes culls and cannety diversions, 1973-162,0,1974-153,0,

sbauoq noilliM

PRODUCTION

UNITED STATES

1/Estimates for current year carried forward from earlier forecast. 2/In orchards of 100 or more bearing age trees. 3/Excludes unharvested production and excess cullage (million pounds): United States 1973-13.5, 1974-49.4,

0'522'9

3°0

24.0

0.82

0°07

ELGI

LEstimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing Total 0.67 0.68 115.0 I. 792 , T 6,442,5 6,225,0 Other 12.0 0.8 0.8 2,436,8 2,184.1 0.048 2

0.4

35.0

0.98

0°97

APPLES, COMMERCIAL CROP 1/BY SELECTED VARIETIES FOR ILLINOIS AND U.S.

T. 297. I

Indicated 1975

3°0

23°0

0.82

O°LT

16I

ILLINOIS

6,442,5

age trees.

Thomas L. McKean, John R. Unger, Richard D. Allen, Agricultural Statisticians

492.5

322°2

I'062'1

8.760,2

\$46I

UNITED STATES

2,604.9

5,881.4

6.113

8.678

9.976

2,174.2

1973

**VCK-101** JIAM.S.U DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

₱°₱८9

I.ISP

1,073.8

2,387,8

Indicated 1975

7,966.7

#8 Fruit Production Prospects
August 28, 1975

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62705

P. O. Box 429 STATISTICAL REPORTING SERVICE

DEPARTMENT OF AGRICULTURE

Rome Beauty

Golden Delicious:

Variety

UNITED STATES

Jonathan

Delicious

James R. Kendall Agricultural Statistician in Charge

UNIVERSITY OF ILLINOIS
DOCUMENTS DIVISION
IL 618 d-YAAA8I RLSEOR 000 0042620 71 800 9338.1 I 166F

### Cop. TLLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898

## FRUIT

NW NE
W C E
WSW ESE

ILLINOIS DEPARTMENT OF AGRICULTURE, DIVISION OF AGRICULTURAL STATISTICS \* U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 16, 1975

#### PRODUCTION PROSPECTS

#### ILLINOIS

#### **APPLES**

Illinois apple production for 1975 is expected to be 112 million pounds (2,667,-000 bushels, 42-pound equivalents), up 42% from the previous year, according to the Illinois Cooperative Crop Reporting Service. For the first time in two years spring weather was mild with adequate precipitation.

### PEACHES

Illinois peach production for 1975 is estimated at 27.0 million pounds (563,000 bushels, 48-pound equivalents) up 771% from 1974 and up 386% from 1973. April was warm and rains were adequate. Trees bloomed full and virtually no freeze damage occurred this year. A spring freeze severely damaged the 1974 crop.

#### UNITED STATES

The initial 1975 forecast of commercial apple production is a record 7.3 billion pounds (173.4 million 42-pound equivalent) exceeding the previous high of 6.7 billion pounds in 1969. This harvest would be 13% more than last year and 17% above the quantity utilized in 1973. Increases from last year are anticipated in all regions.

In the Eastern States total production is expected to reach 3.2 billion pounds, up 16% from last year's utilized production. Apple trees over-wintered well with no significant damage. With favorable growing conditions thus far, expectations are for 15% more apples in New England, 19% more in New York, and a 15% increase in Pennsylvania. All other States in this region show similar percentage increases or are unchanged from 1974.

Production in the Central States at 1.3 billion pounds will be up 17% from last year's utilized crop. Trees remained dormant in this region into late April when warm weather and spring rains hastened bloom and aided sizing of fruit. Michigan's forecast at 720 million pounds is 7% above the moderate size crop of 1974. Prospects are bright in all States except Minnesota, which expects a slightly smaller crop.

In the Western States, total apple production is estimated at 2.8 billion pounds, 8% above 1974. A record crop of 1.9 billion pounds is anticipated in Washington--the leading apple State. Although full bloom was 1-2 weeks late, Red Delicious show excellent sets while Goldens are off some from last year. Recent weather has been excellent for apple sizing and development.

U. S. peach production is forecast at 2,965 million pounds, up 1% from June 1 and 3% above the 1974 utilized crop. Excluding California's clingstone peaches (used mostly for canning), the remaining production of 1,445 million pounds is up 13% from last year.

California's clingstone crop at 1,520 million pounds is unchanged from the special June 23 forecast but 5% below the 1974 harvest of 1,598 million pounds. Crop development is about 2 weeks later than normal and thinning is now nearing completion. Harvest of early varieties is expected to commence about July 18. The California freestone forecast at 400 million pounds is off 12% from 1974. Harvest was gaining momentum by July 1. Fruit packed for fresh market is of high quality although cullage is high due to split pits and slab-sided fruit.

The South Carolina peach crop at 215 million pounds is unchanged from June 1 and last year. Peach harvest is in full swing with size and quality generally good. Pennsylvania, Colorado and Michigan peach prospects declined from June 1 while Illinois, North Carolina and West Virginia increased and the other States showed no change. In Pennsylvania, a heavy June drop and some severe hail storms reduced crop potential. Weather in Michigan hindered development tharvest of early varieties in getting underway in all States and will be active in July.

TREANA-CHAMPAIGN

2° 998" 5	1, 598, 0 2, 881, 4	5, 604, 9 1, 294, 0	Calif Clingstone UNITED STATES	1,282,7	6, 442, 5	6, 225, 0	UNITED STATES:
1, 445, 2	1, 283, 4	6 '01E 'T :		0.99	0.09	0.08	Wisconsin :
35.0	23.0	0.91 :	W. Virginia	270.0	210.0	225.0	West Virginia :
0.04	56.0	0.84	Washington	0°006'T	1, 775.0	1,860.0	: notgnińskw
32.0	32.0	\$0.0	Virginia	0.004	4.ETE	400.0	: sinigitV
15.5	0.91	12.0	Utah 1/	0.84	38.0	0.82	Vermont :
0.61	0.81	0.81 :	Техаз	0.74	9.75	7.23	Utah - fay
L "8	0°₽	L .E :	Tennessee 1/	10.0	0.7	3.1	Tennessee :
215.0	215.0	245.0	So. Carolina	22.0	20.0	0.71	South Catolina :
0.211	120.0	0.18 :	Pennsylvania	4.5	0 '₺	0.4	Rhode Island :
13.0	0.11	12.0	Oregon 1/	0.033	0.084	500.0	Pennsylvania :
8.8	I.	2.6 :	Oklahoma 1/	155.0	165.0	0.791	: nogarO
20.0	0°7I	0.3 :	/I olyo	160.0	132.0	100.0	: опо
32.0	20.0	0.08 :	North Carolina	300.0	295.0	210.0	North Carolina :
18.0	0'91	0.81 :	New York	1,060,0	0.688	720.0	New York :
100.0	0.19	0.26 :	New Jersey	0.11	0.8	38,0	New Mexico :
23.0	3.0	0.8 :	Missouri 1/	120.0	120.0	100.0	Mew Jersey :
0.7	0.7	0.01 :	Mississim 1/	0.45	0.19	0 ***	ием Натрарие :
0.08	0.07	0 "09 :	Michigan	0.83	23.0	0.13	Missouri
8.4	3°0	0°₺ :	Massachusetts 1/	24.0	25.0	20.0	Minnesota :
23.5	₱°6T	7.41 :	Maryland	720.0	0.078	0.0TA	Michigan
2.5	6.3	3.9 :	Louisiana I/	0.011	0.19	0.97	Massachusetts :
16.5	0.8	0°₺ :	Kentucky 1/	73.0	0°99	0.07	Maryland:
10.0	3°0	0.01 :	Kansas I/	0.08	0 *69	92°0	: snisM
10.0	2°0	3.5	Indiana 1/	22,0	Þ°ÞI	8 *6	кептиску :
27.0	3.5	0°L :	ILLINOIS	17.0	12.7	0.81	Kansas :
10.0	10.0	8. :	Idaho 1/	I.II	8 *01	10.4	: Ewol
0 °96	45.0	0 °00T :	Georgia _	0.88	3.85	63°0	: sneibnl
₽*8	1,2	5.9	Delaware 1/	112.0	0.67	0.68	irrinois :
0 ° 9	4,2	9.₽ :	Connecticut 1/	0.36	93.0	130.0	i daho
18.0	T3.7	1.62 :	Colorado	13.0	12.5	12.0	Delaware :
0.00₺	452.0	420.0	Freestone	20°0	0.64	30°0	: tholioannoo
2		:	-california-	105.0	0.34	115.0	Colorado :
32"0	20.0	36.0	Arkansas	0.094	0.044	0°06Þ	: California :
<b>9.8</b>	0.6	0.7	A labama	9.6	3°L	0.8	Arkansas :
- spi	nuoq nollliN			- spu	nod nolllin	v -	•
1975	PL61_	ELGT		9161	7161	1973	1
betastbal	72 paz	1(1-1)	*C*O DUR OFFI	botsoibal _	2cd 2/	TIM	T .c. c our our
	Production		State and U.S.		Production		State and U.S.
	Peaches			/T doa	Commercial C	'solddy	7

1/Estimates for current year carried forward from earlier forecast. \$\overline{2}\$/ Excludes unharvested production and excess cullage (million pounds): United States 1973-16.2, 1974-8.9; except California Clingstone which is over the scale tonnage and includes culls and cannety diversions 1973-162.0, 1974-163.0.

 $1/\ln$  orchards of 100 or more bearing age trees.  $\overline{2}/ \operatorname{Excludes}$  unharvested production and excess cullage (million pounds): United States 1973-13.5, 1974-21.3,

Thomas L. McKean John R. Unger Richard D. Allen Agricultural Statisticians

James R. Kendall Agricultural Statistician in Charge

POSTAGE AND FEES PAID

US.MAILE

US.MAIL

AGR-101

AGR-101

UNITED STATES
DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
P. O. Box 429
SPRINGFIELD, ILLINOIS 62705

#8 Fruit Production Prospects

OFFICIAL BUSINESS

008 17 000 004S620 PLSE03

### 2 ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, BUREAU OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

January 25, 1977

ANNUAL SUMMARY - 1976

#### ILLINOIS

#### APPLES

I.1665

Illinois commercial utilized apple production in 1976 totaled 86 million pounds (2,048,000 bushels, 42-pound equivalents), down 23% from 1975, according to the Illinois Cooperative Crop Reporting Service. Freeze damage during April cut production in some areas unlike 1975 when no significant freeze damage occurred. Golden Delicious was the leading variety, accounting for 33% of the total. Jonathan ranked second with 29% while Red Delicious was third with 22%. These three varieties accounted for 84% of the total Illinois crop produced in 1976, 1% above 1975.

#### **PEACHES**

Illinois peach production for 1976 is estimated at 20 million pounds (417,000 bushels, 48-pound equivalents), down 26% from the 1975 crop. The crop suffered considerable freeze damage in some areas during April, in contrast to 1975 when virtually no freeze damage occurred.

#### UNITED STATES

#### APPLES

The utilized production in 1976 from the Nation's commercial apple producers was 6.2 billion pounds, a 12% reduction from last year's record and 4% below the 1974's 6.5 billion pounds. Virtually all of the short 1976 crop was utilized, whereas in 1975 nearly 6% of the total grown was lost due to economic abandonment and excess cullage. Utilized production in the Eastern States, at 2.2 billion pounds, was off 19% from a year earlier and the Central States produced 29% fewer apples; orchards in many States in both regions suffered reductions from spring freezes.

In the West, the crop totaled 3.1 billion pounds, only slightly below last year's large output but was 20% above 1974. Washington, the Nation's leading producer, equalled last year's record crop of 2.2 billion pounds, more than a third of the U.S. total.

Production declines were registered for all varieties except Gravenstein and Yellow Newtown. The greatest percentage decreases were: York Imperial, down 47%; R.I.Greening, 42%; Stayman, 40%; Rome Beauty, 34%; and Jonathan, off 29%. Red Delicious, the largest variety in the United States, accounted for 35% of total production. Other leading varieties as a percent of the U.S. total crop were: Golden Delicious, 15%; McIntosh, 9%; Rome Beauty, 9%; Jonathan, 6%; and York Imperial, 5% of total production.

#### **PEACHES**

The Nation's 1976 peach crop, at 2.6 billion pounds utilized, slipped 1% from last year and was 4% less than that utilized in 1974. The decline is largely a result of reduced California Clingstone output, a crop hard hit by a mid-season cannery workers' strike. The crop there totaled 1.5 billion pounds, only 1.2 million of which was utilized, compared with 1.3 and 1.5 billion pounds utilized in 1975 and 1974, respectively.

Excluding California Clingstones, all other peach production in the U. S. totaled 1.5 billion pounds utilized, 6% above last year's level and 13% greater than in 1974. South Carolina's output (the second largest in the U. S.) was 21% higher than a year ago, and Georgia produced 47% more peaches utilized.

- OVER -

THE LIBRARY OF THE

Action   A	па ексеза сијјаве.	vested production s	7/ Excludes unhar	cullage.	ring age trees n and excess of the 1976 cro	00 or more bes rested production vailable prior to	1/ In orchards of 1 $\overline{2}$ / Excludes unharr $\overline{3}$ / Estimates not a
All the control of	2, 664.1 2, 642.6	2, 740,7	United States	8,082,8	I . 780 . T	0.484.0	United States
A	0.290.0 1,192.0	Ţ. 456.0		2, 200. 0	2, 200. 0 216. 0	1,806.0 210.0	Washington West Virginia
According   Acco	1,374.1 1,450.6	1,284.7	: swodA istoT			0.88	4 1
Arikansas 13.0 21.1 11.0 Alabama 9.0 7.0 14.0 14.0 16.0 14.0 14.0 16.0 14.0 14.0 16.0 14.0 14.0 16.0 14.0 16.0 14.0 16.0 16.0 17.0 14.0 16.0 16.0 16.0 17.0 14.0 16.0 16.0 16.0 17.0 17.0 14.0 16.0 16.0 16.0 17.0 17.0 17.0 16.0 16.0 16.0 17.0 17.0 17.0 16.0 16.0 16.0 17.0 17.0 17.0 17.0 17.0 17.0 17.0 17	37.7	£.72	. notgnidas W	8.0 ·	21°0	0.02 0.7	South Carolina Tennessee
Arkansas 13,0 \$10,	16.0 17.8	0.91	Utah			0 **	:
Arkenses 13.0 (2010)  Arkenses 13.0 (2010)	0.8 7.8						Oregon Pennsylvania
Althouse   Althouse						132.0	Ohio
Arkansas Arkansas 13.0 (20) 111.0	8.8 13.0 15.0	0.11	Oklahoma Oregon	0.037	0.098		
Arkansas 13.0 (21.0 14.0 19.0 10.0 10.0 10.0 10.0 10.0 10.0 10							
Arkansas Arkansas 13.0 67.0 68.0 68.0 68.0 Massachusetts 91.0 680.0 68.0 69.0 68.0 69.0 68.0 68.0 Massachusetts 91.0 680.0 68.0 68.0 Massachusetts 91.0 680.0 68.0 68.0 Massachusetts 91.0 680.0 68.0 68.0 Massachusetts 91.0 680.0 68.0 Massachusetts 91.0 680.0 68.0 68.0 Massachusetts 91.0 680.0 68.0 Massachusetts 91.0 680.0 680.0 68.0 Massachusetts 91.0 680.0 680.0 68.0 Massachusetts 91.0 680.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 680.0 Massachusetts 91.0 680.0 680.0 680.0 680.0 680.0 680.0 Massachusetts 91.0 680.	9.6 0.71						
1976   1976	4.0 6.0 23.0 22.5	9.0	inosziM			53.0	imossiM
Arkansas 13.0 21.1 11.0 Alabama 9.0 7.0 14.0 Colorado 66.0 70.0 68.0 89.0 66.0 70.0 68.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 Maryland 65.0 79.0 62.0 79.0 Louisiana 65.0 79.0 19.0 62.0 79.0 Louisiana 79.0 19.0 65.0 79.0 Louisiana 79.0 19.0 65.0 79.0 Louisiana 79.0 19.0 65.0 79.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0 1	0.04 0.68 55.0 40.0						Michigan
Street	23.0 15.0						Massachusetts .
Arkansas 13.0 21.1 11.0 Alabama 20.0 Georgia 3 5 0 11.0 10.0 10.0 10.0 10.0 10.0 10.0	0.7 0.8		Louisiana	0.07	0°99	0 °69	
Arkansas 13.0 21.1 11.0 Alabama 9.0 7.0 14.0 Colorado 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.				0.41	\$.1S	ř°řI	Кептиску
Sind   Utilized production 2\    U.S.		2.0	- ansibul			12.7	Kansas :
Arkansas 13.0							
Arkansas 13.0 Colorado Georgia 3\ Ceorgia 3\	96.0 140.0		Georgia				
Arkansas 13.0 Colorado Connecticut 45.0 105.0 12.5 11.5 Colorado Connecticut 12.5 12.5 11.5 Colorado Connecticut 15.5 12.5 12.5 12.5 12.5 12.5 Colorado Connecticut 15.5 12.5 12.5 12.5 12.5 12.5 Colorado Connecticut 15.5 12.5 12.5 12.5 12.5 12.5 12.5 Colorado Connecticut 15.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5	2.4 4.1	2,1	Delaware	125.0			Idaho
Sind   Utilized production 2\  U.S.   1974   1975   1976							Delaware
Sind   Utilized production 2\  U.S.   1974   1975   1976	, ,	0.926					4
and 20,5. Utilized production 2\ U.S. U	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
and Utilized production 2/ U.S. U.S. U.S. 1976 1976 1976	* -		Alabama	0.11			
and Utilized production 2/ U.S. U.S. U.S. 1976	- spunod uot	IIIW -		- spu	illion poul	- W	
and Utilized production 2/ and Utilized production 2/	400						°S°0
				/2 00	ized productio	IIıU	धाव
State APPLES, COMMERCIAL CROP 1/ State PEACHES	- Dang va		0+0+3	CROP 1	OMMERCIAL	APPLES, C	State

APPLES, COMMERCIAL CROP 1/BY SELECTED VARIETIES FOR ILLINOIS AND U.S.

			172°0	0.08	Total :
2, 716, 1	7.26p.2	10.0	12.0	0.8	pet :
₱°209	₱ *66₱	0°₽	0*9	9.0	me Beauty :
T.484.7	322°3	0 "92	0.88	0.62	: nadian
1, 115.8	I. 074. I	0.82	0.98	0.82	olden Delicious :
6°289°3	2,117,9	0.61	0.82	0°LT	: sucioile
	- spunod no	HIIIW -			* * *
UNITED STA	<b>₹</b> 161	9461	9261	₹1.6T	
	8,632,2 2,632,2 7,464 7,464	2761	2761	2761	- shanoq notiliM shanoq noti

age trees. the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing

Jon M. Ohman, John R. Unger, Frederic A. Vogel, Agricultural Statisticians

POSTAGE AND FEES PAID

SPRINGFIELD, ILLINOIS 62708 P. O. Box 429 STATISTICAL REPORTING SERVICE DEPARTMENT OF AGRICULTURE UNITED STATES

James R. Kendall Agricultural Statistician in Charge

OFFICIAL BUSINESS

#8 1976 Fruit Production Report January 25, 1977

IOI-ADA JIAM.S.D UNITED STATES
DEPARTMENT OF AGRICULTURE

BULK THIRD CLASS

008 17 000 0042620 KLSE02

LIBRARY UNIVERSITY OF ILLINOIS DOCUMENTS DIVISION URBANA

PILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898



ILLINOIS DEPARTMENT OF AGRICULTURE, BUREAU OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

January 22, 1976

### 1975 PRODUCTION REPORT

#### **ILLINOIS**

#### APPLES

95381

Commercial apple production in Illinois totaled 115.0 million pounds, (2,738,000 bushels), 144% above the 1974 production. An early season freeze cut production in some areas. Golden Delicious was the leading variety, accounting for 31% of the total. Jonathan ranked second with 29% while Red Delicious (Red Strains and Standards) was third with 23%. These three varieties accounted for 83% of the total crop produced in 1975, 2% below 1974.

#### **PEACHES**

Illinois peach production at 27.0 million pounds, (563,000 bushels), was 771% above 1974. A mild Spring, without a late killing frost, resulted in the increased production.

#### UNITED STATES

#### APPLES

The 1975 commercial apple crop utilization was a record high 7.2 billion pounds, 7% above the previous high of 6.7 billion pounds utilized in 1969. The 1975 crop was 11% more than the 1974 production and 15% above the 1973 crop. Utilized production in 1975 was 95% of the total apples produced compared with 99% of the total crop in 1974. Economic abandonment and excess cullage totaled 397 million pounds in 1975, sharply above the 49 million pounds estimated in 1974. Western States recorded an 18% larger crop than in 1974 while Central States were up 15% and Eastern States up 2%.

Production increases were recorded for all varieties in 1975. The most significant percentage increases were: R. I. Greening, up 54%; York Imperial, 30%; Northern Spy, 28%; Red Delicious, 24% and Jonathan, 24%. Red Delicious continued as the leading variety, accounting for 35% of the 1975 production. Other leading varieties and percent of total production are: Golden Delicious, 15%; McIntosh, 9%; Rome Beauty, 8%; Jonathan, 6% and York Imperial, 5%.

James R. Kendall Agricultural Statistician in Charge

#### PEACHES

The 1975 utilized crop at 2.7 billion pounds was down 3% from the previous year but 9% above the 1973 crop. The decrease from 1974 is largely attributed to a smaller California clingstone crop. California's clingstone crop, at 1.3 billion pounds, was down 11% from 1974 but 14% above 1973. Peach production excluding the California clingstone crop, at 1.4 billion pounds, increased 7% from a year ago.

Georgia, one of the major southern peach States, recorded a production more than double the short 1974 crop.

> Thomas L. McKean John R. Unger Richard D. Allen Agricultural Statisticians

- OVER -

THE LIBRARY OF THE APR 19 1976 UNIVERSITY OF ILLINOIS ONB 17 ODO OO42620

LIBRARY

UNIVERSITY OF ILLINOIS

LIBRARY

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

TO COMPANDENTS

#8 1975 Fruit Production Report January 22, 1976

#### OFFICIAL BUSINESS

UNITED STATES

DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
P. O. Box 429
SPRINGFIELD, ILLINOIS 62703

#### BULK THIRD CLASS

POSTAGE AND FEES PAID UNITED STATES DEPARTMENT OF AGRICULTURE



 $\frac{1}{2}$  Fatimates of the commercial crop refer to the total production of apples in the commercial orchards of 100 or more bearing age trees.

: Isto	0 ° 98	0.08	*911	6, 238	9*8	<b>₽°833°</b> ₫	6 °899 °L
; 19t	10.0	0°6	12.	0 5, 197	9*1	7.36₽.2	Z, 817.7
: Yanga Seauty :	0.8	0°E	•9	0 21	6*1	₱*86₱	0.788
: nediet	54.0	0.83.0	*66	3 <b>7</b> E 0	8.9	322°3	€ *66₽
sucioiled neble:	0.882	0.82	*9E	346 o	g • g	I.\$70 L	1,101,1
:			*97			6.711.2	2, 623, 8
: :	20°0	0.71		spunod noillii		0 211 0	0 000 0
<u> </u>	£L6I	₹ <b>16</b> 1	.6T		73	I 1974	946I
Variety		ITTINOIS		PRODUCTION			
	APPLES, CC	OMMERCIAL CR	OP 1/BY SELE	CLED VARIETIES F	SOR ILLINOIS	.г.п диа	
: sotate botit	6, 238, 5	<b>₽°283°</b> 9	6°899°L	United States	2,621,1	2,901,6	2,846.1
: ni uno o si	0.03	0°29	0.40		0.47.07.17	0 t000 fr	0 *70L *T
: notgnines : sinigu V tes	1, 860.0 1, 860.0	0°012 1'806'0	2° 200° 0	California Clingstone	1, 294, 0	1, 608, 0	1, 452, 0
sinigr	0.00₽	380.0	420.0				
1mon1:	28.0	42.0	38°0	Total above	1,728,1	1, 293,6	1.486.1
supsesses:	3.1 0.83	0 .7 0 .78	0°6₹	West Virginia	0.91	23°0	0 *82
: sniloaso dina	0.71	20.0	25.0	Mashington	0.44.0	S.T.3	0 °0₺
ode Island :	0 °₺	0 °₺	L.3	Virginia	0.02	32.0	35°0
: "	0.000	0 *00%	0.000	Utah	12.0	18°0	0°9T
egon :	0.731 500.0	165.0 165.0	160°0 180°0	Tennessee	7.8 :	0.4	7.8
: oji	100.0	135.0	0.091	South Catolina	: 245.0	215.0	210.0
eth Carolina:	212.0	300°0	300°0	Pennsylvania	0.18	120.0	0.011
: York :	720.0	0°006	0.090 L	Oklahoma Oregon	15.0	11.0	8.8 12.0
: ooixəm wa	45.0	0 * 9	0.11	Ohio	0.8	12.0	20°0
: Sersey :	0°00T	120.0	132.0	North Carolina	30.0	20°0	30.0
: ənidaqmah wa	0 ***	0° <del>*</del> 9	0.09	New York	0'91 :	0°91 0°96	0.71 0.74
innesota :	0.02 51.0	22°0 22°0	3.81 0.77	Missouri New Jersey	102.0	3.0	23°0
: Crosbad;	0 00			iqqizzizziM	0.01 :	0 ° L	0°L
: negidoi	0.07₽	0.078	720°0	Michigan	0.03	3.0 70.0	6,8 6,8
aryland :	0.07 0.87	0°86 0°89	0°86 0°98	Massachusetts	15.0	22.0	23.0
: anis	0.88	72.0	0.79	Louisiana	3.9 :	6.3	3°0
ептиску:	10.0	12°0	22, 0	Kentucky	0°₺ :	3°0 2°0	11°0
: sesue	15.0	13.0	0.71	Indiana Kansas	3.5	2.0	0.01
: EW	10.4	11.3	8.9	ITTINOIS	0°L :	3.5	0.72
: snsib	0.89	39°0	0.88	Idaho	8. :	10°0	7°27 0°96
SIONIT	130.0	0 .69 0 .08	0°911 0°96	Delaware Georgia	2.9	1°5°0 7°5°0	2°8
: oye <sub>i</sub>	0 081	U 60	0.30	Connecticut	G.4. 5	Z°₽	<b>₱</b> *9
elaware :	12.0	12.5	13.5	Colorado	0.82 :	12.0	7.655
onnecticut	30.0	0.74	0.84	Freestone	420°0	462,0	0.686
alifornia obstolo	0.004	0 ° 97 0 ° 077	0.031 110.0	Arkansas California	0.86 :	20*0	32°0
rkansas	0.8	13.0	22.5	Alabama	0.7	0.8	0.7
	М -	ounod uoilli	- \$		٧ -	nuod nolllin	- sp
.s.u	ET EI	<b>₹</b> 261	9 <b>L6</b> I	.s.u	ELBI	<b>₹</b> 181	3791
bns	,	rotal production		State bns		Total production	u
State		A PPLES			1		

9 338.1 I Ill6/-

### CZILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217; 782-4898

## FRUIT

NW NE
W C E
WSW ESE
SERVICE

ILLINOIS DEPARTMENT OF AGRICULTURE, BUREAU OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

August 19, 1976

PRODUCTION PROSPECTS

I I, L I N O I S

#### APPLES

Illinois total commercial apple production is forecast at 90 million pounds (2,143,000 bushels, 42-pound equivalents), down 20% from last year's utilized production, according to the Illinois Cooperative Crop Reporting Service. The Golden Delicious Crop-Illinois' main apple variety--is forecast at 29 million pounds, down 19% from 1975. Production of the Jonathan variety--the Number 2 variety in Illinois--is forecast at 26 million pounds, down 21% from last year. The Delicious variety remains the third most popular variety in Illinois with production forecast at 20 million pounds, 23% less than last year.

#### PEACHES

Illinois peach production for 1976 is estimated at 20 million pounds (417,000 bushels, 48-pound equivalents), down 26% from the abundant 1975 crop. Freeze damage in some areas during April reduced production prospects, although this year's crop is estimated to be the second highest since 1971.

UNITED STATES

#### APPLES

The 1976 U. S. commercial apple crop is forecast at 6,186 million pounds. This is an increase of 73 million pounds from last month but still 13% less than 1975's record output and 5% below the 1974 utilized crop. Since July 1 prospects improved in the Eastern and Western States but declined slightly in the Central States.

The Eastern States now expect the crop to total 2,251 million pounds, up 3% from last month, but off 19% from the 1975 level. In New York, the apple crop remains 13% less than in 1975. Continued cool, wet weather in July aided fruit sizing and harvest of some early varieties has begun. Conditions deteriorated in Pennsylvania, and the crop is now placed 5% lower than last month (27% below 1975).

In the Central States, production is fore-cast at 904 million pounds, off 4 million pounds from last month and 28% less than 1975's utilized crop. In Michigan, late July rains aided apple development, but the crop remains very short as a result of adverse spring weather and dry conditions earlier in July. Ohio's crop prospects improved during the month with more favorable moisture supplies. Sizing is good although some fireblight and powdery mildew problems exist. The Missouri crop also improved somewhat while other States in the Region held or declined slightly.

The Western States now expect production to total 3,032 million pounds, up 5 million pounds from July 1 and only 1% less than last year's large crop. In Washington, warm days and cool nights during July favored apple development. Fruit sizes are slightly smaller than last year but the crop is still forecast at 2.1 billion pounds (one third of the U.S. total), only 5% behind last year's record.

#### PEACHES

United States production of peaches is now forecast at 2,945 million pounds. This is 5% less than forecast last month but is 5% above last year. Excluding California Clingstone peaches, the crop is forecast at 1,525 million pounds, 11% above last season.

California's Clingstone crop was reduced to 1,420 million pounds, reflecting 190 million pounds abandoned as a result of the recent cannery workers strike. Late varieties are sizing nicely. The California Freestone crop, at 470 million pounds, is unchanged from last month but is 21% above last season. Trees have heavy sets but sizes are smaller than normal and the crop is early. The South Carolina peach crop, at 265 million pounds, is 8% above last month and 26% above last year. Harvest is rapidly drawing to a close with about 90% of the crop harvested by August 1.

- OVER -

SEP 7 1976

10819 TI UNIVERSITY OF ILLINOIS YAAAAI BLSENZ 000 000 5000 21 800

#8 Fruit Production Prospects August 19, 1976

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62703 P. O. Box 429 STATISTICAL REPORTING SERVICE

James R. Kendall

DEPARTMENT OF AGRICULTURE

Agricultural Statistician in Charge

Arkansas 3/

State

Colorado

California

42°0 42°0 440°0

13.0

2/61

Utilized 2/

0.001 0.001

21.1

9L6T

Million pounds

Production

Apples, Commercial Grop 1/

BULK THIRD CLASS

UNITED STATES
DEPARTMENT OF AGRICULTURE
AGR-101 POSTAGE AND FEES PAID

US.MAIL

Jon M. Ohman, John R. Unger, Frederic A. Vogel, Agricultural Statisticians

age trees. appies in the commercial orchards of 100 or more bearing

	Out to obacdoro lei	arammon adt ni g	elage to noticubous te	refer to the tot	goro laioremme:	1/Estimates of the c
Z°98I°9	6 °909 °L	#1000 to				:
		₹ 233° ₹	0°06	172°0	0.08	Total
2,010,1	2,716,1	2° 492° 1	0.11	12.0	0 ° 6	Other
L°009	₱°L09	₹65₹	0 °ħ	0 °9	3*0	Rome Beauty :
8 <b>.</b> ele	L °484° 1	322°3	0°93	33°0	0.52	: lonathan
1, 015, 3	1° 112° 8	T° D14° T	0.62	30°9	0.82	Golden Delicious:
<b>5° 3√6° 3</b>	S° 632° 6	2,117,9	0 °03	26.0	0.71	Delicious :
0107 00000		- spunod	noillim -			:
Indicated 1976	SL6T	₹L6I	Indicated 1976	946I	<b>₹</b> 461	
	UNITED STATES			ITTINOIS		Alorina.

	.S.U dna si	LIES FOR ILLINO	BY SELECTED VARE:	KCIAL CROP 1/	beles, comme	A
	THE CHART	NOLL	PRODUC	ITTINOIS		Variety
3701 betraibul	UNITED STATES	<u>₹161</u>	Indicated 1976	9L6I	₹461	
Indicated 1976	1 2127		noilliM -			:
2,346,3	5° 635° 6	2° 111° 8	20°0	56.0	0°LT	Delicious
1,015,3	1,115,8	I. PTO .I	0.62	96.0	0.88	Golden Delicious:
	L *484	322°3	26.0	33°0	0.83	lonathan
8.618	! *InI		O V	0.5	3°0	Rome Beauty
L°009	₱°L09	<b>₹</b> °86 <b>₹</b>	0 °†	0°9		:
2,010,1	2,716,1	Z° ₹85° 1	0.11	12.0	0*6	Other

L/Excludes unharvested production and excess cullage (million pounds): United States, 1974-8.9, 1975-28.1, 2/Estimates for current year carried forward from earlier forecast. 3/California Clingstone is over the scale tonnage and includes culls and cannery diversions (million pounds): 1974-162,0, 1975-150,0,

wagnago has allag 2	sand include	este couuste	Clingstone is over the s diversions (million pour	imates not	recasī. 4/Est	om earlier fo 1976 crop.	year carried forward fr available prior to the
			pounds): United States, current year carried for Clingstone is over the	thousand and att	rminallys som	RID-CLAT "B"	GH-HIGT SOIPIC POITEO
noillim) əgsilu	and excess c	production	1/Excludes unharvested	S/ Excludes	ng age trees.	n more bearn A and excell	1/In orchards of 100 of unharvested production
2° 942° 0	2,818,0	7°268°3	UNITED STATES	2.381,8	I.780 ,7	0.484.0	UNITED STATES :
23.0 17.0 17.0 17.0 1.420.0 1.420.0	0.81 0.82 0.82 0.82 0.87 0.87 0.87 0.94 0.044	18°00 1°284°1 23°0 24°3 10°0 10°0 10°0 10°0 10°0 10°0 10°0 10	Utah 27 Virginia Washington : West Virginia :	8,6 0.00 186,0 28,0 38,0 38,0 38,0 38,0 38,0	10.0 44.0 33.0 395.0 2,200.0 2,200.0 64.0	0.08 0.012 0.808 0.808 0.808 0.808 0.808 0.012	Tennessee 3/ Tesh 3/ Vermont Virginia Washington West Virginia
8°0 102°0 102°0 12°0	110.0 210.0 8.7	120.0 215.0 4.0	Pennsylvanta South Carolina Tennessee 2/ Texas 2/	0.07£ 0.07£ 0.81	503.5 503.5 160.0	0°02 0°08 480°0 78°0	Oregon Pennsylvania Rhode Island South Carolina 3/
15.0 12.0 7.0	30°0 20°0 8°9 12°0	20°0 14°0 11°0	Morth Carolina 2/   :   Ohio 2/   :   Oklahoma 2/   :   Oregon 2/	750.0 275.0 100.0	280°0 122°0 122°0	889°0 295°0 132°0	New York North Carolina Ohio
72°0 72°0 11°0 11°0	7.0 90.0 90.0 17.0	3.0 91.0 16.0	Missouri 2/ New Jersey	26°0 90°0 94°0 94°0	0°11°0°011°0°011°0°011°0	2°0 170°0 170°0 23°0	Mew Hampshite New Jersey New Mexico 3/
3°0 3°0 13°0	23°0 83°0	₽.61 0.6 0.07 0.7	Masyland — Massachusetts 2/ S Michigan — Mississippl 2/	0.16 0.008 0.22	9.81 0.089 0.089	91.0 670.0 55.0	Massachusetts Michigan Minnesota 3/ Missouri
9°9 0°6 0°9 0° <del>1</del>	11.0 16.5 3.0	0°8	Fonisiana Z/ Kentucky Z/ Kansas Z/	11°0 14°0 14°0 95°0	16.6 21.4 66.0 79.0	0°69 : 0°69 : 0°69 :	Kentucky 3/ Maine Maine Mayland
20.0 12.0 20.0 	0°12 9°01 0°86	10.01 3.5 5.0	Indiana 2/	9°0°06	9.3	8.01 :	ILLINOIS  Kansas 3/ Kansas 3/
9°T 0°7 0°7	2.8 4.3	1°5 4°0 3°1 3°1 3°1 3°1 3°1 3°1 3°1 3°1 3°1 3°1	Connecticut 2/ Delaware 2/ Ceorgia 2/	11.5 22.0 130.0	12.5	12.5	Delaware 3/ Georgia 3/4/ Idaho Idaho ILIMOIS
0.074	0.688		Colorado Colorado	32.0	43.0	0.64	Connecticut

State

Arkansas Alabama 2/ 0.081 0.28

12.0

9461

Indicated

\$25°0

0.8

35.0

spunod notitim -

Production

Peaches

Ordinaced 1/

0.7

16.0

9461

bassolbni

ILLINOIS COOPERATIVE CROP REPORTING SERVICE

P. O. Box 429, Springfield, Illinois 62705 - Phone: Area Code 217: 782-4898

# FRUIT



ILLINOIS DEPARTMENT OF AGRICULTURE, BUREAU OF AGRICULTURAL STATISTICS # U.S. DEPARTMENT OF AGRICULTURE, STATISTICAL REPORTING SERVICE

July 16, 1976

1976 PRODUCTION PROSPECTS

#### ILLINOIS

#### APPLES

Illinois total commercial apple production is forecast at 91 million pounds (2,167,000 bushels, 42-pound equivalents), down 19% from last year's utilized production, according to the Illinois Cooperative Crop Reporting Service. Freeze damage during April reduced production prospects, unlike last year when no significant freeze damage occurred and Illinois produced its largest crop since 1957.

#### PEACHES

Illinois peach production for 1976 is estimated at 19.0 million pounds (396,000 bushels, 48-pound equivalents), down 30% from 1975. The crop suffered considerable freeze damage in some areas during April, in contrast to 1975 when virtually no freeze damage occurred.

#### UNITED STATES

The first U.S. apple forecast of the 1976 season is set at 6.1 billion pounds (145.6 million 42-pound equivalents). This is 14% below last year's record crop and 6% under the 1974 production. Across-the-board declines were registered in every region of the country due, in most cases, to spring freeze damage and generally unfavorable pollination weather.

In the Eastern States, production is expected to total 2.2 billion pounds, one-fifth below the last two years' utilized crops. Trees in many States bloomed much earlier than normal due to an unseasonably warm spell in early spring, and were highly vulnerable to the spring freezes which occurred later. Cool, windy wet weather during pollination further reduced the crop potential.


Production in the Central States is forecast at 907.5 million pounds, down 27% from the 1975 utilized crop and 19% below the 1974 figure. As in the East, spring freezes and poor pollination weather resulted in crop reductions in every State except Minnesota. Michigan's production is off 26% from last year and Ohio will be down 37%.

The Western States' crop is initially forecast at 3.0 billion pounds, 2% less than the utilized production a year ago but 17% above the 1974 level. In Washington—the Nation's top producer—the crop is expected to total 2.1 billion pounds compared with 1975's record output of 2.2 billion pounds. Trees overwintered in good condition and spring weather favored good pollination and later fruit development.

The Nation's 1976 peach crop is forecast at 3,115 million pounds, off 2% from the June 1 forecast but still well above the utilized crops of recent years. Excluding California's Clingstone production (used mostly for canning), the remaining output will total 1,505 million pounds, or 9% more than was utilized in 1975.

In California, the Clingstone crop is forecast at 1,610 million pounds, unchanged from the June 24 report, but 12% above the 1975 utilized crop. Trees had a heavy fruit set and, although many orchards were not thinned, average fruit size is expected to be good. Harvest of early varieties has begun in Bakersfield with picking in Kingsburg and Modesto scheduled for later in July. California's Freestone crop is forecast at 470 million pounds, 21% above last year. Harvest is in full swing with excellent fruit quality.

The South Carolina crop at 245 million pounds remains unchanged from last month but is 17% larger than the 1975 utilized production. Harvest was active during June with volume now increasing rapidly. Recent rains slowed picking but improved the average size of remaining fruit. In Georgia, production is forecast at 210 million pounds, more than double last year's crop. Pennsylvania's peach production is now set at 105 million pounds, 11% above the June 1 level due to improved growing conditions.



UNITED STATES	0 * \$8 \$ * 9	T.780 .T	6, 113, 2	UNITED STATES	Z, 892, 7	2,818.0	3, 115, 0
Misconsin	0.09	0 *79	0.83	Calif Clingstone 3	0.809 t /	1° 440° 0	0.019,1
Mest Virginia	210.0	216.0	0.021	Total	I, 284.7	1,378,0	I' 202'0
Washington Washington		2, 200. 0	2, 100.0	West Virginia :	23,0	28.0	SIO
	0.808.1		135.0	mosgnings W	27.3	9.68	36.0
Virginia	\$.87£	396.0	34.0	: sinigniv	32.0	32.0	13.0
Vermont	38.0	33"0		Utah 1	0.91	16.0	0.71
Jtah	0.78	0 ***	0.04			16.0	23.0
Lennessee	0.7	10.0	9*8	Texas	18.0	7.8	0.8
South Carolina	20.0	21.0	0.81	Tennessee 1/	0 * v		0.845.0
thode Island	0 °Þ	4.2	2.4	South Carolina	216.0	210.0	105.0
ennsylvania	0.08₽	203°2	390°0	Pennsylvania	120.0	0.011	
nogar	165.0	0.091	0.07I	Oregon 1/	11.0	12.0	12.0
ојцс	132°0	122.0	0 °96	Oklahoma 1/	T'	8 * 9	0 12
North Carolina	0.362	280°0	0.372	: \t oidO	0 •₽1	20°0	12.0
New York	0 *688	0.098	750°0	North Carolina :	20°0	30°0	12.0
New Mexico	0 °9	0.11	26.0	New York :	0.91	0.71	13.0
New Jersey	120.0	0.011	0.68	Hew Jersey :	0*16	0°06	0.37
мем Натрарие	0.19	92°0	0.48	: \I inossiM	3°0	23°0	25.0
InossiM	23°0	0.79	0.03	: \I iqqississiM	0.7	0 °L	T2°0
Minnesota	26.0	3.81	22.0	Michigan _ :	0.07	0.55.	30°0
Michigan	0.078	0.089	0.003	Massachusetts 1/ :	3.0	6.8	3°0
Massachusetts	0.16	0.88	0.78	Maryland	₹'61	23°0	13.0
Maryland	0.69	0.6r	62.0	Louisiana I/	8.8	3°0	<b>9.</b> 8
Maine	0.69	0 *99	0.79	Kentucky 1/	0°9	16.5	0°6
Кептиску	₱°₱I	21.4	14.0	Kansas 1/	3.0	O'TT	0°9
Kansas	12.7	9.91	0.11	: \I snaibni	2.0	0.01	0 °ħ
EWO!	8.01	8.8	0.9	ITTINOIS :	3.5	27°0	0.61
snsibal	3.85	0.97	0°07	: \I odabi	10.0	G*0I	12.0
ILLINOIS	0.er	112.0	0°16	Georgia	0°97	0°96	ST0°0
	0.65	0.36	130.0	Delaware 1/ :	1.2	3.8	1.5
Idaho ohabi	0 60	0 30	22.0	Connecticut 1/ :	₹*₽	p*9	0 ° 7
Georgia 3/	0.77	12.5	3.11	Colorado	T.EI	0.91	16.0
Delaware	12.5	43.0	34°0	Freestone	452.0	389°0	0°0L\$
Connecticut	0.6	105.0	82.0	California-	0 031		
Colorado	0'97		0.084	Arkansas :	20°0	32°0	42°0
California	0.044	0.094		: smsdalA	0.6	0.7	16.0
Arkansas	0.61	21.1	12.0	: amodel A	00,	- L	
	IM -	liton pounds	- s		IIW -	fon pound	
	₹46I	9461	9461		<b>₹</b> 46I	GLGI	9161
		/Z pa	Indicated	State and U.S.	ezilliu	/Z P	Indicated
State and U.S.	-110:11	Production		2 11 bus atat?		Production	
		Commercial C				Peaches	

2/Excludes unharvested production and excess cullage (million pounds): United States, 1974-8.9, 1975-28,1, 3/California Clingstone is over the scale tonnage and includes culls and cannery diversions (million pounds): 1974-152.0, 1975-150.0. 1/Estimate for current year carried forward from earlier fore-

1/ In orchards of 100 or more bearing age trees.

2/ Excludes unharvested production and excess cullage (million pounds); United States 1974-49, 4, 1975-419, 8, 3/ Apple estimates begin with the 1976 ctop; data for previous years not available.

James R. Kendall Agricultural Statistician in Charge

Agricultural Statisticians Jon M. Ohman John R. Unger Frederic A. Vogel

AGR-101 JIAM.S.D DEPARTMENT OF AGRICULTURE POSTAGE AND FEES PAID

#8 Fruit Production Prospects

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62708 P. O. Box 429

STATISTICAL REPORTING SERVICE UNITED STATES
DEPARTMENT OF AGRICULTURE

LIBRARY UNIVERSITY OF ILLINOIS DOCUMENTS DIVISION URBANA d-**BLSEO2** 000 0042620 71 800

BULK THIRD CLASS

### **ILLINOIS FRUIT**

Released: JANUARY 31, 1978



Illinois Department of Agriculture **Economics, Statistics &** Cooperatives Service-USDA Box 429 Springfield, Illinois 62705

Phone: (217) 782-4898

ANNUAL SUMMARY - 1977

#### ILLINOIS

#### APPLES

338.1

Illinois commercial utilized apple production in 1977 totaled 105 million pounds (2,500,000 bushels, 42-pound equivalents), according to the Illinois Cooperative Crop Reporting Service. This was up 22% from the 86 million pounds produced in 1976. Golden Delicious was again the leading variety, followed by Jonathan and Red Delicious. The 1977 total crop value was \$9,660,000, compared with \$8,772,000 in 1976. Price for the 1977 crop, at 9.2 cents per pound, was down 1 cent from the previous year's price.

Following minor spring freeze damage in some areas, the crop progressed well in most areas through the growing season. Sizing was generally good except in a few areas where excessive heat hurt the crop. Quality was also reported good in most areas. Many orchard operators experienced some difficulty at harvest. Rain at harvest slowed operations and also caused some cracking, particularly in Jonathan. In addition, the crop all ripened at once in many areas, and some operators were unable to harvest their crop fast enough.

#### **PEACHES**

Illinois peach production in 1977 is estimated at 9 million pounds (188,000 bushels, 48-pound equivalents), less than half of the 1976 production of 20 million pounds. Value of the 1977 crop totaled \$1,476,000, compared to \$2,900,000 the year before. However, price per pound for the 1977 crop averaged 16.4 cents, up 1.9 cents from the 1976 price.

The decreased 1977 production was due primarily to extensive winter freeze damage. The effects of the freeze were quite variable, ranging from very little damage in a few orchards to a complete loss in others. Generally, the severity of the damage depended on the age of the trees, the elevation of the trees, and the variety. Elberta, Loring, and J.H. Hale did not fare as well as most other varieties. Many peach trees were killed by the freeze, while some were weakened but did bear some fruit. It is unknown at this time whether or not the weakened trees could bear the weight of a full crop in future years.

#### UNITED STATES

#### APPLES

The Nation's 1977 commercial apple crop totaled 6.7 billion pounds utilized, a 5% increase from last year but 6% below the 1975 figure. In the East, 2.7 billion pounds were utilized, 15% above a year earlier, and the Central States production rose 12% to 975.6 million pounds; both regions suffered from spring freeze damage to the 1976 crop. The Western States produced nearly 3.0 billion pounds, off 6% from 1976 and 2% less than in 1975. Washington's crop, the largest in the Nation, slipped 7% from a year ago to 2.1 billion pounds.

Red Delicious remained the Nation's leading variety, at 34% of the total U.S. crop. Other leading varieties as a percent of total were: Golden Delicious, 18%; McIntosh, 10%; Rome Beauty, 7%; Jonathan, 5%; and York Imperial, 4% of total production.

#### **PEACHES**

The 1977 U. S. peach crop totaled nearly 3.0 billion pounds, of which 2.9 billion pounds was utilized. This was 8% higher than the utilized output of the previous two seasons. The California clingstone crop accounted for 1.4 billion pounds (49%) of the U. S. utilized production. This was 17% above the 1976 crop, which was hard hit by a mid-season cannery workers'strike, and 9% more than the 1975 level.

Excluding California clingstones, peach production totaled 1.5 billion pounds utilized, up 1% from last season and 7% above the 1975 utilization. South Carolina's output rose 1% and New Jersey's jumped 47% above 1976, but in Georgia, the crop slipped 36% below a year ago.

xcinges nuugia	00 or more bear sested production or included prior to	ing age trees. n and excess culls the 1977 crop.		[/ Excludes unhar	vested producti	on and excess	cullage.
				:			
: sətate bət	7, 102,6	6°717°9	E, 702, 1	: .	C * O + O + F	2° 642° 4	2,088.2
:				United States:	6.848.9	V GV 9 G	0 000 0
: nisnoo	0 *₹9	52.0	0.93	•			
: siniguV 3	216.0	2000	.: 0.022	:	0 1017 1-	0.461,1	0.898.1
: noignina	2, 200, 0	2, 250, 0	2, 100.0	Clingstone:	1,276.0	0 101 1	0 606 1
: sinig	396° 0	212.0	323.5	: California :			
:			• •	:	017101-	7°8 <del>77</del> °1	Z.734.1
: mom	0 <b>°</b> 2₽	0 ° <i>L</i> ₹	₩ 0 * 7 7	: syodA istoT	2,372,9	V 8VV L	0 497 1
: ч	0 ° <del>bb</del>	0 °0⊅	0 °L₹	:	0.107	15.0	L*₹I
: əəssəut	10.0	. 0 *8	10.0	West Virginia:	0.82		0.I <u>p</u>
th Carolina:	21.0	23°0	.: 0.32	Washington:	L °₽₽	0.64	
de Island :	L ° G	6.3	∷ 0 °G	: sinigiiV	32.0	12.0	19.0
:			• •	: daiU	0.91	8.71	3.71
: sinsvlysni	203.5	329°0	₹30°0 ∷	Texas :	16.0	0.91	0 ° 97
gou :	120.0	0°0LT	140°0 ::	Tennessee :	7.8	0.8	0.8
: 0	152.0	105.0	65.0	South Carolina	210.0	0.882	0.792
	0.082	265.0	:: 0.072	Pennsylvania:	0.06	0°06	0°96
th Carolina		0.028	0.006	Oregon :	13°0	12.0	0 "81
w York	0 098	0 006	::	Октаноша :	8.8	0.8	9°6
	0 ***	0.07	33.0	: oidO	22.0	0.31	0.8
w Mexico	11.0	26.0	135.0 ::	North Carolina	30.0	0.82	32.0
: yəsiəl w	0.011	0.06	: 6.78	New York :	0.81	9.6	13"0
: Stingshire :	92°0	0.73	5 7 5	Mew Jersey :	0.06	0.87	0.011
imoss	0.76	0.03	9.83		23.0	22.5	11.0
mesota :	18°2	23.5	18.5	: inossiM		0.8	0.4.0
			:	: iqqississiM	0.40	0.04	0.83
chigan :	0 089 :	0 08₽	G *079	Michigan :	0.66	8.8 0.0 0.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	3.5
ssachusetts	0 *86 :	0°96	92.0	Massachusetts:	I *ħ		21.0
ryland	0.67 :	0.89	: 0.07	: bnafyland	23.0	18.0	6.8
əni	0.87 :	75.0	. 0.88	: Louisiana	3°0	0.7	
псиску	₽.I2 :	13.7	: 8.el	Kentucky:	16.5	0.6	1.
	:		:	Kansas :	11.0	0 °₽	0.6
nsas	9°91 :	₽.II.4	: 0.91	: snaibnī	10.0	9.8	0.1
V.	8.6 :	0.9	12.3	: ITTINOIS :	0.72	20.0	0.6
snsi	0.97	25.0	52.0	: Idaho	10.5	12.0	12.5
	: 112.0	0.98	105.0	Georgia :	0°96	140.0	0.06
OU10	0 96 :	125.0	: 0.011	Delaware :	3.2	9.1	₽°%
orgia 3/	0 30 .	21.0	: 0.02	Connecticut :	₽°9	Ι * τ	0 *9
	0 *⊅1 :	13.0	13.5	Colorado :	0.91	0°71	9°71
laware	<b>3.7</b> ₽ :	33.0	: 0.8 <u>4</u>	Freestone:	0°T07	0 ° 7 9 7	0°917
nnecticut	0.86	0 * <del>1</del> L	: 0.08	California			
lorado		0 °087	: 0.08₽	Arkansas	95.0	1.14	0.68
siniolil	0°09₹ :	0.11	23.0	Alabama	0 ° L	0.4.0	10.0
капѕаѕ	: 21,1		:			oq noilliM	- spur
	: - 1	bnuoq noillib				:	•
***	9261	9261	LL6I	.s .u	3791	9261	LL6T :
.S.U		ized production ?		pue	n	tilized product	/I uo
biis				State			
State	: VALTES'	COMMERCIAL CR	OP I			PEACHES	

APPLES, COMMERCIAL CROP  $\underline{1}/BY$  SELECTED VARIETIES FOR ILLINOIS AND U.S.

: Statisticians	James R. Kendall Agricultural Statisti					
more bearing age	al orchards of 100 or	the commerci	oductión of apples in	r to the total pr	ester qoro Laioremmos	1/Estimates of the crees.
6,730,5	6, 421.2	7, 530. 0	108.0	0.88	0.311	Total
2, 368, 6	2, 059, 5	2, 740, 0	12.0	0.01	12.0	. Other
9.87₽	₹81°2	6.803	0 ° <del>*</del>	0 °₺	0.3	Rome Beauty
6°898	3.4.2	7 . 484. 7	0.28	0,*93	` 0.88	nsdisnol
1,210,5	7,152,7	1,115.2	32.0	0.82	0.88	colden Delicious
2, 322, 0	£.83 <u>4</u> .2	8,189,2	0.62	0.61	0.82	Delicious
	9261 :	- spunoa GL6I	: 7791 :	9461	: 9 <u>4</u> 61	
	UNITED STATES	NOI	- BODACT	SIONITTI		Variety

David M. Dillard, John R. Unger Frederic A. Vogel, Agricultural Statisticians

U. S. DEPRRTMENT OF AGRICULTURE FCONOMICS, STATISTICS & COOPERATIVES SERVICE—USDAP. O. BOX 429
SPRINGFIELD, ILLINOIS 62705

OFFICIAL BUSINESS

JIAM.S.U

IOI-RDA

UNITED STATES
DEPARTMENT OF AGRICULTURE

POSTAGE AND FEES PAID

BULK THIRD CLASS

(

008 17 000 0042620 RLSE<sub>U</sub>2

LIBRARY UNIVERSITY OF ILLINOIS UOCCUMENTS DIVISION UNGANA d=

#8 1977 Fruit Production Report January 31, 1978

(

### 335.7 **ILLINOIS** FRUIT

Released: JULY 19, 1977



Illinois Department of Agriculture Statistical Reporting Service--USDA Box 429 Springfield, Illinois 62705 Phone: (217) 782-4898

1977 FRUIT PRODUCTION PROSPECTS

#### ILLINOIS



#### APPLES

Illinois total commercial apple production is forecast at 108 million pounds (2,571,000 bushels, 42-pound equivalents), according to the Illinois Cooperative Crop Reporting Service. This is up 26% from the 1976 production of 86 million pounds. Despite the severe winter, very little freeze damage occurred and the crop is reported in mostly good condition.

**PEACHES** 

Illinois peach production for 1977 is forecast at 10.0 million pounds (208,000 bushels, 48-pound equivalents), half of the 1976 production. The crop suffered considerable winter freeze damage and many trees did not survive. In many cases, the older trees did not fare as well as younger ones, and certain varieties were hurt more than others.

#### UNITED STATES

The Nation's apple crop is initially forecast at 6.8 billion pounds (162.9 million 42-pound equivalents). This would be a 7% increase from last year's freezedamaged crop, but lags the 1975 total by 9%. Increases from 1976 were registered in virtually all major producing areas.

Production in the Eastern States is estimated at 2.6 billion pounds, up 11% from last year's total of 2.4 billion, but 16% below the 1975 figure. New York's apple crop, forecast at 860.0 million pounds, is 5% above 1976. Pollination and fruit set is good and fruit sizing is progressing well.

In the Central States, the crop is forecast at 998.5 million pounds, 15% higher than in 1976 but nearly one-fourth less than the 1975 total. Development of Michigan's 540.0 million pound crop, up 13% from last year is ahead of normal following some frost damage in April and May. Growing weather has been good, with rains aiding fruit sizing.

· The Western States crop is initially forecast at 3.2 billion pounds, 2% above last year's total and 5% more than in 1975. In Washington (the Nation's leading producer), output is expected to total a record-breaking 2.3 billion pounds, surpassing the 1976 (record crop) by 2% and 5% above the 1975 total. Trees overwintered in good condition and bloom was on schedule. Pollination weather was ideal, although spring frosts and scattered hailstorms damaged the crop in some orchards. The U. S. peach crop is forecast as of
July 1 at 3.0 billion pounds, a 2% improvement from last month and only slightly below last year's total. Excluding California Clingstone production (used mostly for canning), peach output is expected to total 1.5 billion pounds, off 3% from last month and 2% below the 1976 figure.

In California, the Clingstone crop is forecast at 1.5 billion pounds, slightly above last year's total and 3% higher than the 1975 output. Fruit is sizing rapidly and water supplies are adequate to carry the crop through to harvest, expected to begin in late July. California's Freestone crop, forecast at 450.0 million pounds, is off 2% from last month and 3% below the 1976 total. Fruit size is good, but many peaches have split pits due to cool May temperatures followed by abrupt warming in June.

Production in the nine Southern States is now forecast at 545.5 million pounds, a reduction of 7% from the June 1 forecast, but still well above the totals during the last four seasons. In Georgia and South Carolina, the region's top producers, crop prospects were further reduced by continued dry weather along with disease problems and hail damage in some orchards. Harvest is in full swing throughout the area.

The New Jersey crop, at 100.0 million pounds, improved during June despite moisture shortages in southern areas of the State. The Pennsylvania peach crop is forecast at 95.0 million pounds. Condition of the crop is generally good and fruit is sizing well.

10.82-28	761 (8	spunod uot	cullage (mill	.2.0	:(abnuoq noi	E E 9-9	979[ ,8.0	1975-42g
guq excess	p broduction	Inharvested	T Includes u	UOTION	rvested prod	filim sant	TOUT 7	and exce
0.886,2	3,018,2	Z,842.1		id age II	more bearing	TO OOT TO	ifort \C	trees.
0.002,1			Clingstone 3	5.048,8	8.295.4	6.364		
			Calif	0.52	52.0	0.40	٠.	.s.u
0.884,1	7,522.2	1.095,1		210.0	200.0		•	.siW
0.81	0.21	0.82		0.005,		240.0		. SV . W
34.0	42.0	0.85	Mash.	0.005	212.0	0.002,	۲۰	Mash.
0.61	0.21	32.0	Va.	42.0	0.85	430.0		va.
0.71	18.0	0.91 :	Utah 2/	0.74	0.04	0°67	•	VŁ.
43.0	SI.0	0.91	Tex.	S.01	0.8		:	Utah
0.8	0.8	7.8 :	Tenn. 2/	0.82	23.0	0.01	•	Tenn.
285.0	255.0	0.012 :	S. C.	0.4	₽.₽ ₽.₽	24.0		.5.2
0.26	0.011	0.011 :	Pa.	430.0		1.2	•	R.I.
0°ST	0.21	13.0	Oxeg. 2/	11	0.038	0.022	•	Pa.
2.9	0.8	8.8 :	Ok1a, 2/	0°09T	170.0	120.0	•	Oreg.
2.0	12.0	20.0	\ <u>Z</u> oid0	0.07	702.0	0.091	•	ordo
35.0	25.0	0.08 :		290.0	265.0	372.0	_	и.С.
0.51	5*6	0.71 :	N. C.	0.038	820.0	0.020,	T:	x . N
0.001	0.08	0.26 :	N. Y.	0.04	30.0	0.11	:	.xəM.N
0.51	22.5		и° 1°	125.0	0.06	135.0	•	.т.и
0.9	0.8	23.0	\2 .0M	0.72	0.72	0.09	:	.H .N
0.07	0.04	0.0	Miss. 2/	0.69	0.02	0.77	*	. OM
0.8	S*#	0.39 :	Mich.	0.81	23.5	78°2	•	.nniM
0.61	18.0	£.2 :	Mass. 2/	0.042	480.0	0.007	•	. AbiM
0.7	0.7	23.0	- pw	0.26	0.68	0.89	:	.assM
0.1	0.6	3.0	La. <u>2</u> /	0.99	0.59	0.38	. *	. bM
0.6		5.91 :	KΥ. 2/	0.97	0.07	0.79	:	Maine
0.1	0.4	0.11 :	Kans. 2/	22.0	14.0	22.0	:	KY.
0.01	5.2	0.01	F-1	18.0	p.11	0.71	:	Kans.
12.5	20.0	0.72 :	III.	0.6	0.8	8.9	:	Iowa
0.011	15.0	: 10.5	Idaho 2/	0.88	25.0	0.88		.bnI
2.0	200.0	0.26	- Ga.	0.801	0*98	0.211	*	ILL.
0.2	9°T	3.2	Del. 2/	0.011	125.0	0.26		Idaho
	T°ħ	₽.2	Conn. 2/	22.0	22.0		:	Ga. 3/
450.0	5.41	7.91 :	Colo.	12.0	S.II	12.5	:	Del.
0 037	0°494	0.688:	Freestone	0.94	30.0	0.84	:	. nnoo
0.04	0.175		lift	0.28	0.47	0.201	:	Colo.
0.04	42.0	0.25 :	Ark.	0.064	0.084	0.094	:	.lilsD
0.01	T4°0	0.7	.slA	0.22	0.11	22.5	:	Ark.
	spunod uoil				spunod uoil		:	
	97et :				9/6T :		:	
	Total		State and U.S	:Indicated	2 <u>7</u>		:	
	Production 1		D 11 Par 04642		Production		.s.u ba	State a
	<b>beaches</b>	:		Crop 1/	Commercial	Apples	:	

.0.421-3761 ,0.021-2761 :(abruoq noillim) nage and includes culls and cannery diversions California Clingstone is over the scale toncarried forward from earlier forecast. 3/ 1976-218.6. 2/ Estimates for current year cullage (million pounds): U.S., 1975-28.0,

Agricultural Statistician in Charge James R. Kendall

pedin with the 1976 crop; data for previous

1975-429.8, 1976-6.3. 3/ Apple estimates

POSTAGE AND FEES PAID

Agricultural Statisticians

Frederic A. Vogel

John R. Unger David M. Dillard DEPARTMENT OF AGRICULTURE ONITED STATES

years not available.

OFFICIAL BUSINESS

SPRINGFIELD, ILLINOIS 62705 P. O. Box 429 STATISTICAL REPORTING SERVICE

IIAM.S.D DEPARTMENT OF AGRICULTURE

BOLK THIRD CLASS

77 TO 197 TOU #8 TOLL Exuit Production Pros

10819 71 LIBRARY UNIVERSITY OF ILLINOIS DOCUMENTS DIVISION URBANA IL 6180 d= RLSEU2 000 0045620 4T 800

# ILLINOIS

### **FRUIT**

Released: AUGUST 19, 1977



Illinois Department of Agriculture Statistical Reporting Service--USDA Box 429 Springfield, Illinois 62705 Phone: (217) 782-4898

1977 FRUIT PRODUCTION PROSPECTS

ILLINOIS

#### APPLES

The total commercial production of 1977 apples grown in Illinois is forecast at 108 million pounds (2,571,000 bushels, 42-pound equivalents), according to the Illinois Cooperative Crop Reporting Service. This represents an increase of nearly 26% over last year's production of 86 million pounds. Golden Delicious remains the State's leading variety with 35 million pounds, up 7 million pounds from 1976. Jonathan is the second variety with 33 million pounds, compared to 25 million pounds last year. Production

of the Delicious variety is forecast at 25 million pounds, 6 million pounds more than a year ago and making Delicious the State's third most popular variety.

#### **PEACHES**

Illinois peach production for 1977 is estimated at 9 million pounds (188,000 bushels, 48-pound equivalents), down sharply from last year's 20 million pounds. Winter freeze damage is primarily responsible for the substantial decline in this year's production.

#### UNITED STATES

Commercial production of apples is now forecast at 6.9 billion pounds, a slight improvement from a month ago and 8% greater than last year's total output. The 1977 crop will, however, fall short of the 1975 record by 8%. Increases from July 1 were most notable in the Northeast and Virginia where recent rainfall brought relief from earlier dry conditions.

The crop in the Eastern States is now estimated at 2.7 billion pounds, up 3% from last month and 14% above the freezedamaged 1976 crop. Rainfall in New York during the last month aided apple sizing which had been slow because of the drier than normal early summer. The Red Delicious crop still appears light. The crop is generally developing well in New England despite some lingering dry areas in Vermont where sizes continue below normal. Pennsylvania's crop remained stable under favorable July weather. Moisture and apple sizes are good. In Virginia, apple sizes are running somewhat below normal. Harvest of early varieties is now past the peak. Dry conditions in West Virginia resulted in some trees shedding leaves.

In the Central States, production is now forecast at 989 million pounds, 13% higher than the 1976 total, but still nearly one-fourth lower than the 1975 output. Prospects remained steady from July 1 in all States except Indiana and Wisconsin which declined slightly because of hot, dry weather. Michigan's 540 million pound crop received rain in late July, but sizes are still smaller than normal.

The Western States expect the crop to total 3.2 billion pounds, off slightly from the forecast last month, but still ahead of the previous two seasons. Washington's record crop 2.3 billion pounds remained in good condition with favorable July weather. Fruit sizing is ahead of last year. Orchardists completed thinning operations, and are busy with spraying activities. In California, the lack of water has reduced apple sizes and the Oregon crop also declined slightly from July 1.

#### PEACHES

Production of <u>peaches</u> in the U.S. is now forecast at 2.9 billion pounds. This is 3% less than forecast last month and 4% below last year. Excluding California Clingstone peaches, the crop is forecast at 1.4 billion pounds, 5% below last season.

California's Clinqstone crop is forecast at 1,450 million pounds, 3% below last year's crop of 1,496 million pounds. Sizing and overripeness because of unusually hot days and nights has been a problem for early varieties. No size problems are anticipated for late varieties unless there is another heat wave. California Freestone peach production is forecast at 400 million pounds, a decrease of 14% from last year's crop of 464 million pounds. Peaches are small but quality is good. The South Carolina peach crop, at 280 million pounds, is 2% below last month but 10% above last year. Michigan weather during July was warm with little or no damage caused by adverse weather. In New Jersey, fruit sizes in some orchards have been small but the recent rain is expected to improve the size of later varieties. Early peaches in Pennsylvania were small, but late peaches are expected to have good size.

UNIVERSITY OF ILLINOIS

- over

10.82	-9/6T ''S'D :		cullage (milli		. Estimates			
g excess	Produceton an	UIGT VESCED	T Includes un	Sill	(spunod uot	[[im] ape	xcess cnjj	
0.168		1,842.1			knested broch wore peartr			trees
0.024			Clingstone 3/1	0.488,0		6.964		.S.U
0 037		0 011	Calif :	0.84	52.0	0.40	<i>L</i> •	
· 0°T##	1,522.2 1,	1.096,		205.0	0.002		•	·stw
0.91	15.0	28.0				240.0		aV .W
34.0	42.0	38.0	: . desW	0.005,2		0.002,	C:	Mash.
0.71	0.21	32.0	. Va.	300.0	275.0	430.0	\$ , ) to	Va.
0.71	0.81	0.61	utah 2/ :	0.74 0.04	0.04 0.88	38.0	· · ·	V£,
0.54	0.12	0.91	Tex. 2/ :	H		0.64	: / \( \frac{\xi}{2} \)	Utah
0.8	0.8	7.8	: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	10.5	0.8	10.0	entern.	Tenn.
0.082		210.0	· · · · · · · · · · · · · · · · · · ·	28.0	23.0	24.0	3/8	.D.2
		0.011	: 'D 'S	S.4	ħ*ħ	1.2		R.I.
0.201				430.0	360.0	0.088	•	Pa.
15.0	0.2	13°0	Oreg. 2/ :	0'SST	0.071	720.0	*	Oreg.
5.6	0.8	8°9	Okla, 2/	0.07	105.0	0.091	•	otho
2.0	15.0	20.0	Ohio 2/	0.072	265.0	315.0	*	и.С.
32.0	25.0	30.0	N. C. 2/	0.006	0.028	0.020,		.Y.N
13.0	5.6	0.71	N. Y.	0.04	30.0	0.11	· /ε ·	X9M.N
110.0		0.26	. U N	130.0	0.06	0.251	:	.t.N
13.0	22.5	23.0	. No. 2/	0.09	0.72	0.09	•	.н .и
0.9	0.9	0.4	Miss. 2/	0.59	0.02	0.77	-	. oM
0.29	0.04	0.89	Mich.	0.81	23.5	78°2	: /٤	. unim
0.8	S.4	5.3	. Massa. 2/ :	0.042	480.0	0.007	:	Mich.
0.61	0.81	0.52	bM	0.68	0.68	0.56	:	Mass.
0.7	0.7	3.0	La. 2/	0.29	0.89	0.38	:	. bM
0.1	0.6	S.9I	Ky. 2/ :	0.28	0.07	0.78	: 6	Maine
0.6	0.4	0.11	Kans, 2/	22.0	OTVI	22.0	: /	KY. 3
	5.2	0°0T	: \sqrt{2.bnl}	0.81	b°II.	0.71	: TE'	Kans.
0.6	20.0	0.72	ILL.	0.6	0.8	£.6	: /Ē	SWOI
12.5	12.0	S°OT	: \Z odabl	0.09	25.0	0.88	: 1	.bnl
0.011	200.0	0.26	Ga. 2/	0.80L	0.38	0.211	:	ILL.
0.5	9.1	3.2	Del. 2/	120.0	125.0	0.26	: 0	Idaho
0.2	1.4	4.2	Conn. 2/	22.0	22.0		: /7 /8	Ga. 3
0.22	S°₹T	7.81	Colo.	12.0	S.II	12.5	: /Ē	Del.
0.004	0.494	0.685	Ereestone :	0*97	30.0	0.84	:	Conn
		•	lifa	0.07	0.1	0.201	:	Colo
0.04	42.0	0.25	Ark. 2/	0.084	0.084	0.094	: •g	Calif
10.0	0.41		Ala. 2/	22.0	0.11	22.5	: /ɛ	YKK.
	- spunod uot		•	-	spunod uotl	TTW -	:	
	9261 :			LL6T :	946T :	SL6T	:	
ndicated	otal : In		icio nun nana	:TugTcgreq	al <u>2</u> /	TOL	:	
	roduction 1/	ď	State and U.S.		Production		.s.U bas e	Stati
	Беясрев			Princip	, Commercial		6 0	

.0.421-3761 ,0.021-2761 : (abruoq noillim) usde sud includes culls and cannery diversions California Clingstone is over the scale toncarried forward from earlier forecast.  $\frac{3}{4}$ 1976-218.6. 2/ Estimates for current year cullage (million pounds): U.S., 1975-28.0,

Agricultural Statistician in Charge James R. Kendall

forecast. 4/ Estimates not available prior

1975-429.8, 1976-6.3. 3/ Estimates for current year carried forward from earlier

Agricultural Statisticians Frederic A. Vogel John R. Unger David M. Dillard

BULK THIRD CLASS

IOI-RDA

UNITED STATES DEPARTMENT OF AGRICULTURE

POSTAGE AND FEES PAID

P. O. Box 429 STATISTICAL REPORTING SERVICE DEPARTMENT OF AGRICULTURE UNITED STATES

to the 1976 crop.

SPRINGFIELD, ILLINOIS 62708

OFFICIAL BUSINESS

LIBRARY UNIVERSITY OF ILLINOIS DOCUMENTS DIVISION URBANA URBANA d= KLSEU2 000 0045620

LL61 '61 AsubuA #8 1977 Fruit Production Prospects







